

Cisco.350-401.v2020-11-02.q58

Exam Code:	350-401
Exam Name:	Implementing Cisco Enterprise Network Core Technologies (350-401 ENCOR)
Certification Provider:	Cisco
Free Question Number:	58
Version:	v2020-11-02
# of views:	1744
# of Questions views:	31918
https://www.freecram.net/torrent/Cisco.350-401.v2020-11-02.q58.html	

NEW QUESTION: 1

When using TLS for syslog, which configuration allows for secure and reliable transportation of messages to its default port?

- A. logging host 10.2.3.4 vrf mgmt transport tcp port 6514
- B. logging host 10.2.3.4 vrf mgmt transport tcp port 514
- C. logging host 10.2.3.4 vrf mgmt transport udp port 6514
- D. logging host 10.2.3.4 vrf mgmt transport udp port 514

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

Which two steps are required for a complete Cisco DNA Center upgrade? (Choose two.)

- A. automation backup
- B. system update
- C. application updates
- D. golden image selection
- E. proxy configuration

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

Which statement about multicast RPs is true?

- A. By default, the RP is needed periodically to maintain sessions with sources and receivers
- B. By default, the RP is needed only to start new sessions with sources and receivers.
- C. RPs are required for protocol independent multicast sparse mode and dense mode.
- D. RPs are required only when using protocol independent multicast dense mode.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

Drag and drop the characteristics from the left onto the correct infrastructure deployment types on the right.

significant initial investment but lower reoccurring costs

pay-as-you-go model

physical location of data can be defined in contract with provider

very scalable and fast delivery of changes in scale

company has control over the physical security of equipment

On-premises

Cloud

Answer:

significant initial investment but lower reoccurring costs

pay-as-you-go model


physical location of data can be defined in contract with provider

very scalable and fast delivery of changes in scale

company has control over the physical security of equipment

On-premises

Cloud



NEW QUESTION: 5

In which part of the HTTP message is the content type specified?

- A. body
- B. header
- C. URI
- D. HTTP method

Answer: B (LEAVE A REPLY)

NEW QUESTION: 6


An engineer configures a WLAN with fast transition enabled. Some legacy clients fail to connect to this WLAN. Which feature allows the legacy clients to connect while still allowing other clients to use fast transition based on their OLTIs?

- A. 802.11V
- B. over the DS
- C. adaptive R
- D. 802.11k

Answer: C (LEAVE A REPLY)

NEW QUESTION: 7

Refer to exhibit.



VLANs 50 and 60 exist on the trunk links between all switches. All access ports on SW3 are configured for VLAN 50 and SW1 is the VTP server. Which command ensures that SW3 receives frames only from VLAN 50?

50?

- A. SW1 (config)#vtp pruning
- B. SW2(config)#vtp pruning
- C. SW3(config)#vtp mode transparent
- D. SW1 (config)#vtp mode transparent

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

Which IP SLA operation requires the IP SLA responder to be configured on the remote end?

- A. CMP jitter
- B. ICMP echo
- C. UDP jitter
- D. TCP connect

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

Why is an AP joining a different WLC than the one specified through option 43?

- A. The AP multicast traffic unable to reach the WLC through Layer 3.
- B. The WLC is running a different software version.
- C. The API is joining a primed WLC
- D. The APs broadcast traffic is unable to reach the WLC through Layer 2.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

What are two benefits of virtualizing the server with the use of VMs in data center environment?
(Choose two.)

- A. speedy deployment
- B. reduced rack space, power, and cooling requirements
- C. Increased security
- D. reduced IP and MAC address requirements
- E. smaller Layer 2 domain

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

Which two namespaces does the LISP network architecture and protocol use? (Choose two.)

- A. EID
- B. TLOC
- C. RLOC
- D. DNS
- E. VTEP

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 12

Which method displays text directly into the active console with a synchronous EEM applet policy?

- A. event manager applet boom
event syslog pattern 'UP'
action 1.0 string 'logging directly to console'
- B. event manager applet boom
event syslog pattern 'UP'
action 1.0 puts 'logging directly to console'
- C. event manager applet boom
event syslog pattern 'UP'
action 1.0 gets 'logging directly to console'
- D. event manager applet boom
event syslog pattern 'UP'
action 1.0 syslog priority direct msg 'log directly to console'

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

What is the role of the RP in PIM sparse mode?

- A. The RP responds to the PIM join messages with the source of requested multicast group
- B. The RP is the multicast that is the root of the PIM-SM shared multicast distribution tree.
- C. The RP maintains default aging timeouts for all multicast streams requested by the receivers.
- D. The RP acts as a control-plane node and does not receive or forward multicast packets.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

Which feature does Cisco TrustSec use to provide scalable, secure communication throughout a network?

- A. security group tag number assigned to each port on a network
- B. security group tag number assigned to each user on a switch
- C. security group tag ACL assigned to each router on a network
- D. security group tag ACL assigned to each port on a switch

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

Refer to the exhibit.

```
Extended IP access list EGRESS
10 permit ip 10.1.100.0 0.0.0.255 10.1.2.0 0.0.0.255
20 deny ip any any
```

An engineer must modify the access control list EGRESS to allow all IP traffic from subnet 10.1.10.0/24 to 10.1.2.0/24. The access control list is applied in the outbound direction on router interface GigabitEthernet 0/1.

Which configuration commands can the engineer use to allow this traffic without disrupting existing traffic flows?

A)

```
config t
  ip access-list extended EGRESS
  permit ip 10.1.10.0 255.255.255.0 10.1.2.0 255.255.255.0
```

B)

```
config t
  ip access-list extended EGRESS
  5 permit ip 10.1.10.0 0.0.0.255 10.1.2.0 0.0.0.255
```

C)

```
config t
  ip access-list extended EGRESS2
  permit ip 10.1.10.0 0.0.0.255 10.1.2.0 0.0.0.255
  permit ip 10.1.100.0 0.0.0.255 10.1.2.0 0.0.0.255
  deny ip any any
  !
  interface g0/1
  no ip access-group EGRESS out
  ip access-group EGRESS2 out
```

D)

```
config t
  ip access-list extended EGRESS
  permit ip 10.1.10.0 0.0.0.255 10.1.2.0 0.0.0.255
```

A. Option D

B. Option C


C. Option A

D. Option B

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

Refer to the exhibit.




```
class-map match-all CoPP_SSH
 match access-group name CoPP_SSH
policy-map CoPP_SSH
 class CoPP_SSH
  police cir 100000
  exceed-action drop
control-plane
 service-policy input CoPP_SSH
ip access-list extended CoPP_SSH
 permit tcp any any eq 22
```

D)

```
class-map match-all CoPP_SSH
 match access-group name CoPP_SSH
policy-map CoPP_SSH
 class CoPP_SSH
  police cir 100000
  exceed-action drop
control-plane
 class transit
  policy input CoPP_SSH
ip access-list extended CoPP_SSH
 permit tcp any any eq 22
```

- A. Option A
- B. Option D
- C. Option C
- D. Option B

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

A response code of 404 is received while using the REST API on Cisco UNA Center to POST to this URI.

/dna/intent/api/v1 /template-programmer/project


What does the code mean?

- A. The server has not implemented the functionality that is needed to fulfill the request.
- B. The request accepted for processing, but the processing was not completed.
- C. The client made a request a resource that does not exist.
- D. The POST/PUT request was fulfilled and a new resource was created, Information about the resource is in the response body.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

Refer to the exhibit.



An engineer must establish eBGP peering between router R3 and router R4. Both routers should use their loopback interfaces as the BGP router ID. Which configuration set accomplishes this task?

```

R3(config)#router bgp 200
R3(config-router)#neighbor 10.24.24.4 remote-as 100
R3(config-router)#bgp router-id 10.3.3.3

R4(config)#router bgp 100
R4(config-router)#neighbor 10.24.24.3 remote-as 200
R4(config-router)#bgp router-id 10.4.4.4

R3(config)#router bgp 200
R3(config-router)#neighbor 10.4.4.4 remote-as 100
R3(config-router)#neighbor 10.4.4.4 update-source Loopback0

R4(config)#router bgp 100
R4(config-router)#neighbor 10.3.3.3 remote-as 200
R4(config-router)#neighbor 10.3.3.3 update-source Loopback0

R3(config)#router bgp 200
R3(config-router)#neighbor 10.24.24.4 remote-as 100
R3(config-router)#neighbor 10.24.24.4 update-source Loopback0

R4(config)#router bgp 100
R4(config-router)#neighbor 10.24.24.3 remote-as 200

```

- A. Option B
- B. Option A
- C. Option C
- D. Option D

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

What do Cisco DNA southbound APIs provide?

- A. Interface between the controller and the network devices

- B. NETCONF API interface for orchestration communication
- C. Interface between the controller and the consumer
- D. RESful API interface for orchestrator communication

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 21

Drag and drop the characteristics from the left onto the correct routing protocol types on the right.

Answer:

Explanation

OSPF: SEGMENT, LINK STATE, TABLES

EIGRP: UNEQUAL PATH, DISTANCE VECTOR, METRIC

Bit Wire

OSPF

- link state routing protocol
- makes it easy to segment the network logically
- constructs three tables as part of its operation: neighbor table, topology table, and routing table

EIGRP

- supports unequal path load balancing
- distance vector routing protocol
- metric is based on delay and reliability by default

NEW QUESTION: 22

Drag the drop the description from the left onto the routing protocol they describe on the right.

summaries can be created anywhere in the IGP topology

uses areas to segment a network

DUAL algorithm

summaries can be created in specific parts of the IGP topology

OSPF

OSPF




OSPF

EIGRP

EIGRP

EIGRP

Answer:



NEW QUESTION: 23


Which OSPF networks types are compatible and allow communication through the two peering devices?

- A. point-to-multipoint to nonbroadcast
- B. broadcast to point-to-point
- C. broadcast to nonbroadcast
- D. point-to-multipoint to broadcast

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

Refer to the exhibit.



Which configuration establishes EBGP neighborship between these two directly connected neighbors and exchanges the loopback network of the two routers through BGP?

A)

```
R1(config)#router bgp 1
R1(config-router)#neighbor 192.168.10.2 remote-as 2
R1(config-router)#network 10.1.1.0 mask 255.255.255.0
```

```
R2(config)#router bgp 2
R2(config-router)#neighbor 192.168.10.1 remote-as 1
R2(config-router)#network 10.2.2.0 mask 255.255.255.0
```

B)

```
R1(config)#router bgp 1
R1(config-router)#neighbor 10.2.2.2 remote-as 2
R1(config-router)#network 10.1.1.0 mask 255.255.255.0
```

```
R2(config)#router bgp 2
R2(config-router)#neighbor 10.1.1.1 remote-as 1
R2(config-router)#network 10.2.2.0 mask 255.255.255.0
```

C)

```
R1(config)#router bgp 1
R1(config-router)#neighbor 192.168.10.2 remote-as 2
R1(config-router)#network 10.0.0.0 mask 255.0.0.0

R2(config)#router bgp 2
R2(config-router)#neighbor 192.168.10.1 remote-as 1
R2(config-router)#network 10.0.0.0 mask 255.0.0.0
```

D)

```
R1(config)#router bgp 1
R1(config-router)#neighbor 10.2.2.2 remote-as 2
R1(config-router)#neighbor 10.2.2.2 update-source lo0
R1(config-router)#network 10.1.1.0 mask 255.255.255.0

R2(config)#router bgp 2
R2(config-router)#neighbor 10.1.1.1 remote-as 1
R2(config-router)#neighbor 10.1.1.1 update-source lo0
R2(config-router)#network 10.2.2.0 mask 255.255.255.0
```

- A. Option C
- B. Option A
- C. Option B
- D. Option D

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 25

Which DNS lookup does an access point perform when attempting CAPWAP discovery?

- A. CAPWAP-CONTROLLER local
- B. CISCO-DNA-CONTROLLER local
- C. CISCO-CAPWAP-CONTROLLER local
- D. CISCO-CONTROLLER local

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 26

A company plans to implement intent-based networking in its campus infrastructure. Which design facilities a migrate from a traditional campus design to a programmer fabric designer?

- A. three-tier
- B. two-tier
- C. Layer 2 access
- D. routed access

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 27


Which algorithms are used to secure REST API from brute attacks and minimize the impact?

- A. SHA-512 and SHA-384
- B. SHA-1, SHA-256, and SHA-512
- C. MD5 algorithm-128 and SHA-384
- D. PBKDF2, BCrypt, and SCrypt

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 28

Refer to the exhibit.



Which type of antenna does the radiation pattern represent?

- A. directional patch
- B. multidirectional
- C. omnidirectional
- D. Yagi

Answer: ([SHOW ANSWER](#))


NEW QUESTION: 29

Drag and drop the LISP components from the left onto the function they perform on the right. Not all options are used.

LISP map resolver	accepts LISP encapsulated map requests
LISP proxy ETR	learns of EID prefix mapping entries from an ETR
LISP route reflector	receives traffic from LISP sites and sends it to non-LISP sites
LISP ITR	receives packets from site-facing interfaces
LISP map server	

Answer:





NEW QUESTION: 30

Which First Hop Redundancy Protocol should be used to meet a design requirements for more efficient default bandwidth usage across multiple devices?

- A. LCAP
- B. VRRP
- C. HSRP
- D. GLBP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

A server running Linux is providing support for virtual machines along with DNS and DHCP services for a small business. Which technology does this represent?

- A. Type 1 hypervisor
- B. hardware pass-thru
- C. container
- D. Type 2 hypervisor

Answer: ([SHOW ANSWER](#))

Valid 350-401 Dumps shared by ExamDiscuss.com for Helping Passing 350-401 Exam! ExamDiscuss.com now offer the **newest 350-401 exam dumps**, the ExamDiscuss.com 350-401 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 350-401 dumps with Test Engine here:

<https://www.examdiscuss.com/Cisco/exam/350-401/premium/> (**360** Q&As Dumps, **35%OFF**

Special Discount Code: **freecram**)

NEW QUESTION: 32

Refer to the exhibit.

```
SwitchC#show vtp status
VTP Version : 2
Configuration Revision : 0
Maximum VLANs supported locally : 255
Number of existing VLANs : 8
VTP Operating Mode : Transparent
VTP Domain Name : cisco.com
VTP Pruning Mode : Disabled
VTP V2 Mode : Disabled
VTP Traps Generation : Disabled
MD5 digest : 0xE5 0x28 0x5D 0x3E 0x2F 0xE5 0xAD 0x2B
Configuration last modified by 0.0.0.0 at 1-10-19 09:01:38
```

```
SwitchC#show vlan brief
```

VLAN Name	Status	Ports
1 default	active	Fa0/3, Fa0/4, Fa0/5, Fa0/6 Fa0/7, Fa0/8, Fa0/9, Fa0/10 Fa0/11, Fa0/12, Fa0/13, Fa0/14 Fa0/15, Fa0/16, Fa0/17, Fa0/18 Fa0/19, Fa0/20, Fa0/21, Fa0/22 Fa0/23, Fa0/24, Po1
110 Finance	active	
210 HR	active	Fa0/1
310 Sales	active	Fa0/2

[...output omitted...]

```
SwitchC#show int trunk
```

Port	Mode	Encapsulation	Status	Native vlan
Gig1/1	on	802.1q	trunking	1
Gig1/2	on	802.1q	trunking	1

Port	Vlans allowed on trunk
Gig1/1	1-1005
Gig1/2	1-1005

Port	Vlans allowed and active in management domain
Gig1/1	1, 110, 210, 310
Gig1/2	1, 110, 210, 310

Port	Vlans in spanning tree forwarding state and not pruned
Gig1/1	1, 110, 210, 310
Gig1/2	1, 110, 210, 310

```
SwitchC#show run interface port-channel 1
```

```
interface Port-channel 1
description Uplink_to_Core
switchport mode trunk
```

SwitchC connects HR and Sales to the Core switch However, business needs require that no traffic from the Finance VLAN traverse this switch Which command meets this requirement?

A)

```
SwitchC(config)#vtp pruning
```

B)

```
SwitchC(config)#vtp pruning vlan 110
```

C)

```
SwitchC(config)#interface port-channel 1
SwitchC(config-if)#switchport trunk allowed vlan add 210,310
```

D)

```
SwitchC(config)#interface port-channel 1
SwitchC(config-if)#switchport trunk allowed vlan remove 110
```

A. Option C

- B. Option B
- C. Option D
- D. Option A

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 33

What is the correct EBGP path attribute list, ordered from most preferred to the least preferred, that the BGP best-path algorithm uses?

- A. weight. AS path, local preference. MED
- B. local preference weight AS path, MED
- C. local preference, weight MED, AS path
- D. weight, local preference AS path, MED

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 34

A client device roams between access points located on different floors in an atrium. The access points joined to the same controller and configuration in local mode. The access points are in different IP addresses, but the client VLAN in the group same. What type of roam occurs?

- A. intra-controller
- B. inter-controller
- C. inter-subnet
- D. intra-VLAN

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 35

Drag and drop the REST API authentication method from the left to the description on the right.


HTTP basic authentication	public API resource
token-based authentication	username and password in an encoded string
secure vault	API-dependent secret
OAuth	authorization through identity provider

Answer:



NEW QUESTION: 36

Refer to the exhibit.



An engineer must ensure that all traffic leaving AS 200 will choose Link 2 as the exit point. Assuming that all BGP neighbor relationships have been formed and that the attributes have not been changed on any of the routers, which configuration accomplish task?

- A. R4(config-router)bgp default local-preference 200
- B. R4(config-router)neighbor 10.2.2.2 weight 200
- C. R3(config-router)bgp default local-preference 200
- D. R3(config-router)neighbor 10.1.1.1 weight 200

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

Which tool is used in Cisco DNA Center to build generic configurations that are able to be applied on device with similar network settings?

- A. Authentication Template
- B. Application Policies
- C. Command Runner
- D. Template Editor

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

Which two security features are available when implementing NTP? (Choose two)

- A. encrypted authentication mechanism
- B. access list-based restriction scheme
- C. dock offset authentication
- D. broadcast association mode
- E. symmetric server passwords

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

Which LISP infrastructure device provides connectivity between non-sites and LISP sites by receiving non-LISP traffic with a LISP site destination?

- A. PITR
- B. map resolver
- C. map server
- D. PETR

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

Which standard access control entry permits from odd-numbered hosts in the 10.0.0.0/24 subnet?

- A. Permit 10.0.0.1.0.0.0.0
- B. Permit 10.0.0.1.0.0.0.254
- C. Permit 10.0.0.0.0.0.0.1

D. Permit 10.0.0.0.255.255.255.254

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

Based on this interface configuration, what is the expected state of OSPF adjacency?

```
R1:
interface GigabitEthernet0/1
 ip address 192.0.2.1 255.255.255.252
 ip ospf 1 area 0
 ip ospf hello-interval 2
 ip ospf cost 1
end

R2:
interface GigabitEthernet0/1
 ip address 192.0.2.2 255.255.255.252
 ip ospf 1 area 0
 ip ospf cost 500
end
```



- A. not established
- B. FULL/BDR on R1 and FULL/BDR on R2
- C. Full on both routers
- D. 2WAY/DROTHER on both routers

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 42

Which statement about agent-based versus agentless configuration management tools is true?

- A. Agent-based tools do not require a high-level language interpreter such as Python or Ruby on slave nodes.
- B. Agent-based tools do not require installation of additional software packages on the slave nodes.
- C. Agentless tools use proxy nodes to interface with slave nodes.
- D. Agentless tools require no messaging systems between master and slaves.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

Refer to the exhibit.

```
access-list 1 permit 172.16.1.0 0.0.0.255
ip nat inside source list 1 interface gigabitethernet0/0 overload
```

The inside and outside interfaces in the NAT configuration of this device have been correctly identified. What is the effect of this configuration?

- A. NAT64

- B. dynamic NAT
- C. PAT
- D. static NAT

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 44

To increase total throughput and redundancy on the links between the wireless controller and switch, the customer enabled LAG on the wireless controller Which EtherChannel mode must be configured on the switch to allow the WLC to connect?

- A. Passive
- B. On
- C. Active
- D. Auto

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 45

When configuration WPA2 Enterprise on a WLAN, which additional security component configuration is required?

- A. TACACS server
- B. PKI server
- C. RADIUS server
- D. NTP server

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

Which feature is supported by EIGRP but is not supported by OSPF?

- A. equal-cost load balancing
- B. route summarization
- C. unequal-cost load balancing
- D. route filtering

Answer: ([SHOW ANSWER](#))

Valid 350-401 Dumps shared by ExamDiscuss.com for Helping Passing 350-401 Exam! ExamDiscuss.com now offer the **newest 350-401 exam dumps**, the ExamDiscuss.com 350-401 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 350-401 dumps with Test Engine here:

<https://www.examdumps.com/Cisco/exam/350-401/premium/> (360 Q&As Dumps, **35%OFF**

Special Discount Code: **freecram**)

NEW QUESTION: 47

Which two entities are Type 1 hypervisors? (Choose two.)

- A. Microsoft Virtual PC
- B. Microsoft Hyper-V
- C. Oracle VM VirtualBox
- D. VMware ESX
- E. VMware server

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 48

Which statement about VXLAN is true?

- A. VXLAN uses TCP 35 the transport protocol over the physical data cento network
- B. VXLAN uses the Spanning Tree Protocol for loop prevention.
- C. VXLAN extends the Layer 2 Segment ID field to 24-bits. which allows up to 4094 unique Layer 2 segments over the same network.
- D. VXLAN encapsulates a Layer 2 frame in an IP-UDP header, which allows Layer 2 adjacency across router boundaries.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49


Drag and drop the characteristics from the left onto the correct infrastructure deployment types on the right.

Answer:

Explanation

On premise: customizable, specific requirements, resources

Cloud: scale, built-in automated backup, strong stable internet



NEW QUESTION: 50

In an SD-Access solution what is the role of a fabric edge node?

- A. to connect external Layer 3- network to the SD-Access fabric
- B. to advertise fabric IP address space to external network
- C. to connect wired endpoint to the SD-Access fabric
- D. to connect the fusion router to the SD-Access fabric

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 51

Which statements are used for error handling in Python?

- A. try/except
- B. catch/release
- C. block/rescue
- D. try/catch

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

Which statement about a fabric access point is true?

- A. It is in local mode and must be connected directly to the fabric border node.
- B. It is in FlexConnect mode and must be connected directly to the fabric border node.
- C. It is in FlexConnect mode and must be connected directly to the fabric edge switch.
- D. It is in local mode and must be connected directly to the fabric edge switch.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 53

Refer to the exhibit.

```
R1#show ip bgp
BGP table version is 32, local router ID is 192.168.101.5
Status codes: S suppressed, d damped, h history, * valid, > best, i - internal,
               r RIB-failure, S Stale, m multipath, b backup-path, f RT-Filter,
               x best-external, a additional-path, c RIB-compressed,
Origin codes: i - IGP, e - EGP, ? - incomplete
RPKI validation codes: V valid, I invalid, N Not found

  Network        Next Hop        Metric  LocPrf  Weight  Path
*   192.168.102.0  192.168.101.18    80
*   192.168.102.0  192.168.101.14    80      80
*   192.168.102.0  192.168.101.10    80      80
*>  192.168.102.0  192.168.101.2     32768   64513  i
*   192.168.102.0  192.168.101.6     80      80      64514  64514  i
```

Which IP address becomes the active next hop for 192.168.102 0/24 when 192.168.101.2 fails?

- A. 192.168.101.18
- B. 192.168.101.14
- C. 192.168.101.6
- D. 192.168.101.14

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 54

Which action is a function of VTEP in VXLAN?

- A. tunneling traffic from IPv4 to IPv6 VXLANs
- B. encapsulating and de-encapsulating VXLAN Ethernet frames
- C. tunneling traffic from IPv6 to IPv4 VXLANs
- D. allowing encrypted communication on the local VXLAN Ethernet segment

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 55

Which statement about Cisco EAP-FAST is true?

- A. It is an IETF standard.
- B. It requires a client certificate.
- C. It does not require a RADIUS server certificate.
- D. It operates in transparent mode.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 56

An engineer is configuring local web authentication on a WLAN. The engineer chooses the Authentication radio button under the Layer 3 Security options for Web Policy. Which device presents the web authentication for the WLAN?

- A. local WLC
- B. RADIUS server
- C. ISE server
- D. anchor WLC

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

Which component of the Cisco Cyber Threat Defense solution provides user and flow context analysis?

- A. Cisco Web Security Appliance
- B. Advanced Malware Protection
- C. Cisco Firepower and FireSIGHT
- D. Cisco Stealthwatch system

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 58

Which statement about an RSPAN session configuration is true?

- A. A special VLAN type must be used as the RSPAN destination.
- B. A filter must be configured for RSPAN Regions
- C. Only incoming traffic can be monitored
- D. Only one session can be configured at a time

Answer: ([SHOW ANSWER](#))

Valid 350-401 Dumps shared by ExamDiscuss.com for Helping Passing 350-401 Exam! ExamDiscuss.com now offer the **newest 350-401 exam dumps**, the ExamDiscuss.com 350-401 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 350-401 dumps with Test Engine here:

<https://www.examdiscuss.com/Cisco/exam/350-401/premium/> (360 Q&As Dumps, **35%OFF**

Special Discount Code: **freecram**)