

Cisco.350-701.v2021-02-14.q68

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|
| Exam Code: | 350-701 |
| Exam Name: | Implementing and Operating Cisco Security Core Technologies |
| Certification Provider: | Cisco |
| Free Question Number: | 68 |
| Version: | v2021-02-14 |
| # of views: | 1336 |
| # of Questions views: | 59041 |
| https://www.freecram.net/torrent/Cisco.350-701.v2021-02-14.q68.html | |

NEW QUESTION: 1

What is the function of the Context Directory Agent?

- A. relays user authentication requests from Web Security Appliance to Active Directory
- B. accepts user authentication requests on behalf of Web Security Appliance for user identification
- C. reads the Active Directory logs to map IP addresses to usernames
- D. maintains users' group memberships

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

What two mechanisms are used to redirect users to a web portal to authenticate to ISE for guest services?

(Choose two.)

- A. multiple factor auth
- B. single sign-on
- C. local web auth
- D. TACACS+
- E. central web auth

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

What is the Cisco API-based broker that helps reduce compromises, application risks, and data breaches in an environment that is not on-premise?

- A. Cisco Cloudlock
- B. Cisco Umbrella
- C. Cisco AMP
- D. Cisco App Dynamics

Answer: ([SHOW ANSWER](#))

Explanation

Cisco Cloudlock is the API-based cloud access security broker (CASB) that helps accelerate use of the cloud. By securing your identities, data, and apps, Cloudlock combats account compromises, breaches, and cloud app ecosystem risks. Our API-driven approach provides a simple and open way to enable healthy cloud adoption.

NEW QUESTION: 4

What is a characteristic of Cisco ASA Netflow v9 Secure Event Logging?

- A. It tracks flow-create, flow-teardown, and flow-denied events
- B. It provides stateless IP flow tracking that exports all records of a specific flow
- C. Its events match all traffic classes in parallel.
- D. It tracks the flow continuously and provides updates every 10 seconds.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

Which two probes are configured to gather attributes of connected endpoints using Cisco Identity Services Engine?

(Choose two.)

- A. SMTP
- B. TACACS+
- C. RADIUS
- D. sFlow
- E. DHCP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

Which deployment model is the most secure when considering risks to cloud adoption?

- A. community cloud
- B. hybrid cloud
- C. public cloud
- D. private cloud

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

An engineer used a posture check on a Microsoft Windows endpoint and discovered that the MS17-010 patch was not installed, which left the endpoint vulnerable to WannaCry ransomware. Which two solutions mitigate the risk of this ransomware infection? (Choose two.)

- A. Configure a posture policy in Cisco Identity Services Engine to install the MS17-010 patch before allowing access on the network.
- B. Set up a well-defined endpoint patching strategy to ensure that endpoints have critical vulnerabilities patched in a timely fashion

- C. Set up a profiling policy in Cisco Identity Service Engine to check and endpoint patch level before allowing access on the network.
- D. Configure a posture policy in Cisco Identity Services Engine to check that an endpoint patch level is met before allowing access on the network.
- E. Configure endpoint firewall policies to stop the exploit traffic from being allowed to run and replicate throughout the network.

Answer: ([SHOW ANSWER](#))


NEW QUESTION: 8

How does DNS Tunneling exfiltrate data?

- A. An attacker registers a domain that a client connects to based on DNS records and sends malware through that connection.
- B. An attacker opens a reverse DNS shell to get into the client's system and install malware on it.
- C. An attacker uses a non-standard DNS port to gain access to the organization's DNS servers in order to poison the resolutions.
- D. An attacker sends an email to the target with hidden DNS resolvers in it to redirect them to a malicious domain.

Answer: ([SHOW ANSWER](#))

Explanation



NEW QUESTION: 9

How does Cisco Umbrella archive logs to an enterprise-owned storage?

- A. by being configured to send logs to a self-managed AWS S3 bucket
- B. by using the Application Programming Interface to fetch the logs
- C. by sending logs via syslog to an on-premises or cloud-based syslog server
- D. by the system administrator downloading the logs from the Cisco Umbrella web portal

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

Which two features are used to configure Cisco ESA with a multilayer approach to fight viruses and malware?

(Choose two).

- A. outbreak filters
- B. white list
- C. Sophos engine
- D. RAT
- E. DLP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

In which type of attack does the attacker insert their machine between two hosts that are communicating with each other?

- A. LDAP injection
- B. cross-site scripting
- C. man-in-the-middle
- D. insecure API

Answer: ([SHOW ANSWER](#))

Explanation

Man-in-the-middle (MitM) attacks, also known as eavesdropping attacks, occur when attackers insert themselves into a two-party transaction. Once the attackers interrupt the traffic, they can filter and steal data.

NEW QUESTION: 12

Which product allows Cisco FMC to push security intelligence observable to its sensors from other products?

- A. Encrypted Traffic Analytics
- B. Threat Intelligence Director
- C. Cognitive Threat Analytics
- D. Cisco Talos Intelligence

Answer: ([SHOW ANSWER](#))

Explanation

As shown in the image, on the FMC you have to configure sources from where you would like to download threat intelligence information. **The FMC then pushes that information (observables) to sensors.** When the traffic matches the observables, the incidents appear in the FMC user interface (GUI).

<https://www.cisco.com/c/en/us/support/docs/storage-networking/security/214859-configure-and-troubleshoot-cis>

NEW QUESTION: 13

What is the purpose of the certificate signing request when adding a new certificate for a server?

- A. It is the password for the certificate that is needed to install it with.
- B. It provides the server information so a certificate can be created and signed
- C. It is the certificate that will be loaded onto the server
- D. It provides the certificate client information so the server can authenticate against it when installing

Answer: (SHOW ANSWER)

Explanation

https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_man_cert.html

NEW QUESTION: 14

Which two fields are defined in the NetFlow flow? {Choose two.}

- A. type of service byte
- B. Layer 4 protocol type
- C. class of service bits
- D. output logical interface
- E. destination port

Answer: A,E (LEAVE A REPLY)

Explanation

NetFlow Flows Key Fields

A network flow is identified as a unidirectional stream of packets between a given source and destination--both are defined by a network-layer IP address and transport-layer source and destination port numbers. Specifically, a flow is identified as the combination of the following key fields:

- Source IP address
- Destination IP address
- Source port number
- Destination port number
- Layer 3 protocol type
- Type of service (ToS)
- Input logical interface

CISCO

NEW QUESTION: 15

A network administrator is configuring a rule in an access control policy to block certain URLs and selects the "Chat and Instant Messaging" category. Which reputation score should be selected to accomplish this goal?

- A. 1
- B. 10
- C. 5
- D. 3

Answer: (SHOW ANSWER)

Explanation

https://www.cisco.com/c/en/us/td/docs/security/esa/esa111/user_guide/b_ESA_Admin_Guide_11_1/b_ESA_Adm

NEW QUESTION: 16

What is the function of SDN southbound API protocols?

- A. to enable the controller to make changes
- B. to allow for the dynamic configuration of control plane applications
- C. to enable the controller to use REST
- D. to allow for the static configuration of control plane applications

Answer: ([SHOW ANSWER](#))

Explanation

Southbound APIs facilitate control over the network and enable the **SDN Controller** to dynamically make changes according to real-time demands and needs.

Valid 350-701 Dumps shared by ExamDiscuss.com for Helping Passing 350-701 Exam! ExamDiscuss.com now offer the **newest 350-701 exam dumps**, the ExamDiscuss.com 350-701 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 350-701 dumps with Test Engine here: <https://www.examd Discuss.com/Cisco/exam/350-701/premium/> (**689** Q&As Dumps, **35%OFF** Special Discount Code: **freecram**)

NEW QUESTION: 17

Which Cisco security solution protects remote users against phishing attacks when they are not connected to the VPN?

- A. Cisco Firepower
- B. Cisco Umbrella
- C. Cisco Stealthwatch
- D. NGIPS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

Which two endpoint measures are used to minimize the chances of falling victim to phishing and social engineering attacks? (Choose two.)

- A. Protect against input validation and character escapes in the endpoint.
- B. Protect systems with an up-to-date antimalware program
- C. Install a spam and virus email filter
- D. Patch for cross-site scripting
- E. Perform backups to the private cloud.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

What does the Cloudlock Apps Firewall do to mitigate security concerns from an application perspective?

- A. It sends the application information to an administrator to act on

- B. It allows the administrator to quarantine malicious files so that the application can function, just not maliciously
- C. It discovers and controls cloud apps that are connected to a company's corporate environment
- D. It deletes any application that does not belong in the network

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

How is DNS tunneling used to exfiltrate data out of a corporate network?

- A. It encodes the payload with random characters that are broken into short strings and the DNS server rebuilds the exfiltrated data.
- B. It redirects DNS requests to a malicious server used to steal user credentials, which allows further damage and theft on the network.
- C. It leverages the DNS server by permitting recursive lookups to spread the attack to other DNS servers.
- D. It corrupts DNS servers by replacing the actual IP address with a rogue address to collect information or start other attacks.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

What is a characteristic of Dynamic ARP Inspection?

- A. DAI intercepts all ARP requests and responses on trusted ports only
- B. DAI determines the validity of an ARP packet based on valid IP to MAC address bindings from the DHCP snooping binding database
- C. In a typical network, make all ports as trusted except for the ports connecting to switches, which are untrusted.
- D. DAI associates a trust state with each switch.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

Which Talos reputation center allows for tracking the reputation of IP addresses for email and web traffic?

- A. File Reputation Center
- B. IP Slock List Center
- C. IP and Domain Reputation Center
- D. AMP Reputation Center

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

Refer to the exhibit.

```

*Jun 30 16:52:33.795: ISAKMP:(1002): retransmission skipped for phase 1 (time
since last transmission 504)
R1#
*Jun 30 16:52:40.183: ISAKMP:(1001):purging SA., sa=68CEE058, delme=68CEE058
R1#
*Jun 30 16:52:43.291: ISAKMP:(1002): retransmitting phase 1 MM_KEY_EXCH...
*Jun 30 16:52:43.291: ISAKMP (1002): incrementing error counter on sa, attempt 5
of 5: retransmit phase 1
*Jun 30 16:52:43.295: ISAKMP:(1002): retransmitting phase 1 MM_KEY_EXCH
*Jun 30 16:52:43.295: ISAKMP:(1002): sending packet to 10.10.12.2 my_port 500
peer_port 500 (I) MM_KEY_EXCH
*Jun 30 16:52:43.295: ISAKMP:(1002):Sending an IKE IPv4 Packet.
R1#
*Jun 30 16:52:53.299: ISAKMP:(1002): retransmitting phase 1 MM_KEY_EXCH...
*Jun 30 16:52:53.299: ISAKMP:(1002):peer does not do paranoid keepalives.

*Jun 30 16:52:53.299: ISAKMP:(1002):deleting SA reason "Death by retransmission
P1" state (I) MM_KEY_EXCH (peer 10.10.12.2)
*Jun 30 16:52:53.303: ISAKMP:(1002):deleting SA reason "Death by retransmission
P1" state (I) MM_KEY_EXCH (peer 10.10.12.2)
*Jun 30 16:52:53.307: ISAKMP: Unlocking peer struct 0x68287318 for
isadb_mark_sa_deleted() count 0
*Jun 30 16:52:53.307: ISAKMP: Deleting peer node by peer_reap for 10.10.12.2:
68287318
*Jun 30 16:52:53.311: ISAKMP:(1002):deleting node 79875537 error FALSE reason "IKE
deleted"
R1#
*Jun 30 16:52:53.311: ISAKMP:(1002):deleting node -484575753 error FALSE reason
"IKE deleted"
*Jun 30 16:52:53.315: ISAKMP:(1002):Input = IKE_MSG_INTERNAL, IKE_PHASE1_DEL
*Jun 30 16:52:53.319: ISAKMP:(1002):Old State = IKE_I_MM5 New State = IKE_DEST_SA

```

A network administrator configured a site-to-site VPN tunnel between two Cisco IOS routers, and hosts are unable to communicate between two sites of VPN. The network administrator runs the debug crypto isakmp sa command to track VPN status. What is the problem according to this command output?

- A. hashing algorithm mismatch
- B. encryption algorithm mismatch
- C. interesting traffic was not applied
- D. authentication key mismatch

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

Which two aspects of the cloud PaaS model are managed by the customer but not the provider? {Choose two.}

- A. virtualization
- B. middleware
- C. operating systems
- D. applications
- E. data

Answer: ([SHOW ANSWER](#))

Explanation

<https://apprenda.com/library/paas/iaas-paas-saas-explained-compared/>

NEW QUESTION: 25

Which network monitoring solution uses streams and pushes operational data to provide a near real-time view of activity?

- A. model-driven telemetry
- B. syslog
- C. SMTP
- D. SNMP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

Which Cisco command enables authentication, authorization, and accounting globally so that CoA is supported on the device?

- A. ip device-tracking
- B. aaa new-model
- C. aaa server radius dynamic-author
- D. auth-type all

Answer: ([SHOW ANSWER](#))


NEW QUESTION: 27

A Cisco Firepower administrator needs to configure a rule to allow a new application that has never been seen on the network. Which two actions should be selected to allow the traffic to pass without inspection? (Choose two.)

- A. permit
- B. trust
- C. reset
- D. allow
- E. monitor

Answer: ([SHOW ANSWER](#))

Explanation



NEW QUESTION: 28

Refer to the exhibit.

```

aaa new-model
radius-server host 10.0.0.12 key secret12

```

Which statement about the authentication protocol used in the configuration is true

- A. There are separate authentication and authorization request packets
- B. The authentication and authorization requests are grouped in a single packet
- C. The authentication request contains only a username
- D. The authentication request contains only a password

Answer: (SHOW ANSWER)

NEW QUESTION: 29

Which two tasks allow NetFlow on a Cisco ASA 5500 Series firewall? (Choose two.)

- A. Create a class map to match interesting traffic.
- B. Apply NetFlow Exporter to the outside interface in the inbound direction.
- C. Create an ACL to allow UDP traffic on port 9996.
- D. Enable NetFlow Version 9.
- E. Define a NetFlow collector by using the flow-export command.

Answer: (SHOW ANSWER)

NEW QUESTION: 30

How many interfaces per bridge group does an ASA bridge group deployment support?

- A. up to 8

- B. up to 2
- C. up to 16
- D. up to 4

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 31

A user has a device in the network that is receiving too many connection requests from multiple machines. Which type of attack is the device undergoing?

- A. SYN flood
- B. slowloris
- C. pharming
- D. phishing

Answer: ([SHOW ANSWER](#))

Explanation

<https://www.cisco.com/c/en/us/products/security/what-is-a-ddos-attack.html#~types-of-ddos-attacks>

Valid 350-701 Dumps shared by ExamDiscuss.com for Helping Passing 350-701 Exam! ExamDiscuss.com now offer the **newest 350-701 exam dumps**, the ExamDiscuss.com 350-701 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 350-701 dumps with Test Engine here: <https://www.examdiscuss.com/Cisco/exam/350-701/premium/> (**689** Q&As Dumps, **35%OFF** Special Discount Code: **freecram**)

NEW QUESTION: 32

An attacker needs to perform reconnaissance on a target system to help gain access to it. The system has weak passwords, no encryption on the VPN links, and software bugs on the system's applications. Which vulnerability allows the attacker to see the passwords being transmitted in clear text?

- A. weak passwords for authentication
- B. improper file security
- C. software bugs on applications
- D. unencrypted links for traffic

Answer: ([SHOW ANSWER](#))

Explanation

https://www.cisco.com/ELearning/bulk/public/celc/CRS/media/targets/resources_mod07/7_3_5_improving_secu

NEW QUESTION: 33

What are two differences between a Cisco WSA that is running in transparent mode and one running in explicit mode? (Choose two.)

- A. The Cisco WSA is configured in a web browser only if it is running in transparent mode.
- B. The Cisco WSA uses a Layer 3 device to redirect traffic only if it is running in transparent mode.

- C. The Cisco WSA responds with its own IP address only if it is running in transparent mode.
- D. When the Cisco WSA is running in transparent mode, it uses the WSA's own IP address as the HTTP request destination.
- E. The Cisco WSA responds with its own IP address only if it is running in explicit mode.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

Which feature is supported when deploying Cisco ASA in AWS public cloud?

- A. clustering
- B. multiple context mode
- C. IPv6
- D. user deployment of Layer 3 networks

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 35

Which technology reduces data loss by identifying sensitive information stored in public computing environments?

- A. Cisco Firepower
- B. Cisco HyperFlex
- C. Cisco SDA
- D. Cisco Cloudlock

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

Which two preventive measures are used to control cross-site scripting? (Choose two.)

- A. Disable cookie inspection in the HTML inspection engine
- B. Run untrusted HTML input through an HTML sanitization engine
- C. Incorporate contextual output encoding/escaping
- D. SameSite cookie attribute should not be used
- E. Enable client-side scripts on a per-domain basis

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

Why would a user choose an on-premises ESA versus the CES solution?

- A. Sensitive data must remain onsite
- B. ESA is deployed inline
- C. Demand is unpredictable
- D. The server team wants to outsource this service.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

How is Cisco Umbrella configured to log only security events?

- A. per network in the Deployments section
- B. in the Reporting settings
- C. in the Security Settings section
- D. per policy

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

Which statement about IOS zone-based firewalls is true?

- A. An interface can be assigned to multiple zones
- B. An unassigned interface can communicate with assigned interfaces
- C. Only one interface can be assigned to a zone
- D. An interface can be assigned only to one zone

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

What are the two types of managed Intercloud Fabric deployment models? (Choose two.)

- A. Public managed
- B. Service Provider managed
- C. Enterprise managed
- D. User managed
- E. Hybrid managed

Answer: ([SHOW ANSWER](#))

Explanation

The Cisco Intercloud Fabric architecture provides two product configurations to address the following two consumption models:

- Cisco Intercloud Fabric for Business
- Cisco Intercloud Fabric for Providers

NEW QUESTION: 41

Which feature within Cisco Umbrella allows for the ability to inspect secure HTTP traffic?

- A. Destination Lists
- B. SSL Decryption
- C. SafeSearch
- D. File Analysis

Answer: ([SHOW ANSWER](#))


NEW QUESTION: 42

After a recent breach, an organization determined that phishing was used to gain initial access to the network before regaining persistence. The information gained from the phishing attack was a result of users visiting known malicious websites. What must be done in order to prevent this from happening in the future?

- A. Modify an access policy.
- B. Modify identification profiles.
- C. Modify outbound malware scanning policies
- D. Modify web proxy settings

Answer: ([SHOW ANSWER](#))

Explanation



An explicit proxy deployment is when a client proxy-aware application, like a mature web browser, has a configuration area within for proxy settings to declare and use a proxy, like the WSA. This method is typically combined with a firewall restricting web traffic that does not originate from the WSA's IP to prevent users from circumventing web policy controls and accessing

NEW QUESTION: 43

Which two behavioral patterns characterize a ping of death attack? (Choose two.)

- A. The attack is fragmented into groups of 16 octets before transmission.
- B. The attack is fragmented into groups of 8 octets before transmission
- C. Publicly accessible DNS servers are typically used to execute the attack
- D. Malformed packets are used to crash systems
- E. Short synchronized bursts of traffic are used to disrupt TCP connections.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 44

What is the primary difference between an Endpoint Protection Platform and an Endpoint Detection and Response?

- A. EPP focuses on network security, and EDR focuses on device security.
- B. EPP focuses on prevention, and EDR focuses on advanced threats that evade perimeter defenses.
- C. EDR focuses on network security, and EPP focuses on device security.
- D. EDR focuses on prevention, and EPP focuses on advanced threats that evade perimeter defenses.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 45

Which technology is used to improve web traffic performance by proxy caching?

- A. FireSIGHT
- B. ASA
- C. WSA
- D. Firepower

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 46

What is the purpose of the Decrypt for Application Detection feature within the WSA Decryption options?

- A. It decrypts HTTPS application traffic for authenticated users.
- B. It alerts users when the WSA decrypts their traffic.

- C. It provides enhanced HTTPS application detection for AsyncOS.
- D. It decrypts HTTPS application traffic for unauthenticated users

Answer: ([SHOW ANSWER](#))

Valid 350-701 Dumps shared by ExamDiscuss.com for Helping Passing 350-701 Exam! ExamDiscuss.com now offer the **newest 350-701 exam dumps**, the ExamDiscuss.com 350-701 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 350-701 dumps with Test Engine here: <https://www.examdiscuss.com/Cisco/exam/350-701/premium/> (**689** Q&As Dumps, **35%OFF** Special Discount Code: **freecram**)

NEW QUESTION: 47

Which exfiltration method does an attacker use to hide and encode data inside DNS requests and queries?

- A. DNS security
- B. DNSSEC
- C. DNS tunneling
- D. DNSCrypt

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 48

Which two activities can be done using Cisco DNA Center? (Choose two.)

- A. design
- B. DHCP
- C. DNS
- D. provision
- E. accounting

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

Which protocol provides the strongest throughput performance when using Cisco AnyConnect VPN?

- A. DTLSv1
- B. TLSv1.1
- C. TLSv1.2
- D. BJTLSv1

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

What are the two most commonly used authentication factors in multifactor authentication? (Choose two.)

```
HQ_Router(config)# username admin5 privilege 5
HQ_Router(config)#privilege interface level 5 shutdown
HQ_Router(config)#privilege interface level 5 ip
HQ_Router(config)#privilege interface level 5 description
```

- A. knowledge factor
- B. encryption factor
- C. confidentiality factor
- D. biometric factor
- E. time factor

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 51

Which two characteristics of messenger protocols make data exfiltration difficult to detect and prevent?

(Choose two.)

- A. Messenger applications cannot be segmented with standard network controls.
- B. Traffic is encrypted, which prevents visibility on firewalls and IPS systems.
- C. An exposed API for the messaging platform is used to send large amounts of data.
- D. Malware infects the messenger application on the user endpoint to send company data.
- E. Outgoing traffic is allowed so users can communicate with outside organizations.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

What are two rootkit types? (Choose two)

- A. bootloader
- B. registry
- C. user mode
- D. virtual
- E. buffer mode

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 53

Which two key and block sizes are valid for AES? (Choose two.)

- A. 64-bit block size, 168-bit key length
- B. 128-bit block size, 256-bit key length
- C. 64-bit block size, 112-bit key length
- D. 192-bit block size, 256-bit key length
- E. 128-bit block size, 192-bit key length

Answer: B,E ([LEAVE A REPLY](#))

NEW QUESTION: 54

Which Cisco solution does Cisco Umbrella integrate with to determine if a URL is malicious?

- A. AnyConnect
- B. Talos
- C. DynDNS
- D. AMP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 55

Which technology must be used to implement secure VPN connectivity among company branches over a private IP cloud with any-to-any scalable connectivity?

- A. DMVPN
- B. FlexVPN
- C. IPsec DVTI
- D. GET VPN

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 56

A company is experiencing exfiltration of credit card numbers that are not being stored on-premise. The company needs to be able to protect sensitive data throughout the full environment Which tool should be used to accomplish this goal?

- A. Security Manager
- B. Cloudlock
- C. Web Security Appliance
- D. Cisco ISE

Answer: ([SHOW ANSWER](#))

Explanation

<https://www.cisco.com/c/dam/en/us/products/collateral/security/cloudlock/cisco-cloudlock-cloud-data-securityda>

NEW QUESTION: 57

What provides the ability to program and monitor networks from somewhere other than the DNAC GUI?

- A. API
- B. desktop client
- C. NetFlow
- D. ASDM

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 58

An engineer configured a new network identity in Cisco Umbrella but must verify that traffic is being routed through the Cisco Umbrella network. Which action tests the routing?

- A. Ensure that the client computers are pointing to the on-premises DNS servers.
- B. Browse

to <http://welcome.umbrella.com/> to validate that the new identity is working

- C. Enable the Intelligent Proxy to validate that traffic is being routed correctly.
- D. Add the public IP address that the client computers are behind to a Core Identity

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 59

Which two deployment model configurations are supported for Cisco FTDv in AWS? (Choose two.)

- A. Cisco FTDv with one management interface and two traffic interfaces configured
- B. Cisco FTDv with two management interfaces and one traffic interface configured
- C. Cisco FTDv configured in routed mode and IPv6 configured
- D. Cisco FTDv configured in routed mode and managed by an FMCv installed in AWS
- E. Cisco FTDv configured in routed mode and managed by a physical FMC appliance on premises

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 60

Which two cryptographic algorithms are used with IPsec? (Choose two.)

- A. AES-BAC
- B. AES-ABC
- C. HMAC-SHA1/SHA2
- D. Triple AMC-CBC
- E. AES-CBC

Answer: ([SHOW ANSWER](#))

Explanation

https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_conn_vpniips/configuration/15-mt/sec-sec-for-vpns-w-ips

NEW QUESTION: 61

An MDM provides which two advantages to an organization with regards to device management? (Choose two.)

- A. asset inventory management
- B. allowed application management
- C. critical device management
- D. Active Directory group policy management
- E. network device management

Answer: ([SHOW ANSWER](#))

Valid 350-701 Dumps shared by ExamDiscuss.com for Helping Passing 350-701 Exam! ExamDiscuss.com now offer the **newest 350-701 exam dumps**, the ExamDiscuss.com 350-701 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 350-701 dumps with Test Engine here: <https://www.examdisscuss.com/Cisco/exam/350-701/premium/> (**689** Q&As Dumps, **35%OFF** Special Discount Code: **freecram**)

NEW QUESTION: 62

What is managed by Cisco Security Manager?

- A. WSA
- B. ASA
- C. access point O
- D. ESA

Answer: ([SHOW ANSWER](#))

Explanation

<https://www.cisco.com/c/en/us/products/collateral/security/security-manager/datasheet-C78-737182.html>

NEW QUESTION: 63

Using Cisco Firepower's Security Intelligence policies, upon which two criteria is Firepower block based? (Choose two.)

- A. protocol IDs
- B. URLs
- C. IP addresses
- D. port numbers
- E. MAC addresses

Answer: ([SHOW ANSWER](#))

Explanation

Security Intelligence Sources



- System-provided feeds

Cisco provides access to regularly updated intelligence feeds for domains, URLs and IP addresses.

NEW QUESTION: 64

Which feature requires a network discovery policy on the Cisco Firepower Next Generation Intrusion Prevention System?

- A. health monitoring
- B. URL filtering
- C. security intelligence
- D. impact flags

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 65

Which two risks is a company vulnerable to if it does not have a well-established patching solution for endpoints? (Choose two.)

- A. exploits
- B. denial-of-service attacks
- C. ARP spoofing

- D. malware
- E. eavesdropping

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 66

What is an attribute of the DevSecOps process?

- A. isolated security team
- B. security scanning and theoretical vulnerabilities
- C. development security
- D. mandated security controls and check lists

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 67

An administrator wants to ensure that all endpoints are compliant before users are allowed access on the corporate network. The endpoints must have the corporate antivirus application installed and be running the latest build of Windows

10.What must the administrator implement to ensure that all devices are compliant before they are allowed on the network?

- A. Cisco Identity Services Engine and AnyConnect Posture module
- B. Cisco Stealthwatch and Cisco Identity Services Engine integration
- C. Cisco ASA firewall with Dynamic Access Policies configured
- D. Cisco Identity Services Engine with PxGrid services enabled

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 68

When wired 802.1X authentication is implemented, which two components are required? (Choose two.)

- A. authenticator: Cisco Identity Services Engine
- B. authentication server: Cisco Identity Service Engine
- C. supplicant: Cisco AnyConnect ISE Posture module
- D. authenticator: Cisco Catalyst switch
- E. authentication server: Cisco Prime Infrastructure

Answer: ([SHOW ANSWER](#))

Valid 350-701 Dumps shared by ExamDiscuss.com for Helping Passing 350-701 Exam! ExamDiscuss.com now offer the **newest 350-701 exam dumps**, the ExamDiscuss.com 350-701 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 350-701 dumps with Test Engine here: <https://www.examdiscuss.com/Cisco/exam/350-701/premium/> (**689** Q&As Dumps, **35%OFF** Special Discount Code: **freecram**)