

Fortinet.FCP_FML_AD-7.4.v2026-02-19.q23

Exam Code:	FCP_FML_AD-7.4
Exam Name:	FCP - FortiMail 7.4 Administrator
Certification Provider:	Fortinet
Free Question Number:	23
Version:	v2026-02-19
# of views:	108
# of Questions views:	231
https://www.freecram.net/torrent/Fortinet.FCP_FML_AD-7.4.v2026-02-19.q23.html	

NEW QUESTION: 1

Refer to the exhibit which shows a detailed history log view.

Log Details: 0200002400

Column	Content
#	1
Date	2021-06-24
Time	13:29:02.021
Classifier	Virus Signature
Disposition	Modify Subject;Replace
From	extuser@external.lab
Header From	extuser@external.lab
To	user1@internal.lab
Subject	Registration information enclosed
Message-ID	20210624132901.15OKT1TN001852@external.lab
Length	936
Session ID	15OKT18x002399-15OKT1C1002399
Client IP	100.64.1.99
Location	ZZ (Reserved)
Client Name	extsrv
Direction	in
Policy ID	0:1:1:internal.lab
Domain	internal.lab
Destination IP	10.0.1.11
Source	External
Mailer	mta
Virus	EICAR_TEST_FILE
Resolved	FORGED
Transfer Time	0.051818




Which two actions did FortiMail take on this email message? (Choose two.)

- A. FortiMail replaced the virus content with a message
- B. FortiMail modified the subject of the email message.
- C. FortiMail forwarded the email to User 1 without scanning.
- D. FortiMail sent the email message to User 1's personal quarantine.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

Refer to the exhibit which displays a topology diagram.



Which two statements describe the built-in bridge functionality on a transparent mode FortiMail? (Choose two.)

- A. Any bridge member interface can be removed from the bridge and configured as a routed interface.
- B. If port1. is required to process SMTP traffic, it must be configured as a routed interface.
- C. All bridge member interfaces belong to the same subnet as the management IP.
- D. The management IP is permanently tied to port1, and port1 cannot be removed from the bridge.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

DLP Scan Rule 1

Message Scan Rule

Name: DLPOut

Comment:

Scan Rule

Match all conditions Match any condition

+ New... Edit... Delete... Total 3

ID	Condition
1	Body contains sensitive data "Credit_Card_Number"
2	Attachment contains sensitive data "Credit_Card_Number"
3	Subject contains Credit Card

DLP Scan Rule 2

Message Scan Rule

Name: DLPOut

Comment:

Scan Rule

Match all conditions Match any condition

+ New... Edit... Delete... Total 1

ID	Condition
1	Sender contains sales@example.com

Refer to the exhibits, which shows a DLP scan profile configuration (DLP Scan Rule 1 and DLP Scan Rule 2) from a FortiMail device.

Which two message types will trigger this DLP scan rule? (Choose two.)

- A. An email message that contains credit card numbers in the body will trigger this scan rule.
- B. An email message with a subject that contains the term 'credit card' will trigger this scan rule.
- C. An email sent from sales@internal.lac will trigger this scan rule, even without matching any

conditions.

D. An email that contains credit card numbers in the body, attachment, and subject will trigger this scan rule.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

What are Two reasons for having reliable DNS servers configured on FortiMail? (Choose two.)

- A. Firmware updates
- B. HA synchronization
- C. FortiGuard Connectivity
- D. Email transmission

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5 Antivirus Action Profile

AntiVirus Action Profile

Domain: system

Name: AV_Action

Comment:

Tag subject: [VIRUS]

Insert header

+ New... Edit Delete Total: 0

Header Name	Header Value
-------------	--------------

Insert disclaimer: default at Start of message

Deliver to alternate host

Deliver to original host

BCC

Replace infected / suspicious body or attachment: --None--

Remove URL detected by FortiSandbox

Archive to account: --None--

Notify with profile: --None--

Final action: Discard

FORTINET

Refer to the exhibit, which shows an antivirus action profile.

What are two expected outcomes if FortiMail applies this antivirus action profile to an email?

(Choose two.)

- A. A replacement message will be added to the email.
- B. The original email will be sent to the system quarantine.
- C. The sanitized email will be sent to the recipient's personal quarantine.
- D. Virus content will be removed from the email.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

Which three configuration steps must you set to enable DKIM signing for outbound messages on FortiMail?

(Choose three.)

- A. Generate a public/private key pair in the protected domain configuration.
- B. Enable DKIM signing for outgoing messages in a matching session profile.
- C. Enable the DKIM checker in a matching session profile.
- D. Publish the public key as a TXT record in a public DNS server.
- E. Enable the DKIM checker in a matching antispam profile.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

Refer to the exhibit, which shows an inbound recipient policy.



After creating the policy shown in the exhibit, an administrator discovers that clients can send unauthenticated emails using SMTP.

What must the administrator do to enforce authentication?

- A. Configure an access delivery rule to enforce authentication.
- B. Configure an access receive rule to verify authentication status.
- C. Move this incoming recipient policy to the top of the list.
- D. Configure a matching IP policy with the exclusive flag enabled.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

Which two factors are required for an active-active HA configuration of FortiMail in server mode? (Choose two.)

- A. Service monitoring must be configured for remote SMTP
- B. Devices must be deployed behind a load balancer.
- C. A primary must be designated to initially process email.
- D. Mail data must be stored on a NAS server.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

A FortiMail administrator is concerned about cyber criminals attempting to get sensitive information from employees using whaling phishing attacks. What option can the administrator configure to prevent these types of attacks?

- A. Content disarm and reconstruction
- B. Dictionary profile with predefined smart identifiers
- C. Bounce tag verification
- D. Impersonation analysis

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10


Which two FortiMail antispam techniques can you use to combat zero-day spam? (Choose two.)

- A. DNSBL
- B. Behavior analysis
- C. IP reputation
- D. Spam outbreak protection

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 11

Refer to the exhibit, which displays the Mail Settings page of a FortiMail device running in gateway mode.




In addition to selecting Check External Domain in the MTA-STS service field, what else must an administrator do to enable MTA-STS?

- A. Enable MTA-STS action in the appropriate inbound recipient policy.
- B. Enable secure authentication in the associated SMTP authentication profile.
- C. Enable MTA-STS in the associated TLS profile.
- D. Enable SMTPUTF8 support in the mail server settings.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

Refer to the exhibit which shows a command prompt output of a telnet command.



```
C:\WINDOWS\system32\cmd.exe
C:\> telnet mx example.com 25
200 FE200F3A15000009.example.com ESMTSP Smtpd; Thu, 21 Jun 2021 17:06:43 -0400
```

Which configuration change must you make to prevent the banner from displaying the FortiMail serial number?

- A. Add a protected domain
- B. Configure a local domain name
- C. Change the host name
- D. Change the operation mode

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

A FortiMail administrator is investigating a sudden increase in DSNs being delivered to their protected domain. After searching the logs, the administrator identifies that the DSNs werenotgenerated because of any outbound email sent from their organization.

Which FortiMail antispam technique can the administrator use to prevent this scenario?

- A. Spam outbreak protection
- B. FortiGuard IP Reputation
- C. Spoofed header detection
- D. Bounce address tag validation

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

Which two antispam techniques query FortiGuard for rating information? (Choose two.)


- A. DNSBL
- B. URL filter
- C. IP reputation
- D. SURBL

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

Refer to the exhibits, which display a topology diagram (Topology) and two FortiMail device configurations (FML1 ConfigurationandFML2 Configuration).

Topology



FML1 Configuration

FortiMail

Domain name:

Is subdomain:

Main domain:

Relay type:

SMTP server: Port: [Test...]

Use SMTPS

Fallback SMTP server: Port: [Test...]

Use SMTPS

FML2 Configuration

The screenshot displays the configuration for FML2. Under the 'Local Host' section, the host name is 'FML2', the local domain name is 'example.com', and the default domain for authentication is '--None--'. The 'SMTP Service' is enabled. The SMTP server port number is 25, and the SMTPS server port number is 465. 'SMTP over SSL/TLS' is disabled, 'SMTP MSA service' is enabled, and the SMTP MSA port number is 587. At the bottom, the authentication options are: SMTP (disabled), SMTPS (enabled), and SMTP over TLS (enabled).

What is the expected outcome of SMTP sessions sourced from FML1 and destined for FML2?

- A. FML1 will fail to establish any connection with FML2.
- B. FML1 will successfully establish an SMTPS session with FML2.
- C. FML1 will attempt to establish an SMTPS session with FML2. but fail and revert to standard SMTP.
- D. FML1 will send the STARTTLS command in the SMTP session, which will be rejected by FML2.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

Refer to the exhibits showing SMTP limits (Session Profile - SMTP Limits), and domain settings (Domain Settings, and Domain Settings - Other) of a FortiMail device.

Session Profile—SMTP Limits

Session Profile	
Profile name	Example_Session
Comment	
<input checked="" type="checkbox"/> SMTP Limits	
Restrict number of EHLO/HELOs per session to	3
Restrict number of email per session to	10
Restrict number of recipients per email to	500
Cap message size (KB) at	51200
Cap header size (KB) at	10240
Maximum number of NOOPs allowed for each connection	10
Maximum number of RSETs allowed for each connection	20

Domain Settings

FortiMail

Domain name	example.com			
Relay type	Host			
SMTP server	10.29.1.45	Port	25	[Test...]
<input type="checkbox"/> Use SMTPS				
Fallback SMTP server		Port	25	[Test...]
<input type="checkbox"/> Use SMTPS				
<input checked="" type="checkbox"/> Relay Authentication				

Domain Settings—Other

Other

Webmail theme Use system settings

Webmail language --Default--

Maximum message size (KB) 204800

SMTP greeting (EHLO/HELO) name (as client) Use system host name

IP pool --None-- Direction Delivering

Remove received header of outgoing email

Use global bayesian database

Bypass bounce verification

Email continuity

Which message size limit in KB will the FortiMail apply to outbound email?

- A. 10240
- B. 204300
- C. 51200
- D. There is no message size limit for outbound email from a protected domain.

Answer: ([SHOW ANSWER](#))

Valid FCP_FML_AD-7.4 Dumps shared by ExamDiscuss.com for Helping Passing FCP_FML_AD-7.4 Exam! ExamDiscuss.com now offer the **newest FCP_FML_AD-7.4 exam dumps**, the ExamDiscuss.com FCP_FML_AD-7.4 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com FCP_FML_AD-7.4 dumps with Test Engine here:

https://www.examdiscuss.com/Fortinet/exam/FCP_FML_AD-7.4/premium/ (65 Q&As Dumps, **35%OFF** Special Discount Code: **freecram**)

NEW QUESTION: 17

What are two disadvantages of configuring the dictionary and DLP scan rule aggressiveness too high?

(Choose two.)

- A. More false positives could be detected.
- B. It is more resource intensive

- C. FortiMail requires more disk space for the additional rules.
- D. High aggressiveness scan settings do not support executable file types.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

Which license must you apply to a FortiMail device to enable the HA centralized monitoring features?

- A. Cloud gateway license
- B. Advanced Management and MSSP license
- C. Enterprise license
- D. Office 365 protection license


Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

A mail user wants the ability to subscribe or publish to and from their FortiMail calendar using Thunderbird as their mail user agent (MUA). What information does this mail user need from their webmail User Preferences section?

- A. Free busy URL
- B. Secondary account configurations
- C. Service URLs
- D. Message tags

Answer: ([SHOW ANSWER](#))






Refer to the exhibits, which show a topology diagram (Topology) and a configuration element (Access Control Rule.) An administrator wants to configure an access receive rule to match authentication status on FML-1 for all outbound email from the example. co- domain. Which two access receive rule settings must the administrator configure? (Choose two.)

- A. The Authentication status must be set to Authenticated
- B. The Recipient pattern must be set to *@example. com.
- C. The Sender IP/netmask must be set to 10.29.1.0/24.
- D. A TLS profile must be configured and applied.

Answer: (SHOW ANSWER)

NEW QUESTION: 21

Refer to the exhibit.



What does the Scan timeout value configure?

- A. How often FortiMail will query FortiSandbox for a scan result
- B. How long FortiMail will wait to send a file or URI to FortiSandbox
- C. How long FortiMail will wait for a scan result from FortiSandbox
- D. How often the local scan results cache will expire on FortiMail

Answer: (SHOW ANSWER)

NEW QUESTION: 22

Exhibit.

Email Archiving Policy

Email Archiving Policy

Status

Account journal + [X]

Policy type Recipient

Pattern marketing@example.com

Comment

Create Cancel

Email Archiving Exempt Policy

Email Archiving Exempt Policy

Status

Account journal + [X]

Policy type Spam Email

Pattern

Comment

Create Cancel

Refer to the exhibits, which show an email archiving configuration (Email Archiving 1 and Email Archiving

2) from a FortiMail device.


What two archiving actions will FortiMail take when email messages match these archive policies? (Choose two.)

- A. FortiMail will allow only the marketing@example.com account to access the archived email.
- B. FortiMail will save archived email in the journal account.
- C. FortiMail will exempt spam email from archiving.
- D. FortiMail will archive email sent from marketing@example.com.

Answer: (SHOW ANSWER)

NEW QUESTION: 23

Refer to the exhibit, which shows a topology diagram of two separate email domains.



Which two statements correctly describe how an email message is delivered from User A to User B? (Choose two.)

- A. The DNS server will act as an intermediary MTA.
- B. User B will retrieve the email message using either POP3 or IMAP.
- C. mx.example1.org will forward the email message to the MX record that has the lowest preference.
- D. User A's MUA will perform a DNS MX record lookup to send the email message.

Answer: ([SHOW ANSWER](#))

Valid FCP_FML_AD-7.4 Dumps shared by ExamDiscuss.com for Helping Passing FCP_FML_AD-7.4 Exam! ExamDiscuss.com now offer the **newest FCP_FML_AD-7.4 exam dumps**, the ExamDiscuss.com FCP_FML_AD-7.4 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com FCP_FML_AD-7.4 dumps with Test Engine here:

https://www.examdisscuss.com/Fortinet/exam/FCP_FML_AD-7.4/premium/ (65 Q&As Dumps, **35%OFF** Special Discount Code: **freecram**)