Lpi.102-400.v2018-03-05.q107

Exam Code:	102-400
Exam Name:	LPIC-1 Exam 102, Part 2 of 2, version 4.0
Certification Provider:	Lpi
Free Question Number:	107
Version:	v2018-03-05
# of views:	1714
# of Questions views:	69105
https://www.freecram.net/torrent/Lpi.102-400.v2018-03-05.q107.html	

NEW QUESTION: 1
What output will the following command sequence produce?
echo '1 2 3 4 5 6' | while read a b c; do
echo result: $c $b $a;
done
A. result: 3 4 5 6 2 1
B. result: 6 5 4 3 2 1
C. result: 6 5 4
D. result: 3 2 1
E. result: 1 2 3 4 5 6
Answer: (SHOW ANSWER)

NEW QUESTION: 2
Why is the correct configuration of a system's time zone important?
A. Because the conversion of Unix timestamps to local time relies on the time zone configuration.
B. Because NTP chooses servers nearby based on the configured time zone.
C. Because the environment variables LANG and LC_MESSAGES are, by default, set according to the time zone.
D. Because the time zone is saved as part of the modification times of files and cannot be changed after a file is created.
Answer: (SHOW ANSWER)

NEW QUESTION: 3
SIMULATION
What is the default name of the configuration file for the Xorg X11 server? (Specify the file name only without any path.)
Answer:

xorg.conf

NEW QUESTION: 4
Which of the following lines are valid in the file /etc/hosts? (Choose TWO correct answers.)
A. www.example.com,www 203.0.13.15,2001:db8::15
B. 203.0.113.15 www.example.com www
C. www.example.com www 203.0.13.15
D. 2001:db8::15 www.example.com www
E. 2003.0.113.15,2001:db8::15 www.example.com www
Answer: (SHOW ANSWER)

NEW QUESTION: 5
Which of the following commands can be used to limit the amount of memory a user may use?
A. umask
B. chage
C. ulimit
D. usermod
E. passwd
Answer: (SHOW ANSWER)

NEW QUESTION: 6
Which of the following keywords can be used in the file /etc/resolv.conf? (Choose TWO correct answers.)
A. method
B. substitute
C. search
D. lookup
E. nameserver
Answer: (SHOW ANSWER)

NEW QUESTION: 7
SIMULATION
Which command is used to add an empty group to the system? (Specify ONLY the command without any path or parameters.)
Answer:
groupadd -or- /usr/sbin/groupadd

NEW QUESTION: 8
What is the purpose of a screen reader?
A. It reads the parameters of the attached monitors and creates an appropriate X11 configuration.
B. It reads text displayed on the screen to blind or visually impaired people.

C. It displays lines and markers to help people use speed reading techniques.
D. It manages and displays files that contain e-books.
Answer: (SHOW ANSWER)

NEW QUESTION: 9
Which commands can be used to change a user's account aging information? (Choose THREE correct answers.)
A. passwd
B. chage
C. chattr
D. usermod
E. chsh
Answer: (SHOW ANSWER)

NEW QUESTION: 10
On a regular users workstation the route command takes a long time before printing out the routing table.
Which of the following errors does that indicate?
Freecram.net
A. The local routing information may be corrupted and must be re-validated using a routing protocol.
B. DNS resolution may not be working as route by default tries to resolve names of routers and destinations and may run into a timeout.
C. One of the routers in the routing table is not available which causes the automatic router failure detection mechanism (ARF-D) to wait for a timeout.
D. There may accidentally be more than one default router in which case a default router election has to be done on the network in order to choose one router as the default.
Answer: (SHOW ANSWER)

NEW QUESTION: 11
SIMULATION
Which command, available with all MTAs, is used to list the contents of the MTA's mail queue? (Specify ONLY the command without any path or parameters.)
Answer:
mailq

NEW QUESTION: 12
What is the purpose of the command mailq?
A. It queries the mail queue of the local MTA.
B. It is a command-line based tool for reading and writing emails.
C. It is a multi-user mailing list manager.
D. It fetches new emails from a remote server using POP3 or IMAP.

E. It is a proprietary tool contained only in the qmail MTA.
Answer: (SHOW ANSWER)

NEW QUESTION: 13
Which of the following commands can be used to display the local routing table? (Choose TWO correct answers.)
A. ifconfig
B. dig
C. netstat
D. route
E. trackroute
Answer: (SHOW ANSWER)

NEW QUESTION: 14
Which of the following crontab entries will execute myscript at 30 minutes past every hour on Sundays?
A. 30 0-23 * * 0 myscript
B. 0 * * * 30 myscript
C. 0 0-23 * * 30 myscript
D. 30 0 * * 0 myscript
E. 30 * * * 6 myscript
Answer: (SHOW ANSWER)

NEW QUESTION: 15
What output will the following command produce?
seq 1 5 20
A. 1
2
3
4
B. 1
6
1
1
1
6
C. 5
10
15
20
D. 1

5
10
15
E. 2
3
4
5
Answer: (SHOW ANSWER)

NEW QUESTION: 16
Which of the following is observed and corrected by a NTP client?
A. Adjustments needed to support Daylight Saving Time.
B. The skew in time between the system clock and the reference clock.
C. The skew in time between the system clock and the hardware clock.
D. Changes in the time zone of the current computer's location.
Answer: (SHOW ANSWER)

Valid 102-400 Dumps shared by ExamDiscuss.com for Helping Passing 102-400 Exam! ExamDiscuss.com now offer the **newest 102-400 exam dumps**, the ExamDiscuss.com 102-400 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 102-400 dumps with Test Engine here: https://www.examdiscuss.com/Lpi/exam/102-400/premium/ (**120** Q&As Dumps, **35%OFF** **Special Discount Code: freecram**)

NEW QUESTION: 17
SIMULATION
On a Linux system with shadow passwords enabled, which file in the file system contains the password hashes of all local users? (Specify the full name of the file, including path.)
Answer:
/etc/shadow

NEW QUESTION: 18
Which of the following is a legacy program provided by CUPS for sending files to the printer queues on the command line?
A. lpp
B. lpq
C. lpd
D. lpr
Answer: (SHOW ANSWER)

NEW QUESTION: 19
Which of the following programs can be used to determine the routing path to a given destination?
A. dig
B. netstat
C. traceroute
D. ping
E. route
Answer: (SHOW ANSWER)

NEW QUESTION: 20
What is true regarding TCP port 23?
A. Port 23 is the well known port for the telnet service which is a plain text protocol that should no longer be used.
B. Port 23 is the well known port for the system login services which are encrypted when the user runs the starttls command in his login shell.
C. Port 23 is the well known port for the SSH service which provides secure logins.
D. Port 23 is the well known port for the rlogin service which is SSL secured by default.
Answer: (SHOW ANSWER)

NEW QUESTION: 21
What is true about the ntpdate command?
A. It is the primary management command for the NTP time server.
B. It sends the local system time to one or many remote NTP time servers for redistribution.
C. It queries one or more NTP time servers and adjusts the system time accordingly.
D. It can be used by any user to set the user clock independently of the system clock.
E. It updates the local system's date (i.e. day, month and year) but not the time (i.e. hours, minutes, seconds).
Answer: (SHOW ANSWER)

NEW QUESTION: 22
Which of the following is a valid IPv6 address?
A. 2001.db8.819f..1
B. 2001:db8:3241::1
C. 2001%db8%9990%%1
D. 2001::db8:4581::1
E. 2001:db8:0g41::1
Answer: (SHOW ANSWER)

NEW QUESTION: 23

Which configuration file would be edited to change the default options for outbound SSH sessions?

A. /etc/ssh/ssh

B. /etc/ssh/sshd_config

C. /etc/ssh/ssh_client

D. /etc/ssh/client

E. /etc/ssh/ssh_config

Answer: (SHOW ANSWER)

NEW QUESTION: 24

SIMULATION

In which file, if present, must all users be listed that are allowed to use the cron scheduling system?

(Specify the full name of the file, including path.)

Answer:

/etc/cron.allow

NEW QUESTION: 25

Which of the following commands puts the output of the command date into the shell variable mydate?

A. mydate="$(date)"

B. mydate="$((date))"

C. mydate="exec date"

D. mydate="date"

E. mydate="${date}"

Answer: (SHOW ANSWER)

NEW QUESTION: 26

What is the purpose of the file /etc/profile?

A. It contains security profiles defining which users are allowed to log in.

B. It contains environment variables that are set when a user logs in.

C. It contains default application profiles for users that run an application for the first time.

D. It contains the welcome message that is displayed after login.

Answer: (SHOW ANSWER)

NEW QUESTION: 27

Which of the following commands can remove a user from a group?

A. grouprm

B. usergroups

C. usermod

D. passwd

E. groupmod
Answer: (SHOW ANSWER)

NEW QUESTION: 28
Which of the following files assigns a user to its primary group?
A. /etc/group
B. /etc/gshadow
C. /etc/pgroup
D. /etc/shadow
E. /etc/passwd
Answer: (SHOW ANSWER)

NEW QUESTION: 29
Which of the following are requirements in order to run a shell script like a regular command from anywhere in the filesystem? (Choose THREE correct answers.)
A. The script file must have the executable permission bit set.
B. The script must begin with a shebang-line (#!) that points to the correct interpreter.
C. The user issuing the command must be in the group script.
D. The script file must be found in the $PATH.
E. The file system on which the script resides must be mounted with the option scripts.
Answer: (SHOW ANSWER)

NEW QUESTION: 30
Which of the following words is used to restrict the records that are returned from a SELECT SQL query based on a supplied criteria for the values in the records?
Freecram.net
A. IF
B. FROM
C. CASE
D. WHERE
Answer: (SHOW ANSWER)

NEW QUESTION: 31
What is true regarding the file ~/.forward?
A. As it is owned by the MTA and not writable by the user, it must be edited using the editaliases command.
B. Using ~/.forward, root may configure any email address whereas all other users may configure only their own addresses.
C. When configured correctly, ~/.forward can be used to forward each incoming mail to more than one other recipient.
D. After editing ~/.forward the user must run newaliases to make the mail server aware of the changes.

Answer: (SHOW ANSWER)

Valid 102-400 Dumps shared by ExamDiscuss.com for Helping Passing 102-400 Exam! ExamDiscuss.com now offer the **newest 102-400 exam dumps**, the ExamDiscuss.com 102-400 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 102-400 dumps with Test Engine here: https://www.examdiscuss.com/Lpi/exam/102-400/premium/ (**120** Q&As Dumps, **35%OFF** **Special Discount Code: freecram**)

NEW QUESTION: 32
Which of the following details is NOT provided in any output from the netstat utility?
A. routing tables
B. broadcast services
C. masquerading connections
D. network connections
E. interface statistics
Answer: B (LEAVE A REPLY)

NEW QUESTION: 33
SIMULATION
After adding a new email alias to the configuration, which command must be run in order to ensure the MTA knows about it? (Specify the command without any path but including all required parameters.)
Answer:
newaliases -or- sendmail -bi

NEW QUESTION: 34
SIMULATION
Which file contains a set of services and hosts that will be allowed to connect to the server by going through a TCP Wrapper program such as tcpd? (Specify the full name of the file, including path.)https:// lh3.googleusercontent.com/-5cd-clmKnbk/AAAAAAAAAAI/AAAAAAAAADM/-SXesH19Ido/s46-c-k-no/ photo.jpg
Answer:
/etc/hosts.allow

NEW QUESTION: 35
To prevent a specific user from scheduling tasks with at, what should the administrator do?
A. Run the following: atd --deny [user].
B. Add the specific user to /etc/at.deny file.

C. Add the specific user to nojobs group.
D. Add the specific user to [deny] section in the /etc/atd.conf file.
E. Add the specific user to /etc/at.allow file.
Answer: (SHOW ANSWER)

NEW QUESTION: 36
Which of the following find commands will print out a list of files owned by root and with the SUID bit set in / usr?
A. find /usr -uid 0 -perm +4000
B. find /usr -suid -perm +4000
C. find -type suid -username root -d /usr
D. find /usr -ls *s* -u root
E. find -user root +mode +s /usr
Answer: (SHOW ANSWER)

NEW QUESTION: 37
Which of the following SQL queries counts the number of occurrences for each value of the field order_type in the table orders?
A. SELECT order_type,COUNT(*) FROM orders GROUP BY order_type;
B. COUNT(SELECT order_type FROM orders);
C. SELECT COUNT(*) FROM orders ORDER BY order_type;
D. SELECT AUTO_COUNT FROM orders COUNT order_type;
E. SELECT order_type,COUNT(*) FROM orders WHERE order_type=order_type;
Answer: (SHOW ANSWER)

NEW QUESTION: 38
SIMULATION
Which parameter must be passed to ifconfig to activate a previously inactive network interface? (Specify the parameter only without any command, path or additional options)
Answer:
up

NEW QUESTION: 39
SIMULATION
What word is missing from the following SQL statement?
insert into tablename _____(909, 'text');
(Please specify the missing word using lower-case letters only.)
Answer:
VALUES -or- values

NEW QUESTION: 40

When the command echo $ outputs 1, which of the following statements is true?

A. It is the exit value of the command executed immediately before echo.

B. It is the process ID of the current shell.

C. It is the exit value of the echo command.

D. It is the process ID of the echo command.

Answer: (SHOW ANSWER)

NEW QUESTION: 41

SIMULATION

Which command is used to sync the hardware clock to the system clock? (Specify ONLY the command without any path or parameters.)

Answer:

hwclock -or- /sbin/hwclock -or- /usr/sbin/hwclock

NEW QUESTION: 42

Which configuration file would be edited to change default options for the OpenSSH server?

A. /etc/ssh/sshd_config

B. /etc/ssh/ssh_server

C. /etc/ssh/server

D. /etc/ssh/ssh_config

E. /etc/ssh/ssh

Answer: A (LEAVE A REPLY)

NEW QUESTION: 43

Which of the following programs uses the hosts.allow file to perform its main task of checking for access control restrictions to system services?

A. fingerd

B. inetd

C. xinetd

D. mountd

E. tcpd

Answer: (SHOW ANSWER)

NEW QUESTION: 44

Which of the following statements is valid in the file /etc/nsswitch.conf?

A. hosts: files dns

B. 192.168.168.4 dns-server

C. multi on

D. include /etc/nsswitch.d/

Answer: A (LEAVE A REPLY)

NEW QUESTION: 45
SIMULATION
Which option in the /etc/ntp.conf file specifies an external NTP source to be queried for time information?
(Specify ONLY the option without any values or parameters.)
Answer:
server

NEW QUESTION: 46
How is a display manager started?
A. It is started by inetd when a remote hosts connects to the X11 port.
B. It is started by a user using the command startx.
C. It is started like any other system service by the init system.
D. It is started automatically when a X11 user logs in to the system console.
Answer: (SHOW ANSWER)

Valid 102-400 Dumps shared by ExamDiscuss.com for Helping Passing 102-400 Exam! ExamDiscuss.com now offer the **newest 102-400 exam dumps**, the ExamDiscuss.com 102-400 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 102-400 dumps with Test Engine here: https://www.examdiscuss.com/Lpi/exam/102-400/premium/ (**120** Q&As Dumps, **35%OFF** **Special Discount Code: freecram**)

NEW QUESTION: 47
What is true regarding the command userdel --force --remove bob? (Choose TWO correct answers.)
A. All files owned by bob are remove from all mounted filesystems.
B. The user bob's home directory is removed.
C. The locate database is updated to drop files owned by bob.
D. The user bob is removed from the system's user database.
E. In case bob was the last member of a group, that group is deleted.
Answer: (SHOW ANSWER)

NEW QUESTION: 48
SIMULATION
Which file specifies the user accounts that can NOT submit jobs via at or batch? (Provide the full path and filename)
Answer:
/etc/at.deny

NEW QUESTION: 49
Which of the following commands preloads and manages keys that are used for automatic authentication while logging in to other machines using SSH?
A. sshd
B. ssh-agent
C. ssh-keygen
D. ssh-add
Answer: (SHOW ANSWER)

NEW QUESTION: 50
Which of the following files, when existing, affect the behavior of the Bash shell? (Choose TWO correct answers.)
Freecram.net
A. ~/.bash_etc
B. ~/.bashconf
C. ~/.bashrc
D. ~/.bash_profile
E. ~/.bashdefaults
Answer: (SHOW ANSWER)

NEW QUESTION: 51
What is a purpose of an SSH host key?
A. It is used by system services like cron, syslog or a backup job to automatically connect to remote hosts.
B. It provides the server's identity information to connecting SSH clients.
C. It authenticates any user that logs into a remote machine from the key's host.
D. It is the root key by which all user SSH keys must be signed.
E. It must be sent by any SSH client in addition to a user key in order to identify the client's host.
Answer: (SHOW ANSWER)

NEW QUESTION: 52
SIMULATION
What command displays all aliases defined in the current shell? (Specify the command without any path information)
Answer:
alias -or- alias -p

NEW QUESTION: 53
Which of the following are commonly used Mail Transfer Agent (MTA) applications? (Choose THREE correct answers.)
A. Sendmail

B. SMTPd
C. Exim
D. Procmail
E. Postfix
Answer: (SHOW ANSWER)

NEW QUESTION: 54
Which of the following are syslog facilities? (Choose TWO correct answers.)
A. remote
B. postmaster
C. mail
D. local7
E. advanced
Answer: (SHOW ANSWER)

NEW QUESTION: 55
Which of the following fields can be found in the /etc/group file? (Choose THREE correct answers.)
A. The list of users that belong to the group.
B. The home directory of the group.
C. The name of the group.
D. The password of the group.
E. The description of the group.
Answer: (SHOW ANSWER)

NEW QUESTION: 56
What entry can be added to the syslog.conf file to have all syslog messages generated by a system displayed on console 12?
A. syslog tty12
B. mail.* /dev/tty12
C. /var/log/messages | /dev/tty12
D. | /dev/tty12
E. *.* /dev/tty12
Answer: (SHOW ANSWER)

NEW QUESTION: 57
Which command makes the shell variable named VARIABLE visible to subshells?
A. export $VARIABLE
B. set $VARIABLE
C. env VARIABLE
D. set VARIABLE

E. export VARIABLE
Answer: (SHOW ANSWER)

NEW QUESTION: 58
What is the command to delete the default gateway from the system IP routing table? (Choose TWO correct answers.)
A. netstat -r default
B. sysctl ipv4.default_gw=0
C. ip route del default
D. ifconfig unset default
E. route del default
Answer: (SHOW ANSWER)

NEW QUESTION: 59
Which of the following fields are available in both the global /etc/crontab file as well as in user-specific crontab files? (Select TWO correct answers)
A. Username
B. Command
C. Year
D. Minute
Answer: (SHOW ANSWER)

NEW QUESTION: 60
Which of the following parameters are used for journalctl to limit the time frame of the output? (Choose TWO correct answers.)
Freecram.net
A. --upto
B. --date
C. --from
D. --until
E. --since
Answer: (SHOW ANSWER)

NEW QUESTION: 61
Which file contains the date of the last change of a user's password?
A. /etc/pwdlog
B. /etc/shadow
C. /var/log/shadow
D. /etc/gshadow
E. /etc/passwd
Answer: (SHOW ANSWER)

Valid 102-400 Dumps shared by ExamDiscuss.com for Helping Passing 102-400 Exam! ExamDiscuss.com now offer the **newest 102-400 exam dumps**, the ExamDiscuss.com 102-400 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 102-400 dumps with Test Engine here: https://www.examdiscuss.com/Lpi/exam/102-400/premium/ (**120** Q&As Dumps, **35%OFF** **Special Discount Code: freecram**)

NEW QUESTION: 62
For accessibility assistance, which of the following programs is an on-screen keyboard?
A. GOK
B. xOSK
C. xkb
D. atkb
Answer: (SHOW ANSWER)

NEW QUESTION: 63
Which of the following tools used for DNS debugging, reports not only the response from the name server but also details about the query?
A. dnsq
B. zoneinfo
C. dig
D. hostname
E. dnslookup
Answer: (SHOW ANSWER)

NEW QUESTION: 64
When trying to unmount a device it is reported as being busy. Which of the following commands could be used to determine which process is causing this?
A. traceroute
B. lsof
C. nessus
D. debug
E. strace
Answer: (SHOW ANSWER)

NEW QUESTION: 65
What is true regarding a default route?
A. When a default route is set, all other routes are disabled until the default route is deleted.

B. Without a default route, no network communication even in directly attached networks is possible.
C. The default route is always used first. When the default route is not available more specific routes are tried.
D. The default route is only used if there is not a more specific route to a destination host or network.
Answer: (SHOW ANSWER)

NEW QUESTION: 66
SIMULATION
What is the name of the simple graphical login manager that comes with a vanilla X11 installation?
(Specify ONLY the command without any path or parameters.)
Answer:
xdm

NEW QUESTION: 67
SIMULATION
Which command can be used to investigate the properties for a particular window in X by clicking that window? (Specify ONLY the command without any path or parameters.)
Answer:
/usr/bin/xwininfo -or- xwininfo

NEW QUESTION: 68
Which of the following commands lists all defined variables and functions within Bash?
A. env -a
B. echo $ENV
C. set
D. env
Answer: (SHOW ANSWER)

NEW QUESTION: 69
SIMULATION
In an xinetd configuration file, which attribute specifies the network address that will be used to provide the service?
Answer:
bind -or- interface

NEW QUESTION: 70
Which file used by XDM specifies the default wallpaper?
A. /etc/X11/defaults.conf

B. /etc/X11/xdm/Xsetup
C. /etc/X11/xdm/Defaults
D. /etc/X11/xdm.conf
Answer: B (LEAVE A REPLY)

NEW QUESTION: 71
Each entry in a crontab must end with what character?
A. Newline
B. Tab
C. Backslash
D. Space
Answer: (SHOW ANSWER)

NEW QUESTION: 72
What is true regarding the command sendmail?
A. The sendmail command prints the MTAs queue history of which mails have been sent successfully.
B. All MTAs, including Postfix and Exim, provide a sendmail command.
C. It is only available when the sendmail MTA is installed.
D. With any MTA, the sendmail command must be run periodically by the cron daemon.
Answer: (SHOW ANSWER)

NEW QUESTION: 73
After issuing:
function myfunction { echo $1 $2 ; }
in Bash, which output does:
myfunction A B C
Produce?
A. A B
B. C B A
C. A B C
D. B C
E. A C
Answer: (SHOW ANSWER)

NEW QUESTION: 74
What is the purpose of the nsswitch.conf file?
A. It is used to configure where the C library looks for system information such as host names and user passwords.
B. It is used to configure which network services will be turned on during the next system boot.
C. It is used to configure network protocol port numbers such as for HTTP or SMTP.

D. It is used to configure LDAP authentication services for the local system.
Answer: (SHOW ANSWER)

NEW QUESTION: 75
SIMULATION
What argument to the -type option of find will match files that are symbolic links? (Specify only the argument and no other options or words.)
Answer:
1

NEW QUESTION: 76
SIMULATION
Which keyword must be listed in the hosts option of the Name Service Switch configuration file in order to make host lookups consult the /etc/hosts file?
Answer:
files

Valid 102-400 Dumps shared by ExamDiscuss.com for Helping Passing 102-400 Exam! ExamDiscuss.com now offer the **newest 102-400 exam dumps**, the ExamDiscuss.com 102-400 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 102-400 dumps with Test Engine here: https://www.examdiscuss.com/Lpi/exam/102-400/premium/ (**120** Q&As Dumps, **35%OFF** **Special Discount Code: freecram**)

NEW QUESTION: 77
Which of the following is true about IPv6?
A. For IPv6, UDP and TCP have been replaced by the Rapid Transmission Protocol RTP.
B. IPv6 no longer supports multicast addresses.
C. IPv6 no longer supports broadcast addresses.
D. IPv4 addresses can be used without any change with IPv6.
E. With IPv6, the TCP port numbers of most services have changed.
Answer: (SHOW ANSWER)

NEW QUESTION: 78
Which of the following commands is used to rotate, compress, and mail system logs?
A. striplog
B. rotatelog
C. logrotate
D. logger

E. syslogd --rotate
Answer: (SHOW ANSWER)

NEW QUESTION: 79
SIMULATION
Please specify the top directory containing the configuration files for the CUPS printing system. (Specify the full path to the directory.)
Answer:
/etc/cups -or- /etc/cups/

NEW QUESTION: 80
SIMULATION
By default, the contents of which directory will be copied to a new user's home directory when the account is created by passing the -m option to the useradd command? (Specify the full path to the directory.)
Freecram.net
Answer:
/etc/skel

NEW QUESTION: 81
SIMULATION
With IPv6, how many bits have been used for the interface identifier of an unicast address? (Specify the number using digits only.)
Answer:
64

NEW QUESTION: 82
SIMULATION
What is the lowest numbered unprivileged TCP port? (Specify the number in digits only.)
Answer:
1024

NEW QUESTION: 83
SIMULATION
Which command is used to set the hostname of the local system? (Specify ONLY the command without any path or parameters.)
Answer:
hostname

NEW QUESTION: 84
SIMULATION

With X11 forwarding in ssh, what environment variable is automatically set in the remote host shell that is not set when X11 forwarding is not enabled? (Specify only the environment variable without any additional commands or values.)

Answer:

DISPLAY -or- $DISPLAY

NEW QUESTION: 85

In case neither cron.allow nor cron.deny exist in /etc/, which of the following is true?

A. The cron daemon will refuse to start and report missing files in the system's logfile.

B. When a user creates a user specific crontab the system administrator must approve it explicitly.

C. Without additional configuration, no users may have user specific crontabs.

D. Without additional configuration, all users may have user specific crontabs.

Answer: (SHOW ANSWER)

NEW QUESTION: 86

Which of the following commands connects to the remote host example.com which has OpenSSH listening on TCP port 2222? (Choose TWO correct answers.)

A. ssh --port 2222 example.com

B. ssh -p 2222 example.com

C. ssh -o Port=2222 example.com

D. ssh -o GatewayPort=2222 example.com

E. ssh example.com:2222

Answer: (SHOW ANSWER)

Explanation/Reference:

NEW QUESTION: 87

What is NOT contained in the locale setting of the operating system?

A. currency symbol

B. timezone

C. thousands separator

D. language

Answer: (SHOW ANSWER)

NEW QUESTION: 88

When the command echo $$ outputs 12942, what is the meaning of 12942?

A. It is the process ID of the last command which has been placed in the background.

B. It is the process ID of the current shell.

C. It is the process ID of the echo command.

D. It is the process ID of the last command executed.

Answer: (SHOW ANSWER)

NEW QUESTION: 89
SIMULATION
What word is missing from the following SQL statement?
_____ count(*) from tablename;
(Please specify the missing word using lower-case letters only.)
Answer:
select

NEW QUESTION: 90
Which of the following commands will help identify a broken router between the local and the remote machine?
Freecram.net
A. ps
B. nslookup
C. ifconfig
D. netstat
E. traceroute
Answer: (SHOW ANSWER)

NEW QUESTION: 91
What is the purpose of the iconv command?
A. It converts files from one character encoding to another.
B. It converts bitmap images from one format to another such as PNG to JPEG.
C. It verifies that the root directory tree complies to all conventions from the Filesystem Hierarchy Standard (FHS).
D. It displays additional meta information from icon files ending in .ico.
E. It changes the mode of an inode in the ext4 file system.
Answer: (SHOW ANSWER)

Valid 102-400 Dumps shared by ExamDiscuss.com for Helping Passing 102-400 Exam! ExamDiscuss.com now offer the **newest 102-400 exam dumps**, the ExamDiscuss.com 102-400 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 102-400 dumps with Test Engine here: https://www.examdiscuss.com/Lpi/exam/102-400/premium/ (**120** Q&As Dumps, **35%OFF** **Special Discount Code: freecram**)

NEW QUESTION: 92
What is true about the file /etc/localtime?

A. It is created and maintained by the NTP service based on the geolocation of the system's IP address.
B. It is a plain text file containing a string such as Europe/Berlin.
C. It is either a symlink to or a copy of a timezone information file such as /usr/share/zoneinfo/Europe/ Berlin.
D. It is a symlink to /sys/device/clock/ltime and always contains the current local time.
Answer: (SHOW ANSWER)

NEW QUESTION: 93
Which of the following are tasks handled by a display manager like XDM or KDM? (Choose TWO correct answers.)
A. Handle the login of a user.
B. Configure additional devices like new monitors or projectors when they are attached.
C. Start and prepare the desktop environment for the user.
D. Lock the screen when the user was inactive for a configurable amount of time.
E. Create an X11 configuration file for the current graphic devices and monitors.
Answer: (SHOW ANSWER)

NEW QUESTION: 94
What output will the command seq 10 produce?
A. The number 10 to standard output.
B. The numbers 1 through 10 with one number per line.
C. The numbers 0 through 9 with one number per line.
D. A continuous stream of numbers increasing in increments of 10 until stopped.
Answer: (SHOW ANSWER)

NEW QUESTION: 95
Which of the following steps prevents a user from obtaining an interactive login session?
A. Run the command chsh -s /bin/false with the user name.
B. Add the user to /etc/noaccess.
C. Create a .nologin file in the user's home directory.
D. Set the UID for the user to 0.
E. Remove the user from the group staff.
Answer: (SHOW ANSWER)

NEW QUESTION: 96
SIMULATION
Which file lists which users can execute commands using sudo? (Specify the full name of the file, including path.)
Answer:
/etc/sudoers

NEW QUESTION: 97
Which character in the password field of /etc/passwd is used to indicate that the encrypted password is stored in /etc/shadow?
A. x
B. s
C. -
D. *
Answer: (SHOW ANSWER)

NEW QUESTION: 98
Which of the following may occur as a consequence of using the command ifconfig? (Choose THREE correct answers.)
A. New name servers may be added to the resolver configuration.
B. Network interfaces may become active or inactive.
C. IP addresses may change.
D. The routing table may change.
E. The system's host name may change.
Answer: (SHOW ANSWER)

NEW QUESTION: 99
Which command is used to set restrictions on the size of a core file that is created for a user when a program crashes?
A. edquota
B. core
C. quota
D. ulimit
Answer: (SHOW ANSWER)

NEW QUESTION: 100
How can the existing environment variable FOOBAR be suppressed for the execution of the script./ myscript only?
Freecram.net
A. env -u FOOBAR./myscript
B. set -a FOOBAR="";./myscript
C. unset -v FOOBAR;./myscript
D. env -i FOOBAR./myscript
Answer: (SHOW ANSWER)

NEW QUESTION: 101
SIMULATION

How many IP-addresses can be used for unique hosts inside the IPv4 subnet 192.168.2.128/28? (Specify the number only without any additional information.)

Answer:

14

NEW QUESTION: 102

SIMULATION

After configuring printing on a Linux server, the administrator sends a test file to one of the printers and it fails to print. What command can be used to display the status of the printer's queue? (Specify ONLY the command without any path or parameters.)

Answer:

lpq

NEW QUESTION: 103

Which command can be used to delete a group from a Linux system?

A. groups

B. groupmod

C. groupedit

D. groupdel

Answer: D (LEAVE A REPLY)

NEW QUESTION: 104

SIMULATION

Which directory holds the files that configure the xinetd service when using several configuration files instead of an integrated configuration file? (Specify the full path to the directory.)

Answer:

/etc/xinetd.d/ -or- /etc/xinetd.d

NEW QUESTION: 105

Where are user specific crontabs stored?

A. In the file /var/cron/user-crontab which is shared by all users.

B. As individual per-user files in /etc/cron.user.d.

C. In the .crontab file in the user's home directory.

D. In the database file /etc/crontab.db which is shared by all users.

E. As individual per-user files within /var/spool/cron.

Answer: (SHOW ANSWER)

NEW QUESTION: 106

Which of the following keywords can be used in the file /etc/nsswitch.conf to specify a source for host name lookups? (Choose TWO correct answers.)

A. resolv

B. hosts
C. dns
D. remote
E. files
Answer: (SHOW ANSWER)

Valid 102-400 Dumps shared by ExamDiscuss.com for Helping Passing 102-400 Exam! ExamDiscuss.com now offer the **newest 102-400 exam dumps**, the ExamDiscuss.com 102-400 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 102-400 dumps with Test Engine here: https://www.examdiscuss.com/Lpi/exam/102-400/premium/ (**120** Q&As Dumps, **35%OFF** **Special Discount Code: freecram**)

NEW QUESTION: 107
Which of the following tasks can be accomplished using the command date? (Choose TWO correct answers.)
A. Synchronize the hardware and system clocks.
B. Output date and time in different formats.
C. Update the time via NTP.
D. Set the hardware clock.
E. Set the system clock.
Answer: (SHOW ANSWER)

Valid 102-400 Dumps shared by ExamDiscuss.com for Helping Passing 102-400 Exam! ExamDiscuss.com now offer the **newest 102-400 exam dumps**, the ExamDiscuss.com 102-400 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 102-400 dumps with Test Engine here: https://www.examdiscuss.com/Lpi/exam/102-400/premium/ (**120** Q&As Dumps, **35%OFF** **Special Discount Code: freecram**)