

Microsoft.AZ-120.v2026-09-28.q155

Exam Code:	AZ-120
Exam Name:	Planning and Administering Microsoft Azure for SAP Workloads
Certification Provider:	Microsoft
Free Question Number:	155
Version:	v2026-09-28
# of views:	107
# of Questions views:	1550
https://www.freecram.net/torrent/Microsoft.AZ-120.v2026-09-28.q155.html	

NEW QUESTION: 1

You deploy an SAP environment on Azure.

You need to grant an SAP administrator read-only access to the Azure subscription. The SAP administrator must be prevented from viewing network information.

How should you configure the role-based access control (RBAC) role definition? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values	Answer Area
<div>Microsoft</div> <div>["*/read"]</div>	<pre>{ "Name": "CustomRole001", "IsCustom": true, "Description": "", "Actions": [], "NotActions": [], "DataActions": [], "AssignableScopes": ["/subscriptions/ 0eaef253-d1ee-423e-a95a-418939ee14ae"] }</pre>
["Microsoft.Authorization/*/read"]	
["Microsoft.Compute/*/read"]	
["Microsoft.Insights/*/read"]	
["Microsoft.Management/managementGroups/read"]	
["Microsoft.Network/*/read"]	
["Microsoft.Resources/*/read"]	
["Microsoft.Storage/*/read"]	

Answer:

Values	Answer Area
<input type="text" value=""/> <code>"/read</code>	<pre> { "Name": "CustomRole001", "IsCustom": true, "Description": "", "Actions": [<input type="text" value=""/><code>"/read</code>], "NotActions": [<input type="text" value=""/><code>Microsoft.Network/*</code>/read"], "DataCtions": [], "AssignableScopes": ["/subscriptions/ 0eaef253-d1ee-423e-a95a-418939ee14ae"] } </pre>
<input type="text" value=""/> <code>Microsoft.Authorization/*</code>/read"	
<input type="text" value=""/> <code>Microsoft.Compute/*</code>/read"	
<input type="text" value=""/> <code>Microsoft.Insights/*</code>/read"	
<input type="text" value=""/> <code>Microsoft.Management/managementGroups/</code>read"	
<input type="text" value=""/> <code>Microsoft.Network/*</code>/read"	
<input type="text" value=""/> <code>Microsoft.Resources/*</code>/read"	
<input type="text" value=""/> <code>Microsoft.Storage/*</code>/read"	

Explanation:

```

{
  "Name": "CustomRole001",
  "IsCustom": true,
  "Description": "",
  "Actions": [ <code>"/read</code> ],
  "NotActions": [ <code>Microsoft.Network/*</code>/read" ],
  "DataCtions": [],
  "AssignableScopes": ["/subscriptions/ 0eaef253-d1ee-423e-a95a-418939ee14ae"]
}

```

NEW QUESTION: 2

You have an Azure subscription and an Enterprise Agreement (EA).

You plan to deploy an SAP on Azure production landscape that will contain the following virtual machines:

- * One M-series virtual machine with 128 cores
- * 15 E-series virtual machines with a total of 300 cores
- * 10 D-series virtual machines with a total of 160 cores

During the deployment of the E-series virtual machines, you receive the following error message.

Operation results in exceeding quota limits of Core.

You need to ensure you can complete the E-series virtual machine deployment. The solution must meet the following requirements:

- * Maintain the performance of the SAP landscape.
- * Minimize administrative effort.
- * Minimize costs.

What should you do?

- A.** Convert the subscription to Pay-As-You-Go (PAYG).
- B.** Request a quota increase for the Azure region.
- C.** Resize the D-series and E-series virtual machines.
- D.** Create a second subscription and split the virtual machines evenly between both subscriptions.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

You have an existing SAP production landscape that uses SAP HANA databases.

You plan to migrate the landscape to Azure.

Which Azure virtual machine series will be Azure supported for the production SAP HANA database deployment?

- A.** N-Series
- B.** F-Series
- C.** M-Series
- D.** A-Series

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

You have an SAP workload on an Azure virtual machine.

You have a built-in role-based access control (RBAC) role definition in the JSON format.

You plan to change the built-in role definition to a custom role definition.

Which property value in the built-in role definition must you change?

- A.** assignableScopes
- B.** actions
- C.** roleHoae
- D.** notActions

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

for each of the following statements, select Yes if the statement is true. Otherwise. select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
When configuring an Azure virtual machine, the Azure Enhanced Monitoring features are required to monitor SAP application performance.	☐	☐
To successfully start an Azure virtual machine that contains SAP, you must have Azure Enhanced Monitoring installed.	☐	☐
If you deploy SAP by using the Azure Resource Manager templates for SAP, Azure Enhanced Monitoring is installed automatically.	☐	☐

Answer:

Statements	Yes	No
When configuring an Azure virtual machine, the Azure Enhanced Monitoring features are required to monitor SAP application performance.	☐	☒
To successfully start an Azure virtual machine that contains SAP, you must have Azure Enhanced Monitoring installed.	☐	☒
If you deploy SAP by using the Azure Resource Manager templates for SAP, Azure Enhanced Monitoring is installed automatically.	☐	☒

Explanation:

Statements	Yes	No
When configuring an Azure virtual machine, the Azure Extension for SAP features are required to monitor SAP application performance.	☒	☐
To successfully start an Azure virtual machine that contains SAP, you must have Azure Extension for SAP installed.	☐	☒
If you deploy SAP by using the Azure Resource Manager templates for SAP, Azure Extension for SAP is installed automatically.	☐	☒

NEW QUESTION: 6

You have an SAP on Azure deployment that has been running for 180 days.
You need to validate that the virtual machines are sized to maximize the use of allocated resources. The solution must minimize administrative effort.
What should you use?

- A. Azure Advisor
- B. SAP Quick Sizer
- C. Azure Monitor for SAP solutions
- D. VM insights

Answer: (SHOW ANSWER)

NEW QUESTION: 7

You have an SAP ERP Central Component (SAP ECC) deployment on Azure virtual machines. The virtual machines run Windows Server 2022 and are members of an Active Directory domain named contoso.com.
You install SAP GUI on an Azure virtual machine named VM1 that runs Windows 10.
You need to ensure that contoso.com users can sign in to SAP ECC via SAP GUI on VM1 by using their domain credentials.

What should you do? To answer, drag the appropriate components to the correct tasks. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Components

- ABAP Central Services (ASCS)
- Primary Application Server (PAS)
- SAP Web Dispatcher
- VM1

Answer Area

Modify the instance profile for:

Run the SNC Kerberos Configuration for SAP GUI on:

Configure SAP Logon on:

Answer:

Components

- ABAP Central Services (ASCS)
- Primary Application Server (PAS)
- SAP Web Dispatcher
- VM1

Answer Area

Modify the instance profile for: Primary Application Server (PAS)

Run the SNC Kerberos Configuration for SAP GUI on: VM1

Configure SAP Logon on: VM1

Explanation:

Components

- ABAP Central Services (ASCS)
- Primary Application Server (PAS)
- SAP Web Dispatcher
- VM1

Answer Area

Modify the instance profile for: Primary Application Server (PAS)

Run the SNC Kerberos Configuration for SAP GUI on: VM1

Configure SAP Logon on: VM1

NEW QUESTION: 8

You have an SAP NetWeaver deployment hosted on Azure virtual machines that run SUSE Linux Enterprise Server (SLES) and are configured as a Pacemaker cluster.

You need to monitor the deployment by using Azure Monitor for SAP Solutions.

What should you install first on the cluster nodes?

- A. PMProxy
- B. ha_duster_provider
- C. pcp-pmda-hacluster
- D. Performance Co-Pilot

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

Your network contains an on-premises SAP landscape. The landscape contains a database server named DB1.

You have an Azure subscription that contains a storage account named storageaccount1.

You export multiple databases to separate folders in a folder named D:\Data on DB1.

You plan to migrate the on-premises SAP landscape to Azure.

You need to copy the exported databases on DB1 to a container in storageaccount1 by using AzCopy.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area




Answer:



Explanation:

Answer Area



NEW QUESTION: 10

You have an SAP RISE managed workload.

You plan to implement Microsoft Security Copilot for RISE.

Which Security Copilot plug-in should you configure to support the implementation?

A. Microsoft Defender Threat Intelligence (Defender TI)

B. Microsoft Sentinel

C. Azure Monitor for SAP solutions

D. Azure Center for SAP solutions

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

You have four SAP NetWeaver servers that run on Azure virtual machines deployed across two Azure Availability Zones. You plan to deploy a load balancing solution for the SAP GUI app. What should you use?

A. Azure Application Gateway V1

B. Azure Application Gateway V2

C. Azure Standard Load Balancer

D. Azure Basic Load Balancer

Answer: (SHOW ANSWER)

NEW QUESTION: 12

You have an Azure subscription named Sub1 that contains an Azure logic app named Appl. You have an SAP RISE managed workload that is integrated with Sub1. You need to ensure that App1 can access data stored in SAP by using REST API calls. What should you deploy?

- A. an application gateway
- B. an integration runtime
- C. an on-premises data gateway
- D. an Azure Data Share instance

Answer: (SHOW ANSWER)

NEW QUESTION: 13

You are deploying an SAP environment across Azure Availability Zones. The environment has the following components:

- * ASCS/ERS instances that use a failover cluster
- * SAP application servers across the Azure Availability Zones
- * Database high availability by using a native database solution

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Network latency is a limiting factor when deploying DBMS instances that use synchronous replication across the Azure Availability Zones.	☐	☐
The performance of SAP systems can be validated by using ABAPMeter.	☐	☐
To help identify the best Azure Availability Zones for deploying the SAP components, you can use NIPING to verify network latency between the zones.	☐	☐

Answer:

Statements	Yes	No
Network latency is a limiting factor when deploying DBMS instances that use synchronous replication across the Azure Availability Zones.	☒	☐
The performance of SAP systems can be validated by using ABAPMeter.	☒	☐
To help identify the best Azure Availability Zones for deploying the SAP components, you can use NIPING to verify network latency between the zones.	☒	☐

Explanation:

Box 1: Yes

Box 2: Yes

AAP application server to database server latency can be tested with ABAPMeter report /SSA/CAT.

Box 3: Yes

To analyze network issue or measure network metrics you can test the connection using SAP ' s NIPING program. You can use NIPING to analyze the network connection between any two machines running SAP software.

Reference:

<https://azure.microsoft.com/sv-se/blog/azure-availability-zones-expand-with-new-services-and-to-new-regions-in-europe-and-united-states/>

<https://azure.microsoft.com/en-us/blog/sap-on-azure-architecture-designing-for-performance-and-scalability/>

<https://wiki.scn.sap.com/wiki/pages/viewpage.action?pageId=360974069>

<https://docs.microsoft.com/en-us/azure/virtual-machines/loads/sap/sap-ha-availability-zones#:~:text=In%20some%20Azure%20regions%2C%20the%20network%20latency%20among%20the%20three,2%20milliseconds%20is%20not%20correct.>

text=In%20some%20Azure%20regions%2C%20the%20network%20latency%20among%20the%20three,2%20milliseconds%20is%20not%20correct.

NEW QUESTION: 14

You have highly available deployment of SAP NetWeaver on Azure that uses a third-party solution for clustering ABAP SAP Central Services (ASCS) components.

You need to recommend a solution to reduce the cost of shared storage for the components.

What should you include in the recommendation?

- A. Azure NetApp Files
- B. Azure Data Share
- C. Storage Spaces Direct
- D. Azure shared disks

Answer: (SHOW ANSWER)

NEW QUESTION: 15

You have an Azure subscription. The subscription contains a virtual machine named VM1 that runs SUSE Linux Enterprise Server (SLES) and was created by using an Azure Marketplace image.

You plan to deploy four virtual machines based on VM1 that will have the SAP Web Dispatcher role.

You need to create a generalized image of VM1.

What should you do first?

- A. Run waagent,
- B. Install the Custom Script Extension.
- C. Run sysprep.
- D. Install the Azure Linux VM agent.

Answer: (SHOW ANSWER)

NEW QUESTION: 16

You have an Azure subscription that contains the resources shown in the following table.

Name	Type
RG1	Resource group
VM1	Virtual machine
corpsoftware	Azure Storage account

You plan to deploy an SAP production landscape.

You create the following PowerShell Desired State Configuration (DSC) and publish the DSC configuration to corpsoftware.

```
Configuration JRE {
    Import-DscResource -ModuleName xPSDesiredStateConfiguration
    Package Installer
    {
        Ensure = 'Present'
        Name = 'Java 8'
        Path = '\\File01\Software\JreInstall.exe'
        Arguments = '/s REBOOT=0 SPONSORS=0 REMOVEOUTOFDATEJRES=1 INSTALL_SILENT=1 AUTO_UPDATE=0 EULA=0'
        ProductId = '26A24AE4-039D-4CA4-87E4-2F64180101F0'
    }
}
```

You need to deploy the DSC configuration to VM1.

How should you complete the command? To answer, select the appropriate options in the answer area NOTE:

Each correct selection is worth one point.

Answer Area

-ResourceGroupName RG1 -VMName VM1 -ArchiveStorageAccountName corpsoftware -ArchiveBlobName 'JREInstall.ps1.zip'

-AutoUpdate -ConfigurationName JREInstall

Installer
Java 8
JRE
JREInstall

Answer:

-ResourceGroupName RG1 -VMName VM1 -ArchiveStorageAccountName corpsoftware -ArchiveBlobName 'JREInstall.ps1.zip'

-AutoUpdate -ConfigurationName JREInstall

Installer
Java 8
JRE
JREInstall

Explanation:

Answer Area

-ResourceGroupName RG1 -VMName VM1 -ArchiveStorageAccountName corpsoftware -ArchiveBlobName 'JREInstall.ps1.zip'

-AutoUpdate -ConfigurationName JREInstall



Valid AZ-120 Dumps shared by EduDump.com for Helping Passing AZ-120 Exam! EduDump.com now offer the **newest AZ-120 exam dumps**, the EduDump.com AZ-120 exam **questions have been updated** and **answers have been corrected** get the **newest** EduDump.com AZ-120 dumps with Test Engine here: <https://www.edudump.com/exams/Microsoft/AZ-120/premium/> (**441** Q&As Dumps, **35%OFF** Special Discount Code: **freecram**)

NEW QUESTION: 17

You have an Azure subscription that contains a Windows-based SAP deployment. You plan to register the SAP deployment with Azure Center for SAP solutions. You need to verify that SAP system-level prerequisites are met. Which command should you run?

- A.** saphostexec
- B.** hostexecstart
- C.** saposco1
- D.** sapacext

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

You have two Azure virtual machines named VM1 and VM2. VM1 hosts a single database container (SDC) for SAP HANA instance named sd1. VM2 hosts an SDC HANA instance named sd2. Azure Backup is enabled for the HANA databases on VM1 and VM2.

You need to restore sd1 to sd2 and overwrite the database instance on VM2.

What should you do first in the Azure portal?

- A.** Upgrade sd2 to Multiple Database Container (MDQ).
- B.** From Restore Configuration, set Restored DB Name to sd2(sdc).
- C.** Rename the SystemDB database of sd2.
- D.** From Restore Configuration, set Restored DB Name to sd1 (sdc).

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

Litware is evaluating whether to add high availability after the migration?

What should you recommend to meet the technical requirements?

- A.** SAP HANA system replication and Azure Availability Sets
- B.** Azure virtual machine auto-restart with SAP HANA service auto-restart.
- C.** Azure Site Recovery

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

You have an Azure subscription that is linked to a Microsoft Entra tenant. The subscription contains a virtual machine named VM1.

You install SAP Landscape Management (LaMa) on VM1.

You need to ensure that you can use SAP LaMa to manage the deployment of SAP workloads to Azure virtual machines. The solution must minimize administrative effort.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- ⋮ From the Azure portal, create a user-assigned managed identity.
- ⋮ From SAP Landscape Management, create an SAP LaMa connector.
- ⋮ From the Azure portal, create an app registration.
- ⋮ From the Azure portal, enable a system-assigned managed identity for VM1.
- ⋮ From the Azure portal, assign the Contributor role to the managed identity for the subscription.

Answer Area



Answer:


Actions

- ⋮ From the Azure portal, create a user-assigned managed identity.
- ⋮ From SAP Landscape Management, create an SAP LaMa connector.
- ⋮ From the Azure portal, create an app registration.
- ⋮ From the Azure portal, enable a system-assigned managed identity for VM1.
- ⋮ From the Azure portal, assign the Contributor role to the managed identity for the subscription.

Answer Area

- ⋮ From the Azure portal, create an app registration.
- ⋮ From the Azure portal, enable a system-assigned managed identity for VM1.
- ⋮ From the Azure portal, assign the Contributor role to the managed identity for the subscription.

Explanation:



NEW QUESTION: 21

You are planning the Azure network infrastructure to support the disaster recovery requirements.

What is the minimum number of virtual networks required for the SAP deployed?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: ([SHOW ANSWER](#))

Scenario: Ensure that all the production databases can withstand the failure of an Azure region.

Note: Use Azure Site Recovery to replicate applications across regions. Azure Site Recovery replicates workloads running on physical and virtual machines from a primary site (either on-premises or in Azure) to a secondary location (in Azure). When an outage occurs at the customer's primary site, a failover can be triggered to quickly return the customer to an operational state. After the primary location is restored, customers can then fail back.

References:

<https://docs.microsoft.com/en-us/azure/architecture/resiliency/recovery-loss-azure-region>

NEW QUESTION: 22

You are designing the backup for an SAP database.

You have an Azure Storage account that is configured as shown in the following exhibit.

The cost of your storage account depends on the usage and the options you choose below.
[Learn more](#)

Account kind
 StorageV2 (general purpose v2)

Performance ⓘ
☒ Standard ☐ Premium

 Secure transfer required ⓘ
☐ Disabled ☒ Enabled

Access tier (default) ⓘ
☒ Cool ☐ Hot

Replication ⓘ
 Geo-redundant storage (GRS) ▼

Azure Active Directory authentication for Azure Files (Preview) ⓘ
☒ Disabled ☐ Enabled

Data Lake Storage Gen2
 Hierarchical namespace ⓘ
☒ Disabled ☐ Enabled

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Data in the storage account is stored on
 [answer choice].

▼

- hard disk drives (HDDs)
- premium solid-state drives (SSDs)
- standard solid-state drives (SSDs)

Backups will be replicated
 [answer choice].



Microsoft

▼

- to a storage cluster in the same datacenter
- to another Azure region
- to another zone within the same Azure region

Answer:

Data in the storage account is stored on [answer choice].

Backups will be replicated [answer choice].

Explanation:

Data in the storage account is stored on [answer choice].

Backups will be replicated [answer choice].

Box 1: hard disk drives (HDDs)

Box 2: to another Azure region

Geo-redundant storage (GRS) copies your data synchronously three times within a single physical location in the primary region using LRS. It then copies your data asynchronously to a single physical location in a secondary region that is hundreds of miles away from the primary region.

References:

<https://azure.microsoft.com/en-us/pricing/details/managed-disks/>

<https://docs.microsoft.com/en-us/azure/storage/common/storage-geo-redundancy#geo-redundant-storage>

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/planning-guide-storage#azure-standard-hdd-storage>

NEW QUESTION: 23

This question requires that you evaluate the underlined BOLD text to determine if it is correct.

You have an Azure resource group that contains the virtual machines for an SAP environment.

You must be assigned the Contributor role to grant permissions to the resource group.

Instructions: Review the underlined text. If it makes the statement correct, select "No change is needed". If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed
- B. User Access Administrator
- C. Managed Identity Contributor
- D. Security Admin

Answer: (SHOW ANSWER)

Contributor - Can create and manage all types of Azure resources but can't grant access to others.

User Access Administrator - Lets you manage user access to Azure resources.

References:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/overview>

NEW QUESTION: 24

You deploy an SAP production landscape on Azure virtual machines that run SUSE Linux Enterprise Server (SLES).

You need to generate a report that details performance differences between instances of an SAP AS ABAP system.

What should you use?

- A. JMeter
- B. Micro Focus LoadRunner
- C. SAP UI5 SpeedtestTool
- D. ABAPmeter

Answer: ([SHOW ANSWER](#))

Use ABAPMETER in NetWeaver AS ABAP when you want to test the general performance/health of each instance in a NetWeaver AS ABAP system.

Reference:

<https://userapps.support.sap.com/sap/support/knowledge/en/2879613>

NEW QUESTION: 25

You have an existing on-premises SAP landscape that is hosted on VMware VSphere.

You plan to migrate the landscape to Azure.

You configure the Azure Site Recovery replication policy shown in the following exhibit.




Answer:

see the explanation for below image:

Explanation:

Answer selected as in image below.

Answer Area



NEW QUESTION: 26

You have an SAP on Azure landscape. You need to gather the following metrics:


* The network latency between an SAP NetWeaver server and an SAP HANA server.

* The throughput and latency of the storage subsystem on Windows Server and Linux platforms What should you use for each metric? To answer, select the appropriate options in the answer area.

NOTE:

Each correct selection is worth one point.

Answer Area



Answer:



Explanation:



NEW QUESTION: 27

You plan to deploy a highly available SAP development landscape in Azure.

You need to automate the deployment. The solution must meet the following requirements:

- * Ensure that SAP services can be managed by using the Azure portal.
- * Create a reproduceable deployment.
- * Minimize administrative effort.

What should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

To create the deployment:

SAP on Azure Deployment Automation Framework
Azure Center for SAP solutions
SAP Landscape Management (LaMa)
SAP on Azure Deployment Automation Framework

To perform the deployment:

Terraform
Bicep
PowerShell
Terraform

Answer:

Answer Area

To create the deployment:

SAP on Azure Deployment Automation Framework
Azure Center for SAP solutions
SAP Landscape Management (LaMa)
SAP on Azure Deployment Automation Framework

To perform the deployment:

Terraform
Bicep
PowerShell
Terraform

Explanation:

Answer Area

To create the deployment: SAP on Azure Deployment Automation Framework

To perform the deployment: Terraform

NEW QUESTION: 28

You need to connect SAP HANA on Azure (Large Instances) to an Azure Log Analytics workspace.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Install the Azure Enhanced Monitoring Extension for SAP on SAP HANA on Azure (Large Instances).

On the gateway, run Import-Module OMSGateway and Add-OMSGatewayAllowedHost.

Configure a Log Analytics gateway on the virtual network that has connectivity to the SAP HANA on Azure (Large Instances) instance.

Install the Log Analytics client on the SAP HANA on Azure (Large Instances) instance.

Configure a Log Analytics gateway server as a proxy for the Log Analytics client on SAP HANA on Azure (Large Instances).

Answer Area



Answer:

Actions

Install the Azure Enhanced Monitoring Extension for SAP on SAP HANA on Azure (Large Instances).

On the gateway, run Import-Module OMSGateway and Add-OMSGatewayAllowedHost.

Configure a Log Analytics gateway on the virtual network that has connectivity to the SAP HANA on Azure (Large Instances) instance.

Install the Log Analytics client on the SAP HANA on Azure (Large Instances) instance.

Configure a Log Analytics gateway server as a proxy for the Log Analytics client on SAP HANA on Azure (Large Instances).

Answer Area



Configure a Log Analytics gateway on the virtual network that has connectivity to the SAP HANA on Azure (Large Instances) instance.

Configure a Log Analytics gateway server as a proxy for the Log Analytics client on SAP HANA on Azure (Large Instances).

On the gateway, run Import-Module OMSGateway and Add-OMSGatewayAllowedHost.

Install the Log Analytics client on the SAP HANA on Azure (Large Instances) instance.



Explanation:

3 5 2 4

References:

<http://www.deployazure.com/compute/virtual-machines/sap-azure-enhanced-monitoring-extension/>

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/gateway>

NEW QUESTION: 29

You have an SAP production landscape in Azure that is hosted on virtual machines that run Windows Server and Red Hat Enterprise Linux.

You need to monitor the virtual machines. The solution must ensure that you can collect logs from the virtual machines by using data collection rules (DCRs).

What should you install on each virtual machine?

- A. the Log Analytics agent
- B. the Azure Diagnostics extension
- C. the Guest Configuration extension
- D. the Azure Monitor agent

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

You have an Azure subscription that contains two deployments of SAP NetWeaver on Azure named Production and Development. The Development deployment is used only during business hours and will be decommissioned after three months.

You need to recommend an optimization solution for the deployments. The solution must meet the following requirements:

- * Maximize uptime of the Production deployment.
- * Minimize costs, whenever possible.

What should you include in the recommendation for each deployment? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

	Production	Application
Microsoft	<ul style="list-style-type: none">Change the virtual machine size.Configure snoozing.Purchase reserved virtual machine instances	<ul style="list-style-type: none">Configure a virtual machine scale set.Configure snoozing.Purchase reserved virtual machine instances

Answer:

Answer Area



Production:

Application:

Explanation:

Answer Area

Production:

Application:



NEW QUESTION: 31

For each of the following statements, select yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Microsoft

Statements	Yes	No
You can use NIPING to examine network latency between an SAP HANA database server and an SAP application server hosted on Azure.	☐	☐
You can use LoadRunner to generate traffic between a client and an SAP application server hosted on Azure.	☐	☐
You can use the SAP HANA HW Configuration Check Tool (HWCCT) to examine network latency between an SAP HANA database server and an SAP application server hosted on Azure.	☐	☐

Answer:

Answer Area

Microsoft

Statements	Yes	No
You can use NIPING to examine network latency between an SAP HANA database server and an SAP application server hosted on Azure.	☒	☐
You can use LoadRunner to generate traffic between a client and an SAP application server hosted on Azure.	☐	☒
You can use the SAP HANA HW Configuration Check Tool (HWCCT) to examine network latency between an SAP HANA database server and an SAP application server hosted on Azure.	☐	☒

Explanation:

Answer Area			
		Statements	
			Yes No
		You can use NIPING to examine network latency between an SAP HANA database server and an SAP application server hosted on Azure.	☒ ☐
		You can use LoadRunner to generate traffic between a client and an SAP application server hosted on Azure.	☐ ☒
		You can use the SAP HANA HW Configuration Check Tool (HWCCT) to examine network latency between an SAP HANA database server and an SAP application server hosted on Azure.	☐ ☒

Valid AZ-120 Dumps shared by EduDump.com for Helping Passing AZ-120 Exam! EduDump.com now offer the **newest AZ-120 exam dumps**, the EduDump.com AZ-120 exam **questions have been updated** and **answers have been corrected** get the **newest** EduDump.com AZ-120 dumps with Test Engine here: <https://www.edudump.com/exams/Microsoft/AZ-120/premium/> (441 Q&As Dumps, **35%OFF** Special Discount Code: **freecram**)

NEW QUESTION: 32

You have an SAP production landscape in Azure. The landscape is hosted on 50 virtual machines that run SUSE Enterprise Linux (SLES). The virtual machines are billed by using pay-as-you-go rates. You need to minimize operating system costs for the virtual machines. What should you use?

- A. capacity reservations
- B. Azure Hybrid Benefit
- C. spot pricing
- D. reserved instances

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 33

You plan to deploy a highly available SAP HANA system in a scale-out configuration with standby to Azure virtual machines. You need to implement shared storage volumes by using Azure NetApp Files. What should you create first?

- A. a private endpoint
- B. a private link
- C. a delegated subnet
- D. a service endpoint

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

You have an SAP on Azure deployment that contains a production landscape, a development landscape, and a quality assurance landscape. All the landscapes are hosted on Azure virtual machines. You need to create a monthly report that identifies opportunities for performance and security optimization.

The solution must minimize administrative effort

What should you use?

- A. SAP GUI
- B. Azure Advisor

- C. Azure Monitor
- D. SAP HANA hardware and cloud measurement tools

Answer: (SHOW ANSWER)

NEW QUESTION: 35

You have an SAP production landscape on-premises and an SAP development landscape on Azure.
You deploy a network virtual appliance to act as a firewall between the Azure subnet and the on-premises network.
Solution: You deploy an Azure Standard Load balancer.
Does this meet the goal?

- A. No
- B. Yes

Answer: (SHOW ANSWER)

NEW QUESTION: 36

You have an SAP production landscape on-premises and an SAP development landscape on Azure.
You deploy a network virtual appliance to act as a firewall between the Azure subnet and the on-premises network.
Solution: You configure route filters for Microsoft peering.
Does this meet the goal?

- A. No
- B. Yes

Answer: (SHOW ANSWER)

NEW QUESTION: 37

You have an SAP landscape on Azure that contains the virtual machines shown in the following table.

Name	Role	Azure Availability Zone in East US
SAPAPP1	Application Server	Zone 1
SAPAPP2	Application Server	Zone 2

You need to ensure that the Application Server role is available if a single Azure datacenter fails.
What should you include in the solution?

- A. a local network gateway
- B. Azure Virtual WAN
- C. Azure Load Balancer Standard
- D. Azure Private Link

Answer: (SHOW ANSWER)

For the load balancers of the failover clusters of SAP Central Services and the DBMS layer, you need to use the Standard SKU Azure Load Balancer. The Basic Load Balancer won't work across zones.
Reference:
<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/sap-high-availability-architecture- scenarios>

NEW QUESTION: 38

You plan to deploy a scale-out SAP HANA deployment on Azure virtual machines that will contain a standby node.
You need to recommend a storage solution for the deployment.

What should you recommend? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point

Answer Area

Global transport directory:

HANA database and log:

Microsoft

Answer:

Answer Area

Global transport directory:

HANA database and log:

Microsoft

Explanation:

Answer Area

Global transport directory:

HANA database and log:

Microsoft

NEW QUESTION: 39

You have a SUSE Linux Enterprise Server (SLES) duster that runs SAP HANA.
You plan to use Azure Monitor for SAP Solutions to collect STONITH block device (SBD) metrics from the cluster.
Which provider should you use. and what should you install on each cluster node? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Provider:

Install:

Microsoft

Answer:

Answer Area



Provider: High-availability cluster (Pacemaker)
High-availability cluster (Pacemaker)
OS (Linux)
SAP/HANA

Install: ha_cluster_exporter
ha_cluster_exporter
node_exporter
Performance co-pilot

Explanation:

Answer Area

Provider: High-availability cluster (Pacemaker)

Install: ha_cluster_exporter

NEW QUESTION: 40

You have an on-premises SAP landscape and a hybrid Azure AD tenant. You plan to enable Azure AD authentication for SAP NetWeaver. What should you configure first in Azure AD?

- A. a conditional access policy
- B. a user flow
- C. a service principal
- D. an Azure AD Application Proxy

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 41

You plan to deploy an SAP environment on Azure that will use Azure Availability Zones.

Which load balancing solution supports the deployment?

- A. Azure Basic Load Balancer
- B. Azure Standard Load Balancer
- C. Azure Application Gateway v1 SKU

Answer: ([SHOW ANSWER](#)**)**

When you deploy Azure VMs across Availability Zones and establish failover solutions within the same Azure region, some restrictions apply:

You can't use an Azure Basic Load Balancer to create failover cluster solutions based on Windows Server Failover Clustering or Linux Pacemaker. Instead, you need to use the Azure Standard Load Balancer SKU.

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/sap-ha-availability-zones>

NEW QUESTION: 42

You have an Azure subscription that contains the virtual machines shown in the following table.

Name	Availability zone
VM1	1
VM2	1
VM3	2
VM4	2
VM5	3
VM6	3

You need to deploy a highly available, three-tier SAP NetWeaver landscape that will use an Oracle database.

What should you use to ensure redundancy for the application tier and the database tier? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Application tier:

Database tier:

Answer:

Application tier:

Database tier:

Explanation:

Application tier:

Database tier:

NEW QUESTION: 43

You plan to deploy an SAP landscape on Azure. The landscape will use SAP HANA databases that run on Azure virtual machines. The landscape will contain four Azure virtual machines that will have the SAP Web Dispatcher role.

You need to minimize network latency between the web dispatcher virtual machines and the HANA virtual machines.

What should you do?

- A. Configure Azure Virtual Network Manager.
- B. Configure ExpressRoute Premium.
- C. Enable large send offload on the virtual machines.
- D. Enable Accelerated Networking on the virtual machines.

Answer: (SHOW ANSWER)

NEW QUESTION: 44

You have a large and complex SAP environment on Azure.

You are designing a training landscape that will be used 10 times a year.

You need to recommend a solution to create the training landscape. The solution must meet the following requirements:

- * Minimize the effort to build the training landscape.
- * Minimize costs.

In which order should you recommend the actions be performed for the first training session? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Build the training landscape

Create a custom image by using the snapshot

Deliver the training

Take a snapshot of the virtual machine disks

Shut down and delete the virtual machines

Answer Area

<

>

Microsoft

>

<

Answer:

Actions

- Build the training landscape
- Create a custom image by using the snapshot
- Deliver the training
- Take a snapshot of the virtual machine disks
- Shut down and delete the virtual machines

Answer Area

- Build the training landscape
- Take a snapshot of the virtual machine disks
- Create a custom image by using the snapshot
- Deliver the training
- Shut down and delete the virtual machines

Explanation:

Build

Snapshot

Custom Image

Deliver Training

Shutdown

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/planning-guide>

NEW QUESTION: 45

You migrate an SAP environment to Azure.

You need to inspect all the outbound traffic from the SAP application servers to the Internet.

Which two Azure resources should you use? Each correct answer presents part of the solution.

Network Performance Monitor

A. Azure Firewall

B. a web application firewall (WAF) for Azure Application Gateway

C. Azure Load Balancer NAT rules

D. Azure Traffic Manager

E. Azure user-defined routes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

You plan to deploy an SAP landscape on Azure that will use SAP HANA on Azure (Large Instances).

You need to ensure that outbound traffic from the application tier can flow only to the database tier. What should you use?

A. application security groups

- B. network virtual appliances (NVAs)
- C. network security groups (NSGs)
- D. Azure Firewall

Answer: ([SHOW ANSWER](#))

Valid AZ-120 Dumps shared by EduDump.com for Helping Passing AZ-120 Exam! EduDump.com now offer the **newest AZ-120 exam dumps**, the EduDump.com AZ-120 exam **questions have been updated** and **answers have been corrected** get the **newest** EduDump.com AZ-120 dumps with Test Engine here: <https://www.edudump.com/exams/Microsoft/AZ-120/premium/> (**441** Q&As Dumps, **35%OFF** Special Discount Code: **freecram**)

NEW QUESTION: 47

You have an Azure subscription.

You plan to deploy an Azure virtual machine that runs SUSE Linux Enterprise Server (SLES) 15 SP5 for SAP Applications. The virtual machine will host an SAP workload.

You need to ensure that the virtual machine will use the UEFI-based boot architecture.

What should you select from the Azure portal during the deployment?

- A. Host group
- B. Image
- C. VM architecture
- D. Extensions

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 48

You have an Azure subscription.

You plan to deploy an SAP landscape that will store /sapmnt on an NFS Azure file share.

You need to recommend a backup solution for /sapmnt. The solution must meet the following requirements:

- * Provide recoverability if the file share is deleted.
- * Minimize administrative effort.

What should you include in the recommendation?

- A. fpsync
- B. Azure Backup
- C. AzCopy
- D. snapshots

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

You are evaluating the proposed backup policy.

For each of the following statements, select Yes if the statement is true. otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The backup policy meets the technical requirements.	☐	☐
The backup policy meets the business requirements.	☐	☐
If the backup policy is implemented, a deleted file can be restored to the running virtual machine one year after the file was deleted.	☐	☐

Answer:

Statements	Yes	No
The backup policy meets the technical requirements.	☒	☐
The backup policy meets the business requirements.	☐	☒
If the backup policy is implemented, a deleted file can be restored to the running virtual machine one year after the file was deleted.	☒	☐

Explanation:

Statements	Yes	No
The backup policy meets the technical requirements.	☒	☐
The backup policy meets the business requirements.	☐	☒
If the backup policy is implemented, a deleted file can be restored to the running virtual machine one year after the file was deleted.	☒	☐

Box 1: Yes

Scenario: Technical requirements: Ensure that an application server can be restored from a backup created during the last five days within 15 minutes.

Instant Restore has 'The instance recovery snapshot(s) for 5 Day(s)'.

Box 2: No

Scenario: Ensure that all the production application servers can restore daily backups from the last 21 days.

The Retention of daily backup point is set to for 14 days only.

Box 3: Yes

Reference:

<https://docs.microsoft.com/en-us/azure/backup/backup-instant-restore-capability>

NEW QUESTION: 50

You have an Azure virtual machine that runs SUSE Linux Enterprise Server (SLES). The virtual machine hosts a highly available deployment of SAP HANA.

You need to validate whether Accelerated Networking is operational for the virtual machine.

What should you use?

- A. fio
- B. iometer
- C. netsh
- D. ethtool

Answer: D ([LEAVE A REPLY](#))

Check for activity on the VF (virtual function) with the ethtool -S eth0 | grep vf_ command. If you receive output similar to the following sample output, accelerated networking is enabled and working.

vf_rx_packets: 992956

vf_rx_bytes: 2749784180

vf_tx_packets: 2656684

vf_tx_bytes: 1099443970

vf_tx_dropped: 0

Accelerated Networking is now enabled for your VM.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/create-vm-accelerated-networking-cli>

NEW QUESTION: 51

You have an SAP landscape on Azure that uses SAP HANA.

You perform a daily backup of HANA to Azure Blob Storage and retain copies of each backup for one year. You need to reduce the backup storage costs.

What should you implement?

- A. a storage access tier
- B. a Recovery Services Vault backup policy
- C. a stored access policy

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 52

You have an on-premises SAP environment hosted on VMware vSphere that uses Microsoft SQL Server as the database platform.

You plan to migrate the environment to Azure. The database platform will remain the same.

You need gather information to size the target Azure environment for the migration.

What should you use?

- A. the SAP EarlyWatch report
- B. Azure Advisor

- C. the SAP HANA sizing report
- D. Azure Monitor

Answer: ([SHOW ANSWER](#))

<https://azure.microsoft.com/nl-nl/blog/sap-on-azure-architecture-designing-for-performance-and-scalability/>

"For existing on-premises systems, you should reference system configuration and resource utilization data.

The system utilization information is collected by the SAP OS Collecto

NEW QUESTION: 53

You plan to implement a highly available SAP HANA deployment by using two Azure virtual machines that run SUSE Linux Enterprise Server (SLES). You need to create an Azure Fence agent STONITH block device (SBD).

What should you do first?

- A. Create a storage account
- B. Create an application registration in Azure AD.
- C. Create a user-assigned managed identity
- D. Create a system-assigned managed identity.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 54

You are deploying an SAP production landscape in Azure.

You need to create an Azure policy that meets the following requirements:

* Limits which applications can be installed on virtual machines

* Ensures that when a virtual machine is deployed, the virtual machine has the latest version of the extension to be installed How should you complete the policy? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```
"policyRule": {
  "if": {
    "allOf": [
      {
        "field": "type",
        "equals": "Microsoft.Compute/virtualMachines/extensions"
      },
      {
        "field": "Microsoft.Compute/virtualMachines/extensions/type",
        "notIn": [
          "Microsoft.Azure.Monitoring.DependencyAgent",
          "Microsoft.Azure.Monitor",
          "Microsoft.Azure.Monitoring.DependencyAgent",
          "Microsoft.GuestConfiguration",
          "Microsoft.HanaOnAzure/sapMonitors"
        ]
      }
    ]
  },
  "then": {
    "effect": "DeployIfNotExists"
  },
  ...
}
```

Microsoft


Answer:

Answer Area

```
"policyRule": {
  "if": {
    "allOf": [
      {
        "field": "type",
        "equals": "Microsoft.Compute/virtualMachines/extensions"
      },
      {
        "field": "Microsoft.Compute/virtualMachines/extensions/type",
        "notIn": [
          "Microsoft.Azure.Monitoring.DependencyAgent",
          "Microsoft.Azure.Monitor",
          "Microsoft.Azure.Monitoring.DependencyAgent",
          "Microsoft.GuestConfiguration",
          "Microsoft.HanaOnAzure/sapMonitors"
        ]
      }
    ]
  },
  "then": {
    "effect": "DeployIfNotExists"
  },
  ...
}
```

Microsoft

Explanation:



NEW QUESTION: 55

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a complex SAP environment that has both ABAP- and Java-based systems. The current on- premises landscapes are based on SAP NetWeaver 7.0 (Unicode and Non-Unicode) running on Windows Server and Microsoft SQL Server.

You need to migrate the SAP environment to a HANA-certified Azure environment.

Solution: You migrate SAP to Azure by using Azure Site Recovery, and then you upgrade to SAP NetWeaver 7.4.

Does this meet the goal?

A. Yes

B. No

Answer: ([SHOW ANSWER](#))

We need upgrade to SAP NetWeaver 7.4 before the migration.

Reference:

<https://docs.microsoft.com/en-us/azure/site-recovery/vmware-azure-architecture>

NEW QUESTION: 56

You have an Azure subscription.

You plan to deploy an SAP production landscape on Azure

You need to select a support plan. The solution must meet the following requirements:

- * Respond to critical impact incidents within one hour.

- * Minimize costs.

What should you choose?

- A.** Basic
- B.** Standard
- C.** Premier
- D.** Professional Direct

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

You need direct connectivity from an on-premises network to SAP HANA (Large Instances). The solution must meet the following requirements:

Minimize administrative effort.

Provide the highest level of resiliency.

What should you use?

- A.** ExpressRoute Global Reach
- B.** Linux IPTables
- C.** ExpressRoute
- D.** NGINX as a reverse proxy

Answer: ([SHOW ANSWER](#))

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/hana-network-architecture> Express Route Global Reach Microsoft introduced a new functionality called ExpressRoute Global Reach.

Global Reach can be used for HANA Large Instances in two scenarios: Enable direct access from on-premises to your HANA Large Instance units deployed in different regions Enable direct communication between your HANA Large Instance units deployed in different regions Direct Access from on-premises In the Azure regions where Global Reach is offered, you can request enabling the Global Reach functionality for your ExpressRoute circuit that connects your on-premises network to the Azure virtual network that connects to your HANA Large Instance units as well.

NEW QUESTION: 58

You have an SAP production landscape that uses SAP HANA databases on Azure. The HANA database server is a Standard.M32ms Azure virtual machine that has 864 GB of RAM.

The HANA database is 400 GB. You expect the database to grow by 40 percent during the next 12 months.

You resize the HANA database server virtual machine to Standard_m64ms and ,024 GB of RAM.

You need to recommend additional changes to minimize performance degradation caused by database growth What should you recommend for the HANA database server?

- A.** Add a scale out node.
- B.** Increase the number of vCPUs.
- C.** Add a secondary network interface.
- D.** Configure additional disks

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 59

You have an on-premises SAP environment.

Backups are performed by using tape backups. There are 50 TB of backups.

A Windows file server has BMP images of checks used by SAP Finance. There are 9 TB of images.

You need to recommend a method to migrate the images and the tape backups to Azure. The solution must maintain continuous replication of the images.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

The screenshot shows a question interface with two dropdown menus. The first menu is labeled 'Tape backups:' and the second is labeled 'File server:'. Both menus have a list of options: AzCopy, Azure Data Box Edge, Azure Databox, and Azure Storage Explorer. The Microsoft logo is visible in the bottom left corner of the interface.

Answer:

The screenshot shows the same question interface as above, but with the correct selections highlighted. In the 'Tape backups' dropdown, 'Azure Databox' is selected. In the 'File server' dropdown, 'Azure Storage Explorer' is selected. The Microsoft logo is visible in the bottom left corner of the interface.

Explanation:



Tape backups: Azure DataBox

The Microsoft Azure Data Box cloud solution lets you send terabytes of data into Azure in a quick, inexpensive, and reliable way. The secure data transfer is accelerated by shipping you a proprietary Data Box storage device. Each storage device has a maximum usable storage capacity of 80 TB and is transported to your datacenter through a regional carrier. The device has a rugged casing to protect and secure data during the transit.

File server: Azure Storage Explorer

Azure Storage Explorer is an application which helps you to easily access the Azure storage account through any device on any platform, be it Windows, MacOS, or Linux. You can easily connect to your subscription and manipulate your tables, blobs, queues, and files.

References:

<https://docs.microsoft.com/en-us/azure/databox/data-box-overview>

<https://github.com/MicrosoftDocs/azure-docs/blob/master/articles/vs-azure-tools-storage-manage-with-storage-explorer.md>

NEW QUESTION: 60

You plan to migrate an on-premises SAP development system to Azure.

Before the migration, you need to check the usage of the source system hardware, such as CPU, memory, network, etc.

Which transaction should you run from SAP GUI?

- A. SM51
- B. DB01
- C. DB12
- D. ST06

Answer: (SHOW ANSWER)

ST06 is a transaction code used for Operating System Monitor in SAP.

SAP transaction ST06 (Operating System Monitor) is classified in the Basis Component module under application component Operating System Monitors and runs Monitoring Operating System program RSHOST05 upon execution.

Reference:

<https://saptransactions.com/codes/ST06/>

NEW QUESTION: 61

You have an on-premises deployment of SAP HANA.

You plan to migrate the deployment to Azure.

You need to identify the following from the last six months:

- * The number of active users

- * The database performance

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

From:

- SAP GUI
- SAP Solution Manager
- A SAP Solution Manager work center

Run the:

- SAP Quick Sizer
- Transaction ST06
- SAP EarlyWatch report

Answer:

From:

- SAP GUI
- SAP Solution Manager
- A SAP Solution Manager work center

Run the:

- SAP Quick Sizer
- Transaction ST06
- SAP EarlyWatch report

Reference:

<https://assets.cdn.sap.com/sapcom/docs/2019/09/0e8d0628-687d-0010-87a3-c30de2ffd8ff.pdf>

Valid AZ-120 Dumps shared by EduDump.com for Helping Passing AZ-120 Exam! EduDump.com now offer the **newest AZ-120 exam dumps**, the EduDump.com AZ-120 exam **questions have been updated** and **answers have been corrected** get the **newest** EduDump.com AZ-120 dumps with Test Engine here: <https://www.edudump.com/exams/Microsoft/AZ-120/premium/> (441 Q&As Dumps, **35%OFF** Special Discount Code: **freecram**)

NEW QUESTION: 62

For each of the following statements, select Yes if the stamen is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Oracle Real Application Clusters (RAC) can be used to provide high availability of SAP databases on Azure.	☐	☐
You can host SAP databases on Azure by using Oracle on a virtual machine that runs Windows Server 2016.	☐	☐
You can host SAP databases on Azure by using Oracle on a virtual machine that runs SUSE Linux Enterprise Server 12 (SLES 12).	☐	☐

Answer:

Statements	Yes	No
Oracle Real Application Clusters (RAC) can be used to provide high availability of SAP databases on Azure.	☒	☐
You can host SAP databases on Azure by using Oracle on a virtual machine that runs Windows Server 2016.	☒	☐
You can host SAP databases on Azure by using Oracle on a virtual machine that runs SUSE Linux Enterprise Server 12 (SLES 12).	☐	☒

Explanation:

Yes, Yes, No

NEW QUESTION: 63

You have an Azure subscription named Sub1 that is linked to a Microsoft Entra tenant named contoso.com.

You have an on-premises deployment of SAP Landscape Management (LaMa).

You need to ensure that the on-premises LaMa deployment is authorized to manage the SAP resources provisioned to Sub1. What should you create first?

- A. an externalidentityprovidenncontoso.com
- B. a system-assigned managed identity in Sub1
- C. a user-assigned managed identity in Sub1
- D. an app registration in contoso.com

Answer: (SHOW ANSWER)

NEW QUESTION: 64

You have an Azure Availability Set that is configured as shown in the following exhibit.

```
PS Azure:\> get-azavailabilityset | Select Sku, PlatformFaultDomainCount, PlatformUpdateDomainCount, name, type | FL
```

Sku	: Aligned
PlatformFaultDomainCount	: 2
PlatformUpdateDomainCount	: 4
Name	: SAP-Databases-AS
Type	: Microsoft.Compute/availabilitySets

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Virtual machines that share [answer choice] will be susceptible to a storage outage.

Virtual machines in the Azure Availability Set can support [answer choice].

Answer:

Virtual machines that share [answer choice] will be susceptible to a storage outage.

Virtual machines in the Azure Availability Set can support [answer choice].

Explanation:

Virtual machines that share [answer choice] will be susceptible to a storage outage.

Virtual machines in the Azure Availability Set can support [answer choice].

Microsoft

Box 1: the same fault domain

Fault domains define the group of virtual machines that share a common power source and network switch. If a storage fault domain fails due to hardware or software failure, only the VM instance with disks on the storage fault domain fails.

Box 2: managed disks

Managed disks provide better reliability for Availability Sets by ensuring that the disks of VMs in an Availability Set are sufficiently isolated from each other to avoid single points of failure. It does this by automatically placing the disks in different storage fault domains (storage clusters) and aligning them with the VM fault domain.

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/manage-availability>

NEW QUESTION: 65

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Oracle Real Application Clusters (RAC) can be used to provide high availability of SAP databases on Azure.	☐	☐
You can host SAP databases on Azure by using Oracle on a virtual machine that runs Windows Server 2016.	☐	☐
You can host SAP databases on Azure by using Oracle on a virtual machine that runs SUSE Linux Enterprise Server 12 (SLES 12).	☐	☐

Answer:

Statements	Yes	No
Oracle Real Application Clusters (RAC) can be used to provide high availability of SAP databases on Azure.	☐	☒
You can host SAP databases on Azure by using Oracle on a virtual machine that runs Windows Server 2016.	☒	☐
You can host SAP databases on Azure by using Oracle on a virtual machine that runs SUSE Linux Enterprise Server 12 (SLES 12).	☐	☒

Explanation:

1. No

Oracle Data Guard running in Maximum Availability mode. Currently, Oracle Real Application Clusters (RAC) is not supported in Azure - either for high availability or for scalability

2. Yes

3. No

The following OS versions are supported with the Oracle Database on Microsoft Azure:

Windows Server 2019 (only from Oracle Database 19.5.0 on)

Windows Server 2016 (only from Oracle Database 12.2.0.1 on)

Windows Server 2012 (no support for Oracle Database 19c)

Windows Server 2012 R2

Windows Server 2008 R2 Service Pack 1 (no support for Oracle 12.2.0.1)

Oracle Linux 7

Oracle Linux 8 (only from Oracle Database 19.7.0 on)

<https://techcommunity.microsoft.com/t5/running-sap-applications-on-the/windows-2016-is-now-generally-available-for-sap/ba-p/368021>

NEW QUESTION: 66

You need to ensure that you can receive technical support to meet the technical requirements.

What should you deploy to Azure?

A. SAP Landscape Management (LaMa)

B. SAP Gateway

C. SAP Web Dispatcher

D. SAPRouter

Answer: (SHOW ANSWER)

<https://help.sap.com/viewer/f2ad7797884249eeb2e91dc26a991196/3.0.3.0/en-US>

NEW QUESTION: 67

You have an on-premises deployment of SAP on DB2.

You plan to migrate the deployment to Azure and Microsoft SQL Server 2017.

What should you use to migrate the deployment?

- A. Azure SQL Data Sync
- B. SQL Server Migration Assistant (SSMA)
- C. DSN1COPY
- D. db2haicu

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 68


You have an SAP production landscape in Azure.

You need to recommend a disaster recovery solution that will enable failover between two Azure regions. The solution must provide the lowest recovery time objective (RTO) for a Microsoft SQL Server instance and SAP Central Services (SCS).

What should you include in the recommendation? To answer, drag the appropriate recommendations to the correct workloads. Each recommendation may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



Answer:



Explanation:

Recommendations

Azure Backup

Azure File Sync

Azure Site Recovery

Microsoft SQL Data Sync

Microsoft SQL Always On

Answer Area



For the SQL Server Instance: Microsoft SQL Always On

For SAP Central Services: Azure Site Recovery

NEW QUESTION: 69

You have a bill of materials (BOM) that describes SAP deployments.

You plan to automate the implementation of an SAP S4/HANA deployment to Azure by using the SAP deployment automation framework on Azure.

You need to generate the SAP application templates for the planned implementation and update the BOM.

In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Generate an ABAP Central Services (ASCS) parameter file.

Install the SAP HANA and SAP Central Services (SCS) instances.

Load the database content.

Generate and combine the parameter files of the application servers.

Add the templates to the BOM.

Answer Area



Microsoft

Answer:

Actions

- Generate an ABAP Central Services (ASCS) parameter file.
- Install the SAP HANA and SAP Central Services (SCS) instances.
- Load the database content.
- Generate and combine the parameter files of the application servers.
- Add the templates to the BOM.

Answer Area

- Generate an ABAP Central Services (ASCS) parameter file.
- Install the SAP HANA and SAP Central Services (SCS) instances.
- Load the database content.
- Generate and combine the parameter files of the application servers.
- Add the templates to the BOM.

Explanation:

Actions



Answer Area

- Generate an ABAP Central Services (ASCS) parameter file.
- Install the SAP HANA and SAP Central Services (SCS) instances.
- Load the database content.
- Generate and combine the parameter files of the application servers.
- Add the templates to the BOM.

NEW QUESTION: 70

You are deploying an SAP production landscape to Azure.

Your company's chief information security officer (CISO) requires that the SAP deployment complies with ISO 27001.

You need to generate a compliance report for ISO 27001.

What should you use?

- A. Microsoft Defender for Cloud
- B. Azure Log Analytics
- C. Azure Active Directory (Azure AD)
- D. Azure Monitor

Answer: (SHOW ANSWER)

In the Azure Security Center regulatory compliance blade, you can get an overview of key portions of your compliance posture with respect to a set of supported standards. Currently supported standards are Azure CIS, PCI DSS 3.2, ISO 27001, and SOC TSP.

Reference:

<https://azure.microsoft.com/en-us/blog/regulatory-compliance-dashboard-in-azure-security-center-now-available>

NEW QUESTION: 71

You have an Azure subscription.

You plan to deploy a virtual machine named VM1 that will have the following configurations:

- * Data disk size: 4 TB
- * Generation: Generation 2
- * Data disk type: Ultra disk
- * Data disk encryption type: Double encryption

VM1 will host the SAP global transport directory in a volume on the data disk. You need to ensure that you can replicate VM1 by using Azure Site Recovery. Which configuration should you change?

- A. data disk size
- B. data disk type
- C. generation
- D. data disk encryption type

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 72

You plan to migrate an SAP environment to Azure.

You need to design an Azure network infrastructure to meet the following requirements:

- * Prevent end users from accessing the database servers.
- * Isolate the application servers from the database servers.
- * Ensure that end users can access the SAP systems over the internet

Minimize the costs associated to the communications between the application servers and database servers Which two actions should you include in the solution? Each correct answer presents pan of the solution.

NOTE: Each correct selection is worth one point.

- A. Segregate the SAP application servers and database servers by using different Azure virtual networks.
- B. Create a site-to-site VPN between the on premises network and Azure.
- C. Configure Azure Traffic Manager to route incoming connections.
- D. In the same Azure virtual network, segregate the SAP application service and database servers by using different subnets and network security groups.
- E. Configure an infernal Azure Standard Load Balancer for incoming connections.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 73

You plan to migrate an SAP HANA instance to Azure.

You need to gather CPU metrics from the last 24 hours from the instance.

Solution: You use Monitoring from the SAP HANA Cockpit.

Does this meet the goal?

- A. Yes
- B. No

Answer: ([SHOW ANSWER](#))

The SAP HANA cockpit provides a single point of access to a range of SAP HANA administration and monitoring tasks. It is used to monitor and ensure the overall health of the system.

The HANA Monitoring dashboard also visualizes key HANA Metrics of SAP HANA system.

Reference:

<https://developers.sap.com/tutorials/dt-monitoring-hana-part1.html>

<https://help.sap.com/viewer/afa922439b204e9caf22c78b6b69e4f2/2.10.0.0/en-US>

<https://www.hanatutorials.com/p/hana-monitoring-dashboard.html>

NEW QUESTION: 74

You plan to deploy an SAP production landscape on Azure. The landscape will use SAP HANA databases that run on Azure virtual machines.

Each HANA virtual machine will contain the following three premium data disks:

- * Shared
- * Data
- * Log

You need to configure caching on the data disks. The solution must meet the following requirements:

- * Maximize data throughput.
- * Minimize potential data loss.

Which caching configuration should you use for each disk? To answer, drag the appropriate caching configurations to the correct disks. Each caching configuration may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

The screenshot shows a drag-and-drop interface. On the left, under 'Caching configurations', are three options: 'No Caching', 'Read cache', and 'Write Accelerator'. On the right, under 'Answer Area', are three input fields labeled '/hana/data:', '/hana/log:', and '/hana/shared:'. The interface is partially obscured by a 'freecram.net' watermark.

Answer:

The screenshot shows the same interface as before, but with the correct configurations assigned to each disk. The 'No Caching' option is dragged to the '/hana/data:' field. The 'Write Accelerator' option is dragged to the '/hana/log:' field. The 'Read cache' option is dragged to the '/hana/shared:' field. The interface is partially obscured by a 'freecram.net' watermark.

Explanation:

The screenshot shows the same interface as before, but with the correct configurations assigned to each disk. The 'No Caching' option is dragged to the '/hana/data:' field. The 'Write Accelerator' option is dragged to the '/hana/log:' field. The 'Read cache' option is dragged to the '/hana/shared:' field. The interface is partially obscured by a 'freecram.net' watermark.

NEW QUESTION: 75

You need to deploy an SAP production landscape on Azure. The solution must be supported by the SAP production landscape and must minimize costs.

Which Azure virtual machine series should you use for each SAP workload? To answer, drag the appropriate series to the correct workloads. Each series may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Azure virtual machine series

B-Series

D-Series

M-Series

N-Series

Answer Area

SAP Central Services (SCS):

SAP HANA:

Microsoft

Answer:

Azure virtual machine series

B-Series

D-Series

M-Series

N-Series

Answer Area

SAP Central Services (SCS): B-Series

SAP HANA: M-Series

Microsoft

Explanation:

Azure virtual machine series

B-Series

D-Series

M-Series

N-Series

Answer Area

SAP Central Services (SCS): B-Series

SAP HANA: M-Series

Microsoft

NEW QUESTION: 76

You have an on-premises deployment of SAP HANA that contains a production environment and a development environment.

You plan to migrate both environments to Azure.

You need to identify which Azure virtual machine-series to use for each environment. The solution must meet the following requirements:

- * Minimize costs.
- * Be SAP HANA-certified.

What should you identify for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

SAP HANA Developer Edition:

SAP S/4 HANA:

Microsoft

Answer:

Answer Area

SAP HANA Developer Edition:

SAP S/4 HANA:

Microsoft

Explanation:

Answer Area

SAP HANA Developer Edition:

SAP S/4 HANA:

Microsoft

Valid AZ-120 Dumps shared by EduDump.com for Helping Passing AZ-120 Exam! EduDump.com now offer the **newest AZ-120 exam dumps**, the EduDump.com AZ-120 exam **questions have been updated** and **answers have been corrected** get the **newest** EduDump.com AZ-120 dumps with Test Engine here: <https://www.edudump.com/exams/Microsoft/AZ-120/premium/> (441 Q&As Dumps, **35%OFF** Special Discount Code: **freecram**)

NEW QUESTION: 77

You plan to deploy an SAP production landscape that will use SAP HANA databases on Azure. The deployment has the following disaster recovery requirements:

- * Support Azure Site Recovery to a second Azure region.
- * Allow for periodic disaster recovery tests.

The solution will host the HANA data on a network share. You need to recommend a storage solution.

Which two storage solutions meet the disaster recovery requirements? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. an NFS server that runs Windows Server
- B. Azure NetApp Files
- C. Azure Files premium tier
- D. Storage Spaces Direct

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 78

You have an on-premises network.

You have an Azure subscription.

You plan to deploy an SAP production landscape that will include on-premises servers and Azure virtual machines. The landscape will be hosted on servers that run SUSE Linux Enterprise Server (SLES).


You need to recommend a solution to standardize the provisioning and configuration of the SLES servers for SAP workloads. The solution must meet the following requirements:

- * Automate provisioning for new on-premises servers and Azure virtual machines.
- * Ensure that you can run the Azure VM extension for SAP solutions.

Which package should you recommend for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



The screenshot shows the Microsoft exam interface. On the left is the Microsoft logo. To its right, there are two dropdown menus. The first dropdown is labeled 'Perform provisioning:' and contains three options: 'Cloud-init', 'Microsoft Azure Linux Agent (waagent)', and 'Sysprep'. The second dropdown is labeled 'Run the Azure VM extension for SAP solutions:' and also contains three options: 'Cloud-init', 'Microsoft Azure Linux Agent (waagent)', and 'Sysprep'. A large, diagonal watermark reading 'freecram.net' is overlaid across the center of the image.

Answer:

Answer Area



Run the Azure VM extension for SAP solutions:

Perform provisioning:

Cloud-init
Microsoft Azure Linux Agent (waagent)
Sysprep

Cloud-init
Microsoft Azure Linux Agent (waagent)
Sysprep

Explanation:



NEW QUESTION: 79

You have an Azure subscription. The subscription contains a virtual machine named Server1 that runs Windows Server and hosts SAP Central Services (SCS). To Server1, you deploy the new version of the Azure VM Extension for SAP solutions. You need to validate whether the extension is collecting performance metrics. What should you do on Server1?

A. From

Microsoft Edge, navigate to <http://127.0.0.1:11812/azure4sap/metrics>.

B. Run the Get-AzMetric cmdlet.

C. Run the Get-AzVMDiagnosticsExtension cmdlet.

D. From

Microsoft Edge, navigate to <http://169.254.169.254/metadata/instance?api-version=2021-02-01>.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 80

You are validating an SAP HANA on Azure (Large Instances) deployment.

You need to ensure that sapconf is installed and the kernel parameters are set appropriately for the active profile.

How should you complete the commands? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values

sap-ase
sap-bobj
sapconf
sap-hana
sap-netweaver
saptune
tuned

Answer Area



osprompt> more /etc/sysconfig/

Value

osprompt> more /usr/lib/tuned/

Value

/tuned.conf

Answer:

Values

sap-ase

sap-bobj

sapconf

sap-hana

sap-netweaver

saptune

tuned

Answer Area

osprompt> more /etc/sysconfig/

sapconf

osprompt> more /usr/lib/tuned/

sap-hana

/tuned.conf



Explanation:

Box 1: sapconf

The configuration is split into two parts:

/etc/sysconfig/sapconf

/usr/lib/tuned//tuned.conf

Box 2: sap-hana

References:

<https://blogs.sap.com/2017/12/22/prepare-your-linux-for-your-sap-solution-with-saptune/>

NEW QUESTION: 81

You plan to implement a highly available SAP HANA deployment by using two Azure virtual machines that run SUSE Linux Enterprise Server (SLES). You need to create an Azure Fence agent STONITH block device (SBD).

What should you do first?

- A. Create an application registration in Azure AD.
- B. Create a system-assigned managed identity.
- C. Create a storage account
- D. Create a user-assigned managed identity

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 82

You are designing a four-node SAP Web Dispatcher deployment for an SAP on Azure landscape.

You need to recommend a resiliency solution and a load-balancing solution for the deployment. The solution must meet the following requirements;

- * Receive the highest SLA from Microsoft.
- * Load balance client connections.
- * Minimize administrative effort

What should include in the recommendation for each solution? To answer, select the appropriate options in the answer area. NOTE Each correct selection is worth one point.

Answer Area

Resiliency:

Load-balancing:

Microsoft freecram.n

Answer:

Answer Area

Resiliency:

Load-balancing:

Availability sets

Availability zones 1

Proximity placement group

Azure Application Gateway v1

Azure Application Gateway v2

Azure Standard Load Balancer 1

Basic Azure Load Balancer

Explanation:

Answer Area

Resiliency:

Load-balancing:

NEW QUESTION: 83

You have an SAP landscape on Azure that contains the virtual machines shown in the following table.

Name	Role	Azure Availability Zone in East US
SAPAPP1	Application Server	Zone 1
SAPAPP2	Application Server	Zone 2

You need to ensure that the Application Server role is available if a single Azure datacenter fails.

What should you include in the solution?

- A. Azure Application Gateway v2
- B. a local network gateway
- C. Azure Load Balancer Standard
- D. Azure Private Link

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 84

You have a Microsoft Entra tenant named contoso.com.

You have an SAP landscape in Azure.

You need to use an SAP HANA application to enable single sign-on (SSO) to contoso.com.

Which authentication protocol should you configure for the application, and what should you upload to the HANA XSA Web Console to enable SSO? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



Protocol:

Upload:

Answer:

Answer Area

Protocol:

Upload:

Explanation:

Answer Area

Protocol:

Upload:

NEW QUESTION: 85

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a complex SAP environment that has both ABAP- and Java-based systems. The current on-premises landscapes are based on SAP NetWeaver 7.0 (Unicode and Non-Unicode) running on Windows Server and Microsoft SQL Server.

You need to migrate the SAP environment to a HANA-certified Azure environment.

Solution: You upgrade to SAP NetWeaver 7.4, and then you migrate SAP to Azure by using Azure Site Recovery.

Does this meet the goal?

A. Yes

B. No

Answer: ([SHOW ANSWER](#))

We need upgrade to SAP NetWeaver 7.4 before the migration. Then Azure Site Recovery is used for the migration to Azure.

Reference:

<https://docs.microsoft.com/en-us/azure/site-recovery/vmware-azure-architecture>

NEW QUESTION: 86

You have an on-premises datacenter.

You have an Azure subscription that contains a virtual network named VNet1.

VNet1 uses forced tunneling to force all outbound traffic to the internet via the datacenter.

You deploy an SAP landscape to VNet1. The landscape uses virtual machines that run Red Hat Enterprise Linux (RHEL) and uses the pay-as-you-go rates.

You discover that the virtual machines fail to receive operating system updates.

You need to ensure that the virtual machines receive operating system updates.

What should you do?

A. Configure an Azure DNS Private Resolver.

B. Deploy an Azure firewall.

C. Deploy Azure Update Manager.

D. Add user-defined routes (UDRs) to the route table.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 87

You need to implement a deployment of SAP NetWeaver on Azure. The deployment will be hosted on Esv3 virtual machines that run on dedicated hosts. The hosts will be deployed to different availability zones in a single Azure region. The solution must meet the following requirements:

* Ensure maximum availability of the dedicated hosts.

* Minimize network latency for database writes when the virtual machines run on hosts in different availability zones.

What should you use for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Ensure maximum availability of the dedicated hosts:

Minimize network latency for database writes when the virtual machines run on hosts in different availability zones:

Answer:

Answer Area

Ensure maximum availability of the dedicated hosts:

Minimize network latency for database writes when the virtual machines run on hosts in different availability zones:

Microsoft

Explanation:

Answer Area

Ensure maximum availability of the dedicated hosts:

Minimize network latency for database writes when the virtual machines run on hosts in different availability zones:

Microsoft

NEW QUESTION: 88

You are planning replication of the SAP HANA database for the disaster recovery environment in Azure.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
You must use synchronous replication.	☐	☐
You must use delta data shipping for operation mode.	☐	☐
You must configure an Azure Directory (Azure AD) application to manage the failover.	☐	☐

Microsoft

Answer:

Statements	Yes	No
You must use synchronous replication.	☐	☒
You must use delta data shipping for operation mode.	☐	☒
You must configure an Azure Directory (Azure AD) application to manage the failover.	☒	☐

Microsoft

Explanation:

Statements	Yes	No
You must use synchronous replication.	☐	☒
You must use delta data shipping for operation mode.	☐	☒
You must configure an Azure Directory (Azure AD) application to manage the failover.	☒	☐

Box 1: No

SAP HANA Replication consists of one primary node and at least one secondary node. Changes to the data on the primary node are replicated to the secondary node synchronously or asynchronously.

Box 2: No

Since SPS11 SAP HANA system replication can be run in two different operation modes:

delta_datashipping

logreplay

Box 3: Yes

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/sap-hana-high-availability-rhel>

<https://blogs.sap.com/2018/01/08/your-sap-on-azure-part-4-high-availability-for-sap-hana-using-system-replication/>

NEW QUESTION: 89

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an SAP production landscape on-premises and an SAP development landscape on Azure.

You deploy a network virtual appliance to act as a firewall between the Azure subnets and the on-premises network.

You need to ensure that all traffic is routed through the network virtual appliance.

Solution: You create an Azure Traffic Manager profile.

Does this meet the goal?

A. No

B. Yes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 90

You have an SAP Fiori single sign-on (SSO)-enabled subscription.

You have an Azure subscription that is linked to a Microsoft Entra tenant named contoso.com.

You need to configure SSO authentication between SAP Fiori and contoso.com.

Which five actions should you perform in sequence in the Microsoft Entra admin center? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

ctions

- :: Create an app registration.
- :: Select **Linked** as the SSO method.
- :: Add an enterprise application from the gallery.
- :: Select **SAML** as the SSO method.
- :: Upload the metadata file and provide the sign-in URL.
- :: Download the federation metadata file.
- :: Update the user claims.

Answer Area

Answer:

ctions

- :: Create an app registration.
- :: Select **Linked** as the SSO method.
- :: Add an enterprise application from the gallery.
- :: Select **SAML** as the SSO method.
- :: Upload the metadata file and provide the sign-in URL.
- :: Download the federation metadata file.
- :: Update the user claims.

Answer Area

- :: Add an enterprise application from the gallery.
- :: Select **SAML** as the SSO method.
- :: Upload the metadata file and provide the sign-in URL.
- :: Download the federation metadata file.
- :: Update the user claims.

Explanation:

Actions

- :: Create an app registration.
- :: Select **Linked** as the SSO method.

Answer Area

- 1 :: Add an enterprise application from the gallery.
- 2 :: Select **SAML** as the SSO method.
- 3 :: Upload the metadata file and provide the sign-in URL.
- 4 :: Download the federation metadata file.
- 5 :: Update the user claims.

NEW QUESTION: 91

You have an Azure virtual machine named VM1 that runs SUSE Linux Enterprise Server (SLE5) and hosts an SAP NetWeaver application server.

You need to install the Azure VM extension for SAP solutions on VM1.
Which three actions should you perform in sequence? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Actions

From Azure Cloud Shell, run az extension add.

On VM1, run curl
http://127.0.0.1:11812/azure4sap/metrics.

From Azure Cloud Shell, run az login.

From Azure Cloud Shell, run az vm aem set.

On VM1, restart the SAP Host Agent.

Answer Area

>

<

↑

↓

Answer:

Actions

From Azure Cloud Shell, run az extension add.

On VM1, run curl
http://127.0.0.1:11812/azure4sap/metrics.

From Azure Cloud Shell, run az login.

From Azure Cloud Shell, run az vm aem set.

On VM1, restart the SAP Host Agent.

Answer Area

>

<

↑

↓

Explanation:

Actions

From Azure Cloud Shell, run az extension add.

On VM1, run curl
http://127.0.0.1:11812/azure4sap/metrics.

Answer Area

1 From Azure Cloud Shell, run az login.

2 From Azure Cloud Shell, run az vm aem set.

3 On VM1, restart the SAP Host Agent.

Valid AZ-120 Dumps shared by EduDump.com for Helping Passing AZ-120 Exam! EduDump.com now offer the **newest AZ-120 exam dumps**, the EduDump.com AZ-120 exam **questions have been updated** and **answers have been corrected** get the **newest** EduDump.com AZ-120 dumps with Test Engine here: <https://www.edudump.com/exams/Microsoft/AZ-120/premium/> (441 Q&As Dumps, **35%OFF** Special Discount Code: **freecram**)

NEW QUESTION: 92

You have an SAP environment on Azure.
our on-promises network connects to Azure by using a site-to-site VPN connection.
6u need to alert technical support if the network bandwidth usage between the on-premises network and Azure exceeds 900 Mbps 10 minutes.
What should you use?
A. Azure Network Watcher

- B.** NIPING
- C.** Azure Monitor
- D.** Azure Enhanced Monitoring for SAP

Answer: ([SHOW ANSWER](#))

You set up alerts on Azure VPN Gateway metrics. Azure Monitor provides the ability to set up alerts for Azure resources. You can set up alerts for virtual network gateways of the "VPN" type.

Metric: AverageBandwidth: Average combined bandwidth utilization of all site-to-site connections on the gateway.

Reference:

<https://docs.microsoft.com/bs-latn-ba/azure/vpn-gateway/vpn-gateway-howto-setup-alerts-virtual-network-gateway-metric>

NEW QUESTION: 93

You have an SAP on Azure deployment.

You need to ensure that you can perform the following tasks from the Azure portal:

- * View the status of SAP services.
- * Start and stop SAP services.

The solution must minimize administrative effort. What should you use?

- A.** an Azure Automation account
- B.** Azure Center for SAP solutions
- C.** the Azure Monitor agent
- D.** Azure Monitor for SAP solutions

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 94

Your on-premises network contains a Microsoft SQL server named DCSQL1.

You have an Azure subscription that contains an SAP production landscape and a SQL server named AZSQL1. The SAP landscape uses DCSQLI and AZSQL1. The on-premises network is connected to Azure by using ExpressRoute.

You need to monitor network latency between A2SQL1 and DCSQL1 by using Connection Monitor. What should you install on AZSQL1?

- A.** the Network Watcher extension
- B.** the Azure VM extension for SAP solutions
- C.** the Azure Diagnostics extension
- D.** the Log Analytics agent

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 95

What should you use to perform load testing as part of the migration plan?

- A.** JMeter
- B.** SAP LoadRunner by Micro Focus
- C.** Azure Application Insights
- D.** Azure Monitor

Answer: ([SHOW ANSWER](#))

Scenario: Upgrade and migrate SAP ECC to SAP Business Suite on HANA Enhancement Pack 8.

With the SAP LoadRunner application by Micro Focus, you can accelerate testing and development, reduce slowdowns and expenses, and gain a better understanding of performance issues. Validate software performance, virtualize your network, simulate workloads, benchmark production system performance, and optimize your deployment of SAP HANA software References:

<https://www.sap.com/products/loadrunner.html>

Topic 2, Contoso Ltd Case Study

Case Study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview

Contoso, Ltd. is a manufacturing company that has 15,000 employees.

The company uses SAP for sales and manufacturing.

Contoso has sales offices in New York and London and manufacturing facilities in Boston and Seattle.

Existing Environment

Active Directory

The network contains an on-premises Active Directory domain named ad.contoso.com. User email addresses use a domain name of contoso.com.

SAP Environment

The current SAP environment contains the following components:

- * SAP Solution Manager
 - * SAP ERP Central Component (SAP ECC)
 - * SAP Supply Chain Management (SAP SCM)
 - * SAP application servers that run Windows Server 2008 R2
 - * SAP HANA database servers that run SUSE Linux Enterprise Server 12 (SLES 12)
- Problem Statements Contoso identifies the following issues in its current environment:
- * The SAP HANA environment lacks adequate resources.
 - * The Windows servers are nearing the end of support.
 - * The datacenters are at maximum capacity.

Requirements

Planned Changes

Contoso identifies the following planned changes:

- * Deploy Azure Virtual WAN.
- * Migrate the application servers to Windows Server 2016.
- * Deploy ExpressRoute connections to all of the offices and manufacturing facilities.
- * Deploy SAP landscapes to Azure for development, quality assurance, and production.

All resources for the production landscape will be in a resource group named SAPProduction.

Business goals

Contoso identifies the following business goals:

- * Minimize costs whenever possible.
- * Migrate SAP to Azure without causing downtime.
- * Ensure that all SAP deployments to Azure are supported by SAP.
- * Ensure that all the production databases can withstand the failure of an Azure region.
- * Ensure that all the production application servers can restore daily backups from the last 21 days.

Technical Requirements

Contoso identifies the following technical requirements:

- * Inspect all web queries.
- * Deploy an SAP HANA cluster to two datacenters.
- * Minimize the bandwidth used for database synchronization.
- * Use Active Directory accounts to administer Azure resources.
- * Ensure that each production application server has four 1-TB data disks.
- * Ensure that an application server can be restored from a backup created during the last five days within 15 minutes.
- * Implement an approval process to ensure that an SAP administrator is notified before another administrator attempts to make changes to the Azure virtual machines that host SAP.

It is estimated that during the migration, the bandwidth required between Azure and the New York office will be 1 Gbps. After the migration, a traffic burst of up to 3 Gbps will occur.

Proposed Backup Policy

An Azure administrator proposes the backup policy shown in the following exhibit.

* Policy name ⓘ
 SapPolicy ✓

Backup schedule

* Frequency * Time * Timezone
 Daily 3:30 AM (UTC) Coordinated Universal Time

Instant Restore ⓘ

Retain instant recovery snapshot(s) for
 5 ✓ Day(s)

Retention range

✓ Retention of daily backup point.

* At For Day(s)
 3:30 AM 14 ✓

✓ Retention of weekly backup point.

* On * At For Week(s)
 Sunday 3:30 AM 8 ✓

✓ Retention of monthly backup point.

Week Based Day Based

* On * Day * At For Month(s)
 First Sunday 3:30 AM 12 ✓

✓ Retention of yearly backup point.

Week Based Day Based

* In * On * Day * At For Year(s)
 January First Sunday 3:30 AM 7 ✓

Azure Resource Manager Template

An Azure administrator provides you with the Azure Resource Manager template that will be used to provision the production application servers.

```

{
  "apiVersion": "2017-03-30",
  "type": "Microsoft.Compute/virtualMachines",
  "name": "[parameters('vmname')]",

  "location": "EastUS",
  "dependsOn": [
    "[resourceId('Microsoft.Network/networkInterfaces/', parameters('vmname'))]"
  ],
  "properties": {
    "hardwareProfile": {
      "vmSize": "[parameters('vmSize')]"
    },
    "osProfile": {
      "computerName": "[parameters('vmname')]",
      "adminUsername": "[parameters('adminUsername')]",
      "adminPassword": "[parameters('adminPassword')]"
    },
    "storageProfile": {
      "imageReference": {
        "publisher": "MicrosoftWindowsServer",
        "offer": "WindowsServer",
        "sku": "2016-datacenter",
        "version": "latest"
      },
      "osDisk": {
        "name": "[concat(parameters('vmname'), '-OS')]",
        "caching": "ReadWrite",
        "createOption": "FromImage",
        "diskSizeGB": 128,
        "managedDisk": {
          "storageAccountType": "[parameters('storageAccountType')]"
        }
      }
    },
    "copy": [
      {
        "name": "DataDisks",
        "count": "[parameters('diskCount')]",
        "input": {
          "caching": "None",
          "diskSizeGB": 1024,
          "lun": "[copyIndex('datadisks')]",

```



```

    "name": "[concat(parameters('vmName'), '-', copyIndex('datadisks'))]",
    "createOption": "Empty"
  }
}
},
"networkProfile": {
  "networkInterfaces": [
    {
      "id": "[resourceId('Microsoft.Network/networkInterfaces', parameters('vmName'))]"
    }
  ]
}
},
"resources": [
  {
    "apiVersion": "2017-03-30",
    "type": "Microsoft.Compute/virtualMachines/extensions",
    "name": "[concat(parameters('VMName'), '/joindomain')]",
    "location": "eastus",
    "properties": {
      "publisher": "Microsoft.Compute",
      "type": "JsonADDomainExtension",
      "typeHandlerVersion": "1.3",
      "autoUpgradeMinorVersion": true,
      "settings": {
        "Name": "[parameters('domainName')]",
        "User": "[parameters('domainusername')]",
        "Restart": "true",
        "Options": "3"
      },
      "protectedsettings": {
        "Password": "[parameters('domainPassword')]"
      }
    }
  }
]
}
]
}

```

NEW QUESTION: 96

You have an Azure subscription.

You plan to deploy a QA landscape to SAP on Azure by using Azure Center for SAP solutions.

You need to use the Azure command-line interface (CLI) to deploy the landscape.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



Microsoft

az workloads sap-virtual-instance create -g RG1 -n NonProd --environment

NonProd --sap-virtual-instance-name s4hana

--ids

--partner-node-id

--sap-product

--sap-virtual-instance-name

Answer:

Answer Area

az workloads sap-virtual-instance create -g RG1 -n NonProd --environment

NonProd --sap-virtual-instance-name s4hana

--ids

--partner-node-id

--sap-product

--sap-virtual-instance-name

Explanation:

Answer Area

az workloads sap-virtual-instance create -g RG1 -n NonProd --environment

NonProd --sap-virtual-instance-name s4hana



Microsoft

NEW QUESTION: 97

You have an Azure subscription that contains a Recovery Services vault named RSV1 and a virtual machine named VM1. VM1 runs SUSE Enterprise Linux (SLES) and hosts an SAP HANA instance.

You need to configure a HANA 8ackint-based backup of the HANA databases.

You register VM1 with RSV1.

What should you do next?

- A. On VM1, stop the HANA instance.
- B. On VM1, install the Azure Backup Plugin for HANA.
- C. From RSV1, select the items to back up.
- D. On VM1, run the preregistration script.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 98

You have an Azure subscription that contains a virtual network named VNet1.

You plan to deploy SAP NetWeaver to VNet1 and use Azure NetApp Files for storage.

You need to recommend a network configuration for VNet1. The solution must use an IP address space of 10.0.0.0/20 and meet the following requirements:

- * Fully support SAP.
- * Minimize implementation effort.
- * Minimize latency between compute and storage services.

What should you include in the recommendation? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

To minimize implementation effort:

Create a single subnet that uses the entire IP address space of 10.0.0.0/20.
Add a subnet for the virtual machines that have NetWeaver deployed and delegate a subnet to Azure NetApp Files.
Add a subnet for the virtual machines that have NetWeaver deployed and delegate two subnets to Azure NetApp Files.
Create a single subnet that uses the entire IP address space of 10.0.0.0/20.

To minimize latency between compute and storage services:

Implement proximity placement groups.
Deploy an SD-WAN network virtual appliance (NVA) to VNet1.
Implement ExpressRoute FastPath.
Implement proximity placement groups.

Answer:

Answer Area

To minimize implementation effort:

Create a single subnet that uses the entire IP address space of 10.0.0.0/20.
Add a subnet for the virtual machines that have NetWeaver deployed and delegate a subnet to Azure NetApp Files.
Add a subnet for the virtual machines that have NetWeaver deployed and delegate two subnets to Azure NetApp Files.
Create a single subnet that uses the entire IP address space of 10.0.0.0/20.

To minimize latency between compute and storage services:

Implement proximity placement groups.
Deploy an SD-WAN network virtual appliance (NVA) to VNet1.
Implement ExpressRoute FastPath.
Implement proximity placement groups.

Explanation:

Answer Area

To minimize implementation effort: Create a single subnet that uses the entire IP address space of 10.0.0.0/20.

To minimize latency between compute and storage services: Implement proximity placement groups.

NEW QUESTION: 99

You plan to migrate an on-premises SAP environment to Azure.

You need to identify whether any SAP application servers host multiple SAP system identifiers (SIDs).
What should you do?

- A. Run the SAP Report from ABAPMeter.
- B. From the SAP EarlyWatch Alert report, compare the physical host names to the virtual host names.
- C. From the SAP EarlyWatch Alert report, compare the services to the reference objects
- D. Run SAP HAN A sizing report.

Answer: (SHOW ANSWER)

NEW QUESTION: 100

You have an SAP development landscape on Azure.
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
You can use SAP Landscape Management (LaMa) to automate stopping, starting, and deallocating SAP virtual machines.	☐	☐
You can use SAP Solution Manager to automate stopping, starting, and deallocating SAP virtual machines.	☐	☐
You can use SAP HANA Cockpit to automate stopping, starting, and deallocating SAP virtual machines.	☐	☐

Answer:

Statements	Yes	No
You can use SAP Landscape Management (LaMa) to automate stopping, starting, and deallocating SAP virtual machines.	☒	☐
You can use SAP Solution Manager to automate stopping, starting, and deallocating SAP virtual machines.	☐	☒
You can use SAP HANA Cockpit to automate stopping, starting, and deallocating SAP virtual machines.	☐	☒


NEW QUESTION: 101

You have an Azure subscription that contains two SAP HANA instances.
You plan to back up the instances by using Azure Backup.
You need to configure private endpoints and a name resolution solution to support the backups. The solution must meet the following requirements:

- * Minimize the number of private endpoints required.
- * Minimize administrative effort.

Which name resolution solution should you use, and what is the minimum number of private endpoints required? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

 Name resolution solution:
Azure DNS Private Resolver
Azure DNS zone
Azure Private DNS zone

Minimum number of private endpoints:
1
2
3
4

Answer:

 Name resolution solution:
Azure DNS Private Resolver
Azure DNS zone
Azure Private DNS zone

Minimum number of private endpoints:
1
2
3
4

Explanation:

Answer Area

 Name resolution solution:
Azure Private DNS zone

Minimum number of private endpoints:
1

NEW QUESTION: 102

You have an on-premises SAP NetWeaver deployment that uses Windows Server 2016 and Microsoft SQL Server 2016.
You need to migrate the deployment to an Azure virtual machine that runs Windows Server 2016 and has Microsoft SQL Server 2019 installed.
Which migration method should you use?

- A. lift-and-shift
- B. classical SAP Database Migration Option (DMO)
- C. heterogeneous SAP classical migration
- D. Azure Migrate

Answer: (SHOW ANSWER)

NEW QUESTION: 103

Your on-premises network is connected to an SAP HANA deployment in the East US Azure region. The deployment uses the Standard SKU of an ExpressRoute gateway.
You need to implement ExpressRoute FastPath. The solution must meet the following requirements:
* Hybrid connectivity must be maintained if a single datacenter fails in the East US region.
* Hybrid connectivity costs must be minimized.
Which ExpressRoute gateway SKU should you use?

- A. Ultra Performance
- B. ErGwIAz
- C. ErGw3Az
- D. High Performance

Answer: (SHOW ANSWER)

NEW QUESTION: 104

You have an Azure alert rule and action group as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

The admins action group will be notified if the average CPU usage rises above 85% for

The [answer choice] when the alert is triggered

one minute
five minutes
one second

admins action group will be emailed
restartVM action group will be emailed
virtual machines will restart

Answer:

The admins action group will be notified if the average CPU usage rises above 85% for

The [answer choice] when the alert is triggered

one minute
five minutes
one second

admins action group will be emailed
restartVM action group will be emailed
virtual machines will restart

Explanation:

The admins action group will be notified if the average CPU usage rises above 85% for

The [answer choice] when the alert is triggered

one minute
five minutes
one second

admins action group will be emailed
restartVM action group will be emailed
virtual machines will restart

Box 1: five minutes

Window Size is 5 minutes.

Box 2: admins action group will be emailed

The admins1 actiongroup will be executed.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-monitor/alerts/alerts-metric-overview>

NEW QUESTION: 105

You deploy an SAP environment on Azure.

Your company has a Service Level Agreement (SLA) of 99.99% for SAP.

You implement Azure Availability Zones that have the following components:

- * Redundant SAP application servers
 - * ASCS/ERS instances that use a failover cluster
 - * Database high availability that has a primary instance and a secondary instance
- You need to validate the load distribution to the application servers. What should you use?

- A. SAP Web Dispatcher
- B. SAP Solution Manager
- C. Azure Monitor
- D. SAPControl

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 106

You have an Azure subscription that contains two virtual machines configured as a Pacemaker cluster. The cluster hosts a highly available SAP HANA deployment. Which command should you use to configure the failover behavior of the Pacemaker cluster?

- A. az
- B. btp
- C. hana-cli
- D. crm

Answer: ([SHOW ANSWER](#))

Valid AZ-120 Dumps shared by EduDump.com for Helping Passing AZ-120 Exam! EduDump.com now offer the **newest AZ-120 exam dumps**, the EduDump.com AZ-120 exam **questions have been updated** and **answers have been corrected** get the **newest** EduDump.com AZ-120 dumps with Test Engine here: <https://www.edudump.com/exams/Microsoft/AZ-120/premium/> (**441** Q&As Dumps, **35%OFF** Special Discount Code: **freecram**)

NEW QUESTION: 107

You have an on-premises SAP environment.


Backups are performed by using tape backups. There are 50 TB of backups.

A Windows file server has BMP images of checks used by SAP Finance. There are 9 TB of images.

You need to recommend a method to migrate the images and the tape backups to Azure. The solution must maintain continuous replication of the images.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Answer:



Explanation:

Tape Backups - Azure Databox

File Server - Azure Storage Explorer

NEW QUESTION: 108

You have an SAP landscape on Azure.

You plan to deploy a new SAP application server by using an Azure Resource Manager template.

You need to ensure that all new servers are deployed with Azure Disk Encryption enabled.

How should you complete the relevant component of the template? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```

    "resources": [
    {
        "type": "Microsoft.Compute/virtualMachines/
"name": "[concat(parameters
('vmName'), '/DiskEncryption')]",
        "location": [parameters('location')]",
        "apiVersion": "2017-03-30",
        "properties": {
            "publisher": "Microsoft.Azure.Security",
            "type":
            "Disk"
            "KeyVault"
            "Extensions"
            "AzureDiskEncryption"

"typeHandlerVersion": "2.2",
        "autoUpgradeMinorVersion": true,
        "forceUpdateTag": "2",
        "settings": {
            "EncryptionOperation": "EnableEncryption",
            "KeyVaultURL": "[reference(parameters('keyVaultResourceID'), '2016-10-01').vaultUri]",
            "KeyVaultResourceId": "[parameters('keyVaultResourceID')]",
            "KeyEncryptionKeyURL": "[parameters('keyEncryptionKeyURL')]",
            "KeyVaultResourceId": "[parameters('keyVaultResourceID')]",
            "KeyEncryptionAlgorithm": "RSA-OAEP",
            "VolumeType": "All",
            "ResizeOSDisk": false
        }
    }
    ]

```

Answer:




```

"resources": [
{
  "type": "Microsoft.Compute/virtualMachines/
"name": "[concat(parameters
('vmName'), '/DiskEncryption')]",
  "location": [parameters('location')]",
  "apiVersion": "2017-03-30",
  "properties": {
    "publisher": "Microsoft.Azure.Security",
    "type": [
      "Disk"
      "KeyVault"
      "Extensions"
      "AzureDiskEncryption"
    ],
    "typeHandlerVersion": "2.2",
    "autoUpgradeMinorVersion": true,
    "forceUpdateTag": "2",
    "settings": {
      "EncryptionOperation": "EnableEncryption",
      "KeyVaultURL": "[reference(parameters('keyVaultResourceID'), '2016-10-01').vaultUri]",
      "KeyVaultResourceId": "[parameters('keyVaultResourceID')]",
      "KeyEncryptionKeyURL": "[parameters('keyEncryptionKeyURL')]",
      "KeyVaultResourceID": "[parameters('keyVaultResourceID')]",
      "KeyEncryptionAlgorithm": "RSA-OAEP",
      "VolumeType": "All",
      "ResizeOSDisk": false
    }
  }
}
]

```

Explanation:



Box 1: extensions

Azure Disk Encryption can be enabled via Azure PowerShell or Azure CLI. That is normally seen in remediation. In a real-world scenario you would like to see a virtual machine during its creation include disk encryption process. This is technically possible thanks to Disk Encryption VM extension.

Box 2: AzureDiskEncryption

Example:

```

" type " : " Microsoft.Compute/virtualMachines/extensions " ,
" name " : " [concat(parameters( ' vmName ' ), ' /diskEncryption ' )] " ,
" apiVersion " : " 2019-03-01 " ,
" location " : " [parameters( ' location ' )] " ,
" dependsOn " : [
" [resourceId( ' Microsoft.Compute/virtualMachines/ ' , parameters( ' vmName ' ))] "
],
" properties " : {
" publisher " : " Microsoft.Azure.Security " ,
" type " : " AzureDiskEncryption " ,

```

Reference:

<https://azsec.azurewebsites.net/2019/12/28/azure-disk-encryption-arm-template-for-windows-vm/>

NEW QUESTION: 109

A customer enterprise SAP environment plans to migrate to Azure. The environment uses servers that runs Windows Server 2016 and Microsoft SQL Server.

The environment is critical and requires a comprehensive business continuity and disaster recovery (BCDRJ strategy that minimizes the recovery point objective (RPO) and the recovery time objective (RTO).

The customer wants a resilient environment that has a secondary site that is at least 250 Kilometers away.

You need to recommend a solution for the customer.

Which two solutions should you recommend? Each correct answer presents part of the solution. NOTE; Each correct selection is worth one point.

- A. an internal load balancer to route Internet traffic
- B. warm standby virtual machines in Azure Availability Zones.
- C. warm standby virtual machines in paired regions
- D. Warm standby virtual machine in an Azure Availability Set that uses geo-redundant storage (GRS)
- E. Azure Traffic Manager to route incoming traffic.

Answer: ([SHOW ANSWER](#))

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/sap-hana-availability-one-region>

NEW QUESTION: 110

You have an existing SAP production landscape on Azure. The SAP application virtual machines have static IP addresses.

You need to replicate the virtual machines to another Azure region by using Azure Site Recovery. The source and target subnets have different address ranges.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a recovery plan.
- B. Modify the networking configuration.
- C. Replicate the virtual machines.
- D. Stop the virtual machines.
- E. Create a backup policy.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 111


You deploy an SAP environment on Azure.

You need to configure SAP NetWeaver to authenticate by using Azure Active Directory (Azure AD).

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



Answer:



NEW QUESTION: 112

You have an SAP production landscape that uses SAP HANA databases on Azure.

You need to deploy a disaster recovery solution to the SAP HANA databases. The solution must meet the following requirements:

- * Support failover between Azure regions.
- * Minimize data loss in the event of a failover.

What should you deploy?

- A. Always On availability group
- B. HANA system replication that uses asynchronous replication
- C. Azure Site Recovery
- D. HANA system replication that uses synchronous replication

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 113

You have an on-premises SAP environment hosted on VMware vSphere.

You plan to migrate the environment to Azure by using Azure Site Recovery.

You need to prepare the environment to support Azure Site Recovery.

What should you deploy first?

- A. an on-premises data gateway to vSphere

- B.** Microsoft System Center Virtual Machine Manager (VMM)
- C.** an Azure Backup server
- D.** a configuration server to vSphere

Answer: ([SHOW ANSWER](#))

When you set up disaster recovery for on-premises VMware VMs, Site Recovery needs access to the vCenter Server/vSphere host so that the Site Recovery process server can automatically discover VMs, and fail them over as needed. By default the process server runs on the Site Recovery configuration server. Add an account for the configuration server to connect to the vCenter Server/vSphere host.

References:

<https://docs.microsoft.com/en-us/azure/site-recovery/vmware-azure-manage-vcenter>

NEW QUESTION: 114

You are migrating SAP to Azure. The ASCS application servers are in one Azure zone, and the SAP database server in in a different Azure zone. ASCS/ERS is configured for high availability.

During performance testing, you discover increased response times in Azure, even though the Azure environment has better computer and memory configurations than the on-premises environment.

During the initial analysis, you discover an increased wait time for Enqueue.

What are three possible causes of the increased wait time? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A.** a missing Enqueue profile
- B.** disk I/O during Enqueue backup operations
- C.** misconfigured load balancer rules and health check probes for Enqueue and ASCS
- D.** active Enqueue replication
- E.** network latency between the database server and the SAP application servers

Answer: ([SHOW ANSWER](#))

E: The network latency across Availability Zones is not the same in all Azure regions. In some cases, you can deploy and run the SAP application layer across different zones because the network latency from one zone to the active DBMS VM is acceptable. But in some Azure regions, the latency between the active DBMS VM and the SAP application instance, when deployed in different zones, might not be acceptable for SAP business processes.

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/sap-ha-availability-zones>

NEW QUESTION: 115

Note: This section contains one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem. You must determine whether the solution meets the stated goals.

More than one solution in the set might solve the problem. It is also possible that none of the solutions in the set solve the problem.

After you answer a question in this section, you will NOT be able to return. As a result, these questions do not appear on the Review Screen.

You have an on-premises datacenter.

You have an Azure subscription that contains a virtual network named VNet1.

You have an SAP RISE managed workload.

You need to ensure transitive connectivity between the datacenter, VNet1, and the managed workload.

Solution: You configure a Site-to-Site (S2S) VPN connection between the datacenter and the managed workload and virtual network peering between VNet1 and the managed workload.

Does this meet the goal?

- A.** No
- B.** Yes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 116

You have an Azure subscription named Sub1 that contains a Microsoft Sentinel workspace named Workspace1.

You have an SAP RISE managed workload that is integrated with Sub1.

You need to implement the Microsoft Sentinel solution for SAP applications in Workspace1. The solution must meet the following requirements:

- * Generate an incident based on transaction codes when a sensitive SAP transaction is executed by an unauthorized user.
- * When an incident is generated, send a notification to a designated Microsoft Teams channel.
- * Minimize administrative effort.

What should you include in the solution? To answer, select the appropriate options in the answer area. NOTE:

Each correct selection is worth one point.

Answer Area

To specify which transaction codes to track:

- A watchlist
- A bookmark
- A threat intelligence indicator
- A watchlist

To respond to unauthorized transactions:

- An automation rule
- A livestream
- A workbook
- An automation rule

Answer:

Answer Area

To specify which transaction codes to track:

- A watchlist
- A bookmark
- A threat intelligence indicator
- A watchlist

To respond to unauthorized transactions:

- An automation rule
- A livestream
- A workbook
- An automation rule

Explanation:

Answer Area

To specify which transaction codes to track: A watchlist

To respond to unauthorized transactions: An automation rule

NEW QUESTION: 117

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You deploy SAP HANA on Azure (Large Instances).

You need to back up the SAP HANA database to Azure.
Solution: You use a third-party tool that uses backint to back up the SAP HANA database to Azure storage.
Does this meet the goal?
A. Yes
B. No

Answer: (SHOW ANSWER)
<https://blogs.sap.com/2018/08/31/overview-of-backint-for-sap-hana-and-faq-for-3rd-party-backup-tool-support/>
https://documentation.commvault.com/commvault/v11_sp16/article?p=114414.htm

NEW QUESTION: 118
Before putting the SAP environment on Azure into production, which command should you run to ensure that the virtual machine disks meet the business requirements? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Get-AzDisk

Get-AzVM

Get-AzVMImage

-resourcegroupname "SAPProduction" | Where {\$_.Sku.Name -ne "

Premium_LRS

Standard_LRS

Standard_RAGRS

StandardsSSD_LRS

Answer:

Get-AzDisk

Get-AzVM

Get-AzVMImage

-resourcegroupname "SAPProduction" | Where {\$_.Sku.Name -ne "

Premium_LRS

Standard_LRS

Standard_RAGRS

StandardsSSD_LRS

Explanation:
Get-AzDisk & Primium_LRS
<https://docs.microsoft.com/en-us/powershell/module/az.compute/get-azvmimage?view=azps-4.6.1>
<https://docs.microsoft.com/en-us/powershell/module/az.compute/get-azdisk?view=azps-4.6.1>

NEW QUESTION: 119
You are deploying an SAP production landscape on Azure.
You deploy virtual machines that have SAP Digital Boardroom and SAP HANA installed. You need to measure network latency between the virtual machines. What should you use?
A. Network Performance Monitor
B. SockPerf
C. Iometer

D. Connection Monitor in Azure Network Watcher

Answer: D (LEAVE A REPLY)

NEW QUESTION: 120

You have an Azure subscription.

You plan to deploy a SAP NetWeaver landscape that will use SQL Server on Azure virtual machines. The solution must meet the following requirements:

- * The SAP application and database tiers must reside in the same Azure zone.
- * The application tier in the Azure virtual machines must belong to the same Availability Set.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions

Answer Area

Create a host group


Create a proximity placement group

Create an Availability Set


Deploy the application tier in the Azure virtual machines

Deploy SQL Server on Azure virtual machines

Answer:



Explanation:



Step 1: Create a proximity placement group

A proximity placement group is a logical grouping of Azure resources within the same Azure data center in order to reduce latency.

Step 2: Create an Availability Set

Create an availability set that references the Azure proximity group.

By adding the availability sets to proximity placement groups, the network latencies are considerably reduced, thereby improving the overall performance.

Step 3: Deploy SQL Server on Azure Virtual machines

Step 4: Deploy the application tier in the Azure virtual machines

Deploy the application layer VMs by referencing the availability set and the proximity placement group.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/sap-proximity-placement-scenarios>

NEW QUESTION: 121

You plan to implement a deployment of SAP NetWeaver on Azure. The deployment will be hosted on virtual machines that run a custom Windows Server 2022 Datacenter image.

You need to configure the virtual machines to support Secure Boot.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Enable Secure Boot by:

- Setting Security type to Trusted launch virtual machines
- Installing the Key Vault virtual machine extension for Windows
- Setting Encryption type to customer-managed keys
- Setting Security type to Trusted launch virtual machines

Use virtual disk format:

- VHDX
- VHD
- VHDS
- VHDX

Microsoft

Answer:

Answer Area

Enable Secure Boot by:

- Setting Security type to Trusted launch virtual machines
- Installing the Key Vault virtual machine extension for Windows
- Setting Encryption type to customer-managed keys
- Setting Security type to Trusted launch virtual machines

Use virtual disk format:

- VHDX
- VHD
- VHDS
- VHDX

Microsoft

Explanation:

Answer Area

Enable Secure Boot by: Setting Security type to Trusted launch virtual machines

Use virtual disk format: VHDX

Valid AZ-120 Dumps shared by EduDump.com for Helping Passing AZ-120 Exam! EduDump.com now offer the **newest AZ-120 exam dumps**, the EduDump.com AZ-120 exam **questions have been updated** and **answers have been corrected** get the **newest** EduDump.com AZ-120 dumps with Test Engine here: <https://www.edudump.com/exams/Microsoft/AZ-120/premium/> (441 Q&As Dumps, **35%OFF** Special Discount Code: **freecram**)

NEW QUESTION: 122

You have an on-premises SAP landscape that contains an SAP HANA database.

You plan to migrate the SAP landscape to Azure.

You need to recommend a migration tool that meets the following requirements:

- * Minimizes downtime during the migration
- * Migrates the HANA database servers to Azure virtual machines

Which tool should you use to migrate SAP Central Services (SCSJ and HANA? To answer, select the appropriate options in the answer area.

NOTE; Each correct selection is worth one point.

Answer Area

SCS:

HANA:

Microsoft

Answer:

Answer Area

SCS:

HANA:

Microsoft

Explanation:

Answer Area

SCS: Azure Migrate

HANA: S/4HANA Migration Cockpit

Microsoft

NEW QUESTION: 123

You plan to implement a highly available, three-tier deployment of an SAP NetWeaver landscape on Azure.

The landscape will use SUSE Linux Enterprise Server (SLES).

You need to implement the SAP NetWeaver central services (ASCS/SCS) tier.

What should you do? To answer, select the appropriate options in the answer area.

NOTE Each correct selection is worth one point.

Answer Area

Provision the sapmnt share by using:

- Azure NetApp Files
- A Storage Spaces Direct scale-out file server (SOFS)
- Azure NetApp Files
- Azure Premium Files

Implement high availability for the Azure virtual machines that host the ASCS/SCS tier by using:

- Pacemaker
- Pacemaker
- An SAP NetWeaver Enqueue Replication Server (ERS)
- GlusterFS
- An NFS cluster

Microsoft

Answer:

Answer Area

Provision the sapmnt share by using:

- Azure NetApp Files
- A Storage Spaces Direct scale-out file server (SOFS)
- Azure NetApp Files
- Azure Premium Files

Implement high availability for the Azure virtual machines that host the ASCS/SCS tier by using:

- Pacemaker
- Pacemaker
- An SAP NetWeaver Enqueue Replication Server (ERS)
- GlusterFS
- An NFS cluster

Microsoft

Explanation:

Answer Area

Provision the sapmnt share by using:

- Azure NetApp Files

Implement high availability for the Azure virtual machines that host the ASCS/SCS tier by using:

- Pacemaker

Microsoft

NEW QUESTION: 124

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The Azure Enhanced Monitoring Extension for SAP stores performance data in an Azure Storage account.	☐	☐
You can enable the Azure Enhanced Monitoring Extension for SAP on a SUSE Linux Enterprise Server 12 (SLES 12) server by running the Set-AzVMAEMExtension cmdlet.	☐	☐
You can enable the Azure Enhanced Monitoring Extension for SAP on a server that runs Windows Server 2016 by running the Set-AzVMAEMExtension cmdlet.	☐	☐

Answer:

Statements	Yes	No
The Azure Enhanced Monitoring Extension for SAP stores performance data in an Azure Storage account.	☒	☐
You can enable the Azure Enhanced Monitoring Extension for SAP on a SUSE Linux Enterprise Server 12 (SLES 12) server by running the Set-AzVMAEMExtension cmdlet.	☒	☐
You can enable the Azure Enhanced Monitoring Extension for SAP on a server that runs Windows Server 2016 by running the Set-AzVMAEMExtension cmdlet.	☒	☐

Explanation:

Statements	Yes	No
The Azure Enhanced Monitoring Extension for SAP stores performance data in an Azure Storage account.	☐	☐
You can enable the Azure Enhanced Monitoring Extension for SAP on a SUSE Linux Enterprise Server 12 (SLES 12) server by running the Set-AzVMAEMExtension cmdlet.	☐	☐
You can enable the Azure Enhanced Monitoring Extension for SAP on a server that runs Windows Server 2016 by running the Set-AzVMAEMExtension cmdlet.	☐	☐

Box 1: Yes

The SAP Azure Enhanced Monitoring Extension builds on top of the Azure Diagnostic extension, which stores its data in an Azure Storage account that you specify.

Box 2: Yes

The Set-AzVMAEMExtension cmdlet updates the configuration of a virtual machine to enable or update the support for monitoring for SAP systems that are installed on the virtual machine. The cmdlet installs the Azure Enhanced Monitoring (AEM) extension that collects the performance data and makes it discoverable for the SAP system.

The -OSType specifies the OS. Either Windows or Linux.

Box 3: Yes

References:

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/diagnostics-extension-overview>

<https://docs.microsoft.com/en-us/powershell/module/az.compute/set-azvmaemextension>

NEW QUESTION: 125

Your on-premises network contains an Active Directory Domain Services (AD DS) domain that syncs with a Microsoft Entra tenant by using Microsoft Entra Connect.

You plan to deploy an on-premises instance of SAP NetWeaver that will integrate with SAP Cloud Identity Services.

You need to configure an authentication solution for the deployment. The solution must meet the following requirements:

- * Ensure that users can authenticate to NetWeaver and SAP Cloud Identity Services by using their AD DS domain credentials.
- * Enforce multi-factor authentication (MFA).
- * Minimize administrative efforts.

What should you include in the solution? To answer, drag the appropriate components to the correct platforms. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Components

- Microsoft Entra Application Proxy
- An Enterprise Application (EA) in Microsoft Entra ID
- Kerberos
- LDAP

Answer Area

For SAP Cloud Identity Services:

For NetWeaver:

Answer:

Components

- Microsoft Entra Application Proxy
- An Enterprise Application (EA) in Microsoft Entra ID
- Kerberos
- LDAP

Answer Area

For SAP Cloud Identity Services:

For NetWeaver:

An Enterprise Application (EA) in Microsoft Entra ID

Microsoft Entra Application Proxy

Explanation:

Components

- Microsoft Entra Application Proxy
- An Enterprise Application (EA) in Microsoft Entra ID
- Kerberos
- LDAP

Answer Area

For SAP Cloud Identity Services:

For NetWeaver:

An Enterprise Application (EA) in Microsoft Entra ID

Microsoft Entra Application Proxy

NEW QUESTION: 126

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You deploy SAP HANA on Azure (Large Instances).

You need to back up the SAP HANA database to Azure.

Solution: You create a Recovery Services vault and a backup policy.

Does this meet the goal?

A. Yes

B. No

Answer: ([SHOW ANSWER](#))

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/hana-backup-restore>

NEW QUESTION: 127

You are evaluating which migration method Litware can implement based on the current environment and the business goals.

Which migration method will cause the least amount of downtime?

A. Use the Database migration Option (DMO) to migrate to SAP HANA and Azure During the same maintenance window.

B. Use Near-Zero Downtime (NZDT) to migrate to SAP HANA and Azure during the same maintenance window.

C. Migrate SAP to Azure, and then migrate SAP ECC to SAP Business Suite on HANA.

D. Migrate SAP ECC to SAP Business Suite on HANA an the migrate SAP to Azure.

Answer: ([SHOW ANSWER](#))

The SAP Database Migration Option (DMO) with System Move option of SUM, used as part of the migration allows customer the options to perform the migration in a single step, from source system on-premises, or to the target system residing in Microsoft Azure, minimizing overall downtime.

References:

<https://blogs.sap.com/2017/10/05/your-sap-on-azure-part-2-dmo-with-system-move/>

Topic 1, Litware, inc Case Study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all question include on this exam in the time provided.

To answer the question included in a case study, you will need to reference information that is provided in the case study. Case studies might contain and other resources that provide information about the scenario that is describe in the case study. Each question is independent of the other question in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answer and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To Start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such the content requirements, existing environment, and problem statements, if the case study has an All Information tab, note that the information displayed its identical to the information displayed on the subsequence tabs. When you are ready to answer a question click the Question button to return to the question.

Overview

Litware, inc. is an international manufacturing company that has 3,000 employees.

Litware has two main offices. The offices are located in Miami, FL, and Madrid Spain.

Existing Environment

Infrastructure

Litware currently uses a third-party provider to host a datacenter in Miami and a disaster recovery datacenter in Chicago, it. The network contains an Active Directory domain named litware.com. Litware has two third-party applications hosted in Azure. Litware already implemented a site-to-site VPN connection between the on-premises network and Azure.

SAP Environment

Litware currently runs the following SAP products:

- * Enhancement Pack 6 for SAP ERP Central Component 6.0 (SAP ECC 6.0)
- * SAP Extended Warehouse Management (SAP EWM)
- * SAP Business Warehouse (SAP BW)
- * SAP NetWeaver Process Integration (PI)
- * SAP Solution Manager

All users run on the Windows Server platform. All databases use Microsoft SQL Server. Currently, you have 20 production servers.

You have 30 non-production servers including five testing servers, five development servers, five quality assurance (QA) servers, and 15 pre-production servers.

Currently, all SAP applications are in the litware.com domain.

Problem Statements

The current version of SAP ECC has a transaction that, when run in batches overnight, takes eight hours to complete. You confirm that upgrading to SAP Business Suite on HANA will improve performance because of code changes and the SAP HANA database platform.

Litware is dissatisfied with the performance of its current hosted infrastructure vendor. Litware experienced several hardware failures and the vendor struggled to adequately support its 24/7 business operation.

Business Goals

Litware identifies the following business goals:

- * Increase the performance of SAP ECC application by moving to SAP HANA. All other databases will remain on SQL Server.
- * Move away from the current infrastructure vendor to increase the stability and availability of the SAP services.
- * Use the new Environment, Health and Safety (EH & S) in Recipe Management function.
- * Ensure that any migration activities can be completed within a 48-hour period during a weekend.

Planned Changes

Litware identifies the following planned changes:

- * Migrate SAP to Azure.
- * Upgrade and migrate SAP ECC to SAP Business Suite on HANA Enhancement Pack 8.

Technical requirements

Litware identifies the following technical requirements:

- * Implement automated backups.
- * Support load testing during the migration.
- * Identify opportunities to reduce costs during the migration.
- * Continue to use the litware.com domain for all SAP landscapes.
- * Ensure that all SAP applications and databases are highly available.
- * Remove all SAP components from the on-premises network once the migration is complete.
- * Minimize the purchase of additional SAP licenses. SAP HANA licenses were already purchased.
- * Ensure that SAP can provide technical support for all the SAP landscapes deployed to Azure.

You plan to deploy a highly available SAP NetWeaver system to Azure virtual machines on SUSE Linux Enterprise Server (SLES) for SAP Applications. You need to configure a load balancer that will be deployed in front of the ABAP Central Services (ASCS) tier. The solution must minimize the number of required load balancing rules. What should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



Load balancer type: Azure Standard Load Balancer

Load balancer configuration: Set Session persistence to Client IP and protocol

Answer:



Answer Area

Load balancer type: Azure Standard Load Balancer

Load balancer configuration: Set Session persistence to Client IP and protocol

Explanation:



Answer Area

Load balancer type: Azure Standard Load Balancer

Load balancer configuration: Set Session persistence to Client IP and protocol

NEW QUESTION: 129

You are planning high availability for an SAP environment on Azure. The SAP environment will use datacenters in two different zones. Testing shows that the latency between the two zones supports synchronous DBMS replication. You need to design a solution to ensure that SAP services are available if an Azure datacenter within a zone fails. The solution must meet the following requirements:

- * Provide automatic failover
- * Minimize costs

Which high availability configuration meets the requirements?

- A. Azure Availability Sets with active/passive clustering
- B. Azure Availability Zones with an active/passive deployment
- C. Azure Site Recovery
- D. Azure Availability Sets with active/active clustering

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 130

You have an Azure Active Directory (Azure AD) tenant and an SAP Cloud Platform tenant.
You need to ensure that users sign in automatically by using their Azure AD accounts when they connect to SAP Cloud Platform.
Which four actions should you perform in sequence? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Actions

From the SAP Cloud Platform Identity administration console, configure a corporate identity provider to use the Federation Metadata XML file.

From the Azure Active Directory admin center, add the SAP Cloud Platform Identity Authentication enterprise app.

From the Azure Active Directory admin center, configure the SAP Cloud Platform Identity app to use the Federation Metadata XML file.

From the Azure Active Directory admin center, download the Federation Metadata XML file.

Configure the SAML settings for the Identifier and Reply URL.

Answer Area

>

<

Answer:

Actions

From the SAP Cloud Platform Identity administration console, configure a corporate identity provider to use the Federation Metadata XML file.

From the Azure Active Directory admin center, add the SAP Cloud Authentication enterprise app.

From the Azure Active Directory admin center, configure the SAP Identity app to use the Federation Metadata XML file.

From the Azure Active Directory admin center, download the Federation Metadata XML file.

Configure the SAML settings for the Identifier and Reply URL.

Answer Area

1

Configure the SAML settings for the Identifier and Reply URL.

From the Azure Active Directory admin center, add the SAP Cloud Authentication enterprise app.

From the SAP Cloud Platform Identity administration console, configure a corporate identity provider to use the Federation Metadata XML file.

From the Azure Active Directory admin center, download the Federation Metadata XML file.

NEW QUESTION: 131

You have an on-premises SAP NetWeaver-based ABAP deployment hosted on servers that run Windows Server or Linux.
You plan to migrate the deployment to Azure.
What will invalidate the existing NetWeaver ABAP licenses for each operating system once the servers are migrated to Azure? To answer, drag the appropriate actions to the correct operating systems.
Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content NOTE: Each correct selection is worth one point.

Actions

- Changing the hostname assigned to the operating system
- Deallocating the Azure virtual machine
- Deleting the Azure virtual machine and recreating a new virtual machine that uses the same disks
- Using the Redeploy option from the Azure portal of the Azure virtual machine
- Replacing the primary NIC

Answer Area

Windows Server

Linux:

Answer:

Actions

- Changing the hostname assigned to the operating system
- Deallocating the Azure virtual machine
- Deleting the Azure virtual machine and recreating a new virtual machine that uses the same disks
- Using the Redeploy option from the Azure portal of the Azure virtual machine
- Replacing the primary NIC

Answer Area

Windows Server

Deleting the Azure virtual machine and recreating a new virtual machine that uses the same disks

Changing the hostname assigned to the operating system

Linux:

Replacing the primary NIC

Explanation:

Actions

- Changing the hostname assigned to the operating system
- Deallocating the Azure virtual machine
- Deleting the Azure virtual machine and recreating a new virtual machine that uses the same disks
- Using the Redeploy option from the Azure portal of the Azure virtual machine
- Replacing the primary NIC

Answer Area

Windows Server: Deleting the Azure virtual machine and recreating a new virtual machine that uses the same disks

Changing the hostname assigned to the operating system

Linux: Replacing the primary NIC



NEW QUESTION: 132

You have an SAP environment that contains the following components:

- * Enhancement Package 6 for SAP ERP Central Component 6.0 (SAP ECC 6.0)
- * Servers that runs SUSE Linux Enterprise Server 12 (SLES 12)
- * Databases on IBM DB2 10.5
- * SAP Solution Manager 7.1

You plan to migrate the SAP environment to Azure.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The version of SAP Solution Manager supports deployment to Azure.	☐	☐
The version of SAP ECC supports deployment to Azure.	☐	☐
The DB2 databases must be migrated to a different database platform before migrating to Azure.	☐	☐

Answer:

Statements	Yes	No
The version of SAP Solution Manager supports deployment to Azure.	☒	☐
The version of SAP ECC supports deployment to Azure.	☐	☒
The DB2 databases must be migrated to a different database platform before migrating to Azure.	☐	☒

Explanation:

Statements	Yes	No
The version of SAP Solution Manager supports deployment to Azure.	☐	☐
The version of SAP ECC supports deployment to Azure.	☐	☐
The DB2 databases must be migrated to a different database platform before migrating to Azure.	☐	☐

Box 1: Yes

Box 2: NO

Box 3: No

With Microsoft Azure, you can migrate your existing SAP application running on IBM Db2 for Linux, UNIX, and Windows (LUW) to Azure virtual machines. With SAP on IBM Db2 for LUW, administrators and developers can still use the same development and administration tools, which are available on-premises.

Reference:

<https://docs.microsoft.com/en-us/azure/data-factory/connector-sap-table>

https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/dbms_guide_ibm

NEW QUESTION: 133

You plan to deploy an SAP environment on Azure.

During a bandwidth assessment, you identify that connectivity between Azure and an on-premises datacenter requires up to 5 Gbps.

You need to identify which connectivity method you must implement to meet the bandwidth requirement. The solution must minimize costs.

Which connectivity method should you identify?

- A. an ExpressRoute connection
- B. an Azure site-to-site VPN that is route-based
- C. an Azure site-to-site VPN that is policy-based
- D. Global VNet peering

Answer: ([SHOW ANSWER](#))

Azure site-to-site VPN is cheaper.

References:

<https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/hybrid-networking/vpn>

NEW QUESTION: 134

You deploy an SAP environment on Azure.

You need to ensure that incoming requests are distributed evenly across the application servers.

What should you use?

- A.** SAP Web Dispatcher
- B.** SAP Solution Manager
- C.** SAP Control
- D.** Azure Monitor

Answer: ([SHOW ANSWER](#))

The SAP Web Dispatcher (SWD) component is used as a load balancer for SAP traffic among the SAP application servers.

Reference:

<https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/sap/sap-netweaver>

NEW QUESTION: 135

You are planning a deployment of SAP on Azure that will use SAP HANA.

You need to ensure that the SAP application servers are in the same datacenter as the HANA nodes.

What should you use?

- A.** a proximity placement group
- B.** an application group
- C.** a resource group
- D.** a virtual machine scale set

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 136

You have an Azure subscription.

You plan to deploy an SAP landscape by using Azure Center for SAP solutions.

You need to use custom virtual machine images for the deployment.

To what should you set Security type for the virtual machines, and where should you store the custom images? To answer, select the appropriate options in the answer area, NOTE: Each correct selection is worth one point.

Answer Area

Microsoft

Security type: Trusted launch virtual machine
Confidential virtual machine
Standard
Trusted launch virtual machine

Store in: Azure Compute Gallery
Azure Blob Storage
Azure Compute Gallery
Azure Marketplace

Answer:

Answer Area

Microsoft

Security type: Trusted launch virtual machine
Confidential virtual machine
Standard
Trusted launch virtual machine

Store in: Azure Compute Gallery
Azure Blob Storage
Azure Compute Gallery
Azure Marketplace

Explanation:

Answer Area

Microsoft

Security type: Trusted launch virtual machine

Store in: Azure Compute Gallery

Valid AZ-120 Dumps shared by EduDump.com for Helping Passing AZ-120 Exam! EduDump.com now offer the **newest AZ-120 exam dumps**, the EduDump.com AZ-120 exam **questions have been updated** and **answers have been corrected** get the **newest** EduDump.com AZ-120 dumps with Test Engine here: <https://www.edudump.com/exams/Microsoft/AZ-120/premium/> (441 Q&As Dumps, **35%OFF** Special Discount Code: **freecram**)

NEW QUESTION: 137

You migrate SAP ERP Central Component (SAP ECC) production and non-production landscapes to Azure.

You are licensed for SAP Landscape Management (LaMa).

You need to refresh from the production landscape to the non-production landscape.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

From the Azure portal, create a service principal

From the Cloud Managers tab in LaMa, add an adapter

From SAP Solution Manager, deploy the LaMa adapter

Add permissions to the service principal

Install and configure LaMa on an SAP NetWeaver instance

Answer Area



Answer:

Actions

From the Azure portal, create a service principal

From the Cloud Managers tab in LaMa, add an adapter

From SAP Solution Manager, deploy the LaMa adapter

Add permissions to the service principal

Install and configure LaMa on an SAP NetWeaver instance

Answer Area

From the Azure portal, create a service principal

Add permissions to the service principal



From the Cloud Managers tab in LaMa, add an adapter



Install and configure LaMa on an SAP NetWeaver instance

Explanation:

From the Azure portal, create a service principal

Add permissions to the service principal

From the Cloud Managers tab in LaMa, add an adapter

Install and configure LaMa on an SAP NetWeaver instance

Step 1: From the Azure portal, create a service principal

The Azure connector can use a Service Principal to authorize against Microsoft Azure. Follow these steps to create a Service Principal for SAP Landscape Management (LaMa).

Step 2: Add permissions to the service principal

The Service Principal does not have permissions to access your Azure resources by default. You need to give the Service Principal permissions to access them.

Step 3: From the Cloud Managers tab in LaMa, add an adapter

Create a new connector in SAP LaMa

Open the SAP LaMa website and navigate to Infrastructure. Go to tab Cloud Managers and click on Add.

Select the Microsoft Azure Cloud Adapter

Step 4: Install and configure LaMa on an SAP NetWeaver instance

Provision a new adaptive SAP system

You can manually deploy a new virtual machine or use one of the Azure templates in the quickstart repository. It contains templates for SAP NetWeaver ASCS, SAP NetWeaver application servers, and the database. You can also use these templates to provision new hosts as part of a system copy/clone etc.

Note: To support customers on their journey into a cloud model (hybrid or entirely public cloud), SAP and Microsoft partnered to create an adapter that integrates the SAP management capabilities of LaMa with the IaaS advantages of Microsoft Azure.

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/lama-installation>

<https://docs.microsoft.com/en-us/learn/modules/maintain-azure-sap-workloads/2-set-up-remote-management>

NEW QUESTION: 138

You have three on-premises datacenters in North America, Europe, and Asia.

You plan to deploy an Azure subscription named Sub1 that will contain virtual machines hosted across three Azure regions.

You have an SAP RISE managed workload that will be integrated with Sub1. You need to recommend a networking solution that meets the following requirements:

- * Ensures connectivity from the datacenters to Sub1 by using ExpressRoute circuits
- * Restricts traffic between the managed workload, the virtual machines, and the datacenters
- * Provides Point-to-Site (P2S) VPN connections for clients
- * Minimizes administrative effort

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

For connectivity:

- Azure Route Server
- Azure virtual WAN
- A virtual network gateway

For security:

- Azure Network Function Manager
- A network security group (NSG)
- A secure virtual hub

Microsoft

Answer:

For connectivity:

- Azure Route Server
- Azure virtual WAN
- A virtual network gateway

For security:

- Azure Network Function Manager
- A network security group (NSG)
- A secure virtual hub

Microsoft

Explanation:

Answer Area

For connectivity: Azure Virtual WAN

For security: A secured virtual hub

Microsoft

NEW QUESTION: 139

You have an Azure subscription.

You are planning the deployment of an SAP production landscape in Azure. The deployment must meet the following requirements:

- * Use Microsoft SQL Server 2022 Enterprise Edition.
- * Support Always On availability groups.
- * Provide 50,000 IOPS.
- * Minimize complexity
- * Minimize costs.

You need to recommend a storage and networking solution for the deployment.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

 Microsoft

For storage:

- Premium blob storage
- Premium SSD v2
- Ultra Disk

For networking:

- Azure Application Gateway
- Azure VPN Gateway
- Distributed network name (DNN)
- Virtual network name (VNN)

Answer:

Answer Area

For storage:

- Premium blob storage
- Premium SSD v2
- Ultra Disk

For networking:

- Azure Application Gateway
- Azure VPN Gateway
- Distributed network name (DNN)
- Virtual network name (VNN)

 Microsoft

Explanation:

 Microsoft

Answer Area

For storage: Premium SSD v2

For networking: Distributed network name (DNN)

NEW QUESTION: 140

You have an on-premises SAP landscape and a hybrid Microsoft Entra tenant. You plan to enable Microsoft Entra authentication for SAP NetWeaver. What should you configure first in Microsoft Entra ID?

- A. a Microsoft Entra Application Proxy
- B. a service principal
- C. a conditional access policy

D. a user flow

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 141

You are planning an SAP NetWeaver deployment on Azure. The database tier will consist of two Azure virtual machines that have Microsoft SQL Server 2017 installed. Each virtual machine will be deployed to a separate availability zone.

You need to perform the following:

- * Minimize network latency between the virtual machines.
- * Measure network latency between the virtual machines.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

To minimize latency:

- ☐ Enable Accelerated Networking.
- ☐ Add a network adapter to each virtual machine.
- ☐ Disable receive side scaling (RSS).
- ☒ Enable Accelerated Networking.

To measure latency, use:

- ☐ Niping
- ☒ Next hop in Azure Network Watcher
- ☐ Niping
- ☐ Ping
- ☐ The Azure reachability report in Azure Network Watcher

Answer:

Answer Area


To minimize latency:

- ☐ Enable Accelerated Networking.
- ☐ Add a network adapter to each virtual machine.
- ☐ Disable receive side scaling (RSS).
- ☒ Enable Accelerated Networking.

To measure latency, use:

- ☐ Niping
- ☒ Next hop in Azure Network Watcher
- ☐ Niping
- ☐ Ping
- ☐ The Azure reachability report in Azure Network Watcher

Explanation:



NEW QUESTION: 142

You have an Azure subscription that contains a virtual network named VNET1, an SAP production landscape on Azure, and an SAP non-production landscape on Azure. Both landscapes connect to VNET1. Each landscape contains virtual machines that run the following:

- * SAP HANA
- * SAP NetWeaver
- * Microsoft SQL Server

You need to monitor the landscapes. The solution must minimize costs.

What is the minimum number of required Azure Monitor for SAP Solutions instances?

- A. 3
- B. 1
- C. 2
- D. 6

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 143

You are planning the Azure network infrastructure for an SAP environment.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
You can segregate the SAP application layer and the DBMS layer into different virtual networks that are peered by using Global Vnet peering.	☐	☐
You can segregate the SAP application layer and the DBMS layer into different subnets in the same virtual network.	☐	☐
If you segregate the SAP application layer and the DBMS layer into different peered virtual networks, you will incur costs for the data transferred between the virtual networks.	☐	☐

Answer:

Statements	Yes	No
You can segregate the SAP application layer and the DBMS layer into different virtual networks that are peered by using Global Vnet peering.	☐	☒
You can segregate the SAP application layer and the DBMS layer into different subnets in the same virtual network.	☒	☐
If you segregate the SAP application layer and the DBMS layer into different peered virtual networks, you will incur costs for the data transferred between the virtual networks.	☒	☐

Explanation:

Box 1: NO

Box 2: Yes

Box 3: Yes

Be aware that network traffic between two peered Azure virtual networks is subject to transfer costs. Huge data volume that consists of many terabytes is exchanged between the SAP application layer and the DBMS layer. You can accumulate substantial costs if the SAP application layer and DBMS layer are segregated between two peered Azure virtual networks.

References:

https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/dbms_guide_general

NEW QUESTION: 144

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The Azure Extension for SAP stores performance data in an Azure Storage account.	☐	☐
You can enable the Azure Extension for SAP on a SUSE Linux Enterprise Server 12 (SLES 12) server by running the Set-AzVMExtension cmdlet.	☐	☐
You can enable the Azure Extension for SAP on a server that runs Windows Server 2016 by running the Set-AzVMExtension cmdlet.	☐	☐

Answer:

133WET ALER



Microsoft

Statements

Yes

No

The Azure Extension for SAP stores performance data in an Azure Storage account.

☒
☐

You can enable the Azure Extension for SAP on a SUSE Linux Enterprise Server 12 (SLES 12) server by running the Set-AzVMExtension cmdlet.

☒
☐

You can enable the Azure Extension for SAP on a server that runs Windows Server 2016 by running the Set-AzVMExtension cmdlet.

☒
☐

Explanation:

Answer Area

Statements	Yes	No
The Azure Extension for SAP stores performance data in an Azure Storage account.	☒	☐
You can enable the Azure Extension for SAP on a SUSE Linux Enterprise Server 12 (SLES 12) server by running the Set-AzVMExtension cmdlet.	☒	☐
You can enable the Azure Extension for SAP on a server that runs Windows Server 2016 by running the Set-AzVMExtension cmdlet.	☒	☐

NEW QUESTION: 145

You are planning an SAP NetWeaver deployment on Azure. The database her will consist of Two Azure virtual machines that have Microsoft SQL Server 2017 installed. Each virtual machine will be deployed to a separate availability zone.

You need to perform the following:

- * Minimize network latency between the virtual machines.
- * Measure network latency between the virtual machines.


What should you do? To answer, select the appropriate options in the answer area.

Answer:

see the explanation for below image:

Explanation:

Answer selected as in image below.



NEW QUESTION: 146

You are planning an SAP on Azure deployment that will contain instances of SQL Server on Azure Virtual Machines.

Each virtual machine will contain a data file disk and a log file disk.

You need to recommend a host caching solution.

Which host caching setting should you recommend for each disk? To answer, drag the appropriate settings to the correct targets. Each setting may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



Answer:



Explanation:



NEW QUESTION: 147

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a complex SAP environment that has both ABAP- and Java-based systems. The current on-premises landscapes are based on SAP NetWeaver 7.0 (Unicode and Non-Unicode) running on Windows Server and Microsoft SQL Server.

You need to migrate the SAP environment to a HANA-certified Azure environment.

Solution: You deploy a new environment to Azure that uses SAP NetWeaver 7.4. You export the databases from the on-premises environment, and then you import the databases into the Azure environment.

Does this meet the goal?

A. Yes

B. No

Answer: ([SHOW ANSWER](#))

Instead use Azure Site Recovery to migrate.

Reference:

<https://docs.microsoft.com/en-us/azure/site-recovery/vmware-azure-architecture>

NEW QUESTION: 148

You are designing an SAP production landscape on Azure.

The landscape must ensure service availability in the event of an Azure datacenter failure What should you include in the design?

A. an availability zone

B. a fusion group

C. an availability set

D. a proximity placement group

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 149

You have an Azure subscription.

You deploy Active Directory domain controllers to Azure virtual machines.

You plan to deploy Azure for SAP workloads.

You plan to segregate the domain controllers from the SAP systems by using different virtual networks.

You need to recommend a solution to connect the virtual networks. The solution must minimize costs.

What should you recommend?

- A. a site-to-site VPN
- B. virtual network peering
- C. user-defined routing
- D. ExpressRoute

Answer: (SHOW ANSWER)

<https://github.com/MicrosoftDocs/azure-docs/issues/32537>

<https://azure.microsoft.com/en-us/blog/vnet-peering-and-vpn-gateways/>

NEW QUESTION: 150

You plan to deploy an SAP workload to an Azure virtual machine that has the following types of storage:

- * An SAPMNT file share hosted in Azure premium files
- * Application files stored on Azure Premium managed disks

During testing, you use the E20ds v4 virtual machine SKU.

You discover that the bandwidth of the connection to the SAPMNT share is too low, and the disk space available for the paging file is insufficient.

You need to increase the available bandwidth and disk space.

The solution must minimize costs.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

For SAPMNT:

- Attach an extra network adapter to the virtual machine.
- Scale up the virtual machine to a SKU in the same family.
- Use a virtual machine SKU that supports Write Accelerator.

For the paging file:

- Increase the size of the managed disks.
- Scale up the virtual machine to a SKU in the same family.
- Use a virtual machine SKU that supports Write Accelerator.

Answer:

For SAPMNT:

- Attach an extra network adapter to the virtual machine.
- Scale up the virtual machine to a SKU in the same family.
- Use a virtual machine SKU that supports Write Accelerator.

For the paging file:

- Increase the size of the managed disks.
- Scale up the virtual machine to a SKU in the same family.
- Use a virtual machine SKU that supports Write Accelerator.

Explanation:

Answer Area

For SAPMNT: Scale up the virtual machine to a SKU in the same family.

For the paging file: Increase the size of the managed disks.



NEW QUESTION: 151

You plan to automate the deployment of a highly available SAP HANA infrastructure and a HANA database to Azure by using the SAP on Azure Deployment Automation Framework.

You need to deploy infrastructure as code (IaC) and configuration as code (CaC).

What should you use for each deployment? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

IaC:

- Azure Resource Manager (ARM) templates
- Bicep templates
- Terraform

CaC:

- Ansible
- CFEngine
- PowerShell



Answer:

Answer Area



IaC:

- Azure Resource Manager (ARM) templates
- Bicep templates
- Terraform

CaC:

- Ansible
- CFEngine
- PowerShell

Explanation:

Answer Area

IaC: Terraform

CaC: Ansible



Valid **AZ-120 Dumps** shared by EduDump.com for Helping Passing AZ-120 Exam! EduDump.com now offer the **newest AZ-120 exam dumps**, the EduDump.com AZ-120 exam **questions have been updated** and **answers have been corrected** get the **newest** EduDump.com AZ-120 dumps with Test Engine here: <https://www.edudump.com/exams/Microsoft/AZ-120/premium/> (**441** Q&As Dumps, **35%OFF** Special Discount Code: **freecram**)

NEW QUESTION: 152

You have an SAP production landscape that uses SAP HANA databases.
You configure a metric alert for the primary HANA server as shown in the following exhibit.

Configure signal logic

Percentage CPU (Platform)
The percentage of allocated compute units that are currently in use by the Virtual Machine(s)

Chart period

Statements	Yes	No
HANA Admins will be alerted by email if the server is at 85 percent for one minute, and then lowers to 40 percent.	☐	☐
HANA Admins will be alerted if the server is at 95 percent for 15 minutes.	☐	☐
Amy@contoso.com will be alerted by email if the server CPU cycles between 80 and 90 percent for 15 minutes.	☐	☐

Answer:

Answer Area

Statements

Yes No

HANA Admins will be alerted by email if the server is at 85 percent for one minute, and then lowers to 40 percent.

HANA Admins will be alerted if the server is at 95 percent for 15 minutes.

Amy@contoso.com will be alerted by email if the server CPU cycles between 80 and 90 percent for 15 minutes.

Explanation:

Statements	Yes	No
HANA Admins will be alerted by email if the server is at 85 percent for one minute, and then lowers to 40 percent	☐	☒
HANA Admins will be alerted if the server is at 95 percent for 15 minutes	☒	☐
Amy@contoso.com will be alerted by email if the server CPU cycles between 80 and 90 percent for 15 minutes	☒	☐

Box 1: No

The period is 15 minutes. Only alerts or emails will be sent.

Box 2: Yes

Box 3: Yes

NEW QUESTION: 153

You are building an SAP environment by using Azure Resource Manager templates. The SAP environment will use Linux virtual machines.

You need to correlate the LUN of the data disks in the template to the volume of the virtual machines.

Which command should you run/

- A. `ls /dev/ disk/azure/root`
- B. `tree /dev/ disk/azure/root`
- C. `ls /dev/ disk/azure/scsil`
- D. `tree /dev/disk/azure/resource`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 154

You have a deployment of SAP NetWeaver on Azure that contains a virtual machine named VM1. You need to configure the Linux OS provider for Azure Monitor for SAP solutions on VM1. What should you do first?

- A. Install the node exporter on VM1.
- B. Enable TLS 1.2 for telemetry data in transit in Azure Monitor for SAP solutions.
- C. Install Performance Co-Pilot (PCP) on VM1.
- D. Enable Insights in Azure Monitor for SAP solutions.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 155

You have an SAP environment that is managed by using VMware vCenter.

You plan to migrate the SAP environment to Azure.

You need to gather information to identify which compute resources are required in Azure.

What should you use to gather the information?

- A. Azure Migrate and SAP EarlyWatch Alert reports
- B. Azure Site Recovery and SAP Quick Sizer

C. SAP Quick Sizer and SAP HANA system replication

D. Azure Site Recovery Deployment Planner and SAP HANA Cockpit

Answer: ([SHOW ANSWER](#))

Azure Migrate is a Microsoft service that helps an enterprise assess how its on-premises workloads will perform, and how much they will cost to host, in the Azure public cloud.

An enterprise can use Azure Migrate to discover information about the VMware VMs running within its own data center, including CPU and memory usage, as well as performance history.

SAP EarlyWatch Alert (EWA) is a monitoring service for SAP customers, to monitor SAP systems in the solution landscape.

References:

<https://searchcloudcomputing.techtarget.com/definition/Azure-Migrate>

Valid AZ-120 Dumps shared by EduDump.com for Helping Passing AZ-120 Exam! EduDump.com now offer the **newest AZ-120 exam dumps**, the EduDump.com AZ-120 exam **questions have been updated** and **answers have been corrected** get the **newest** EduDump.com AZ-120 dumps with Test Engine here: <https://www.edudump.com/exams/Microsoft/AZ-120/premium/> (**441** Q&As Dumps, **35%OFF** Special Discount Code: **freecram**)