

Oracle.1z0-1033-25.v2026-04-25.q59

Exam Code:	1z0-1033-25
Exam Name:	Oracle CPQ 2025 Implementation Professional
Certification Provider:	Oracle
Free Question Number:	59
Version:	v2026-04-25
# of views:	105
# of Questions views:	741
https://www.freecram.net/torrent/Oracle.1z0-1033-25.v2026-04-25.q59.html	

NEW QUESTION: 1

Which is the correct procedure for adding multiple files to File Manager in a single step?

- A.** Click File Manager on the Admin home page, click the Browse button next to "Browse for ZIP File", identify the zip file to upload, and click the Add/Update Files button.
- B.** Click File Manager on the Admin home page, select the folder, where you want to store the new files, click the Browse button next to "Browse for ZIP File:", identify the zip file to upload, and click the Add File button.
- C.** Click File Manager on the Admin home page, select the folder where you want to store the new files, click the Browse button next to "Browse for ZIP File:", identify the zip file to upload, and click the Add /Update Files button.
- D.** Click File Manager on the Admin home page, select the folder, where you want to store the new files, click the Browse button next to "Browse for ZIP File:", and click the Add/Update Files button.
- E.** Click File Manager on the Admin home page, select the folder, where you want to store the new files, click the Browse button next to "Browse for ZIP File:", identify the zip file to upload, and click the Add File button.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

The user would like to run the "SFDC Quote Upsert" on a commerce action. Where would the user define this within CPQ?

- A.** The user will define the relation in the Integration Center under the Integration Platform within the Admin Homepage.
- B.** The user will select the "SFDC Quote Upsert" from the Modify tab in the commerce action.
- C.** The user will select the "SFDC Quote Upsert" from the Integration list in the Integration tab on the commerce action.

D. The user will define the action to run in the SOAP Generator XSL.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

How do you modify a specific user's access (grant access or remove access) to Product Families, Supported Product Families, and Data Table folders?

A. Go to the Product Family definition or the Data Table folder properties for which you want to grant or remove access, click the Access Permissions tab, select or deselect the check boxes related to the users you want to grant access to or remove access from for this Product Family or Data Table folder.

B. Click the Group name on the Group Administration List page that has this user as a member, click the Access Permissions tab, select or deselect the check boxes related to the items you want to grant access to or remove access from for this user.

C. Click the user's name on the User Administration List page to edit the user, click the Access Permission tab, select or deselect the check boxes related to the items you want to grant access to or remove access from for this user.

D. For each Product Family or Data table folder affected, click the Modify tab for that item and then select or deselect the check boxes related to the users you want to grant access to or remove access from for this Product Family or Data Table folder.

E. Use the Navigation Menus item on the Administration home page to grant or remove access to specific Product Families or Data Table folders for the user.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

The following BML code in Config encountered an HTTP 404 error from someurl.com.

```
urldatapost ("http://someurl.com", "a1=v1&a2=v2", "call failed")
```

Which two statements are true? (Choose two.)

A. The call will return "call failed."

B. The call will return "HTTP 404 Not Found."

C. An unhandled exception will be displayed in red text at the top of the configuration screen.

D. The HTTP error will be captured in the CPQ Cloud Error Logs: bm.log.

E. An HTTP error will be displayed in red text with the message "HTTP 404 Not Found" at the top of the configuration screen.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

You want to enable the display of ABO Delta Pricing in the Line Item Grid of the transaction layout. This requires the creation of new Commerce attributes to support this functionality.

What type of attributes should you create to enable Delta Pricing in the Line Item Grid of the transaction layout?

- A. Delta Currency Set
- B. Delta Pricing Set
- C. ABO Delta Pricing Set
- D. Delta Pricing Array Set

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

Where would you navigate to view the attribute mappings for the CX Sales Import Lines Integration?

- A. Admin > Integrations > click the OSC-REST Import Lines integration > edit
- B. Admin > Process Definition > Integrations > click the OSC-REST Import Lines integration > click edit
- C. Integrations > click the OSC-REST Import Lines integration > Process Definition
- D. Admin > Integrations > click the OSC-REST Import Lines integration > click Attribute Mappings

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

A FullAccess User is attempting to update parts through the SOAP API using Web Services 2.0. When attempting to update a specific part, the user gets the following error:

"The security token could not be authenticated or authorized."

What should the user verify?

- A. That the user has API access permissions
- B. That the part number is valid
- C. That the user is a Partner User
- D. That the password used in the header of the SOAP call is correct

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

Which attribute type cannot be displayed on the line item grid?

- A. Currency attributes
- B. Text attributes
- C. Single-select menu attributes
- D. HTML attributes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

In order to obtain additional sets of records when performing a REST call, which of the following sample URLs would a user use to obtain an additional 1000 records?

- A. <https://testsitebigmachines.com/rest/v1/commerceDocumantsExampleTransactions?offset=1000>

B. [https://testsite.bigmachines.com/rest/v1/commerceDocumentsExampleTransactions?
totalResults=1000](https://testsite.bigmachines.com/rest/v1/commerceDocumentsExampleTransactions?totalResults=1000)

C. <https://testsite.bigmachines.com/rest/v1/commerceDocumentsExampletransactions?limit=1000>

D. <https://testsite.bigmachines.com/rest/v1/commerceDocumentsExampleTransactions?set=1000>

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

A. Auto Update

B. Formula Administration

C. Commerce library function

D. Util library function

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

Identify two options to which transactions can be forwarded using forwarding rules. (Choose two.)

A. user groups

B. any of the users who are part of the Approval group

C. users

D. any email address registered in the CPQ Cloud system

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

Which two statements are false about BML? (Choose two.)

A. BML is a C++ based markup language.

B. BML does not need to be externally compiled as the application compiles the BML.

C. BML follows the Object-Oriented programming model.

D. BML has characteristics of Compiled and Interpretive programming.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

Transaction revenue by category/type in Oracle CPQ refers to the total revenue generated by the sales of different types of products or services.

Transaction revenue by category can be tracked and analyzed using various reporting and analytics tools.

If you want to track transaction revenue by category/type, how would you implement that capability?

A. Create a Commerce Transaction attribute using the attribute type of Revenue Category.

B. Create a Commerce Transaction Line attribute using the attribute type of Revenue Type.

C. Create a Commerce Transaction attribute using the attribute type of Menu, listing your desired revenue categories/types as menu choices.

D. Create a Commerce Transaction attribute using the attribute type of Revenue Type.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

A new user group has been created in the development environment. What should you do to migrate this new user group to the production environment?

- A. Migrate the new user group to the production environment.
- B. Migrate the new users to the production environment.
- C. Manually create the new user group in the production environment.
- D. Migrate Commerce to the production environment.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

Identify two standard ways to modify the overall integration behavior of CPQ Cloud and Salesforce. (Choose two.)

- A. Use the integration XSLs within the Commerce process to modify integration behavior at the object and field levels.
- B. Use the Site Setup object and CPQ Cloud Commerce Package settings in Salesforce to meet varying customer requirements.
- C. Write a Salesforce API to change integration behavior in CPQ Cloud.
- D. Write a custom BML Util library function in CPQ Cloud.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

What does the function getConfigattrvalue () return?

- A. Returns all Text Area Attribute values only
- B. Returns the values of configuration attributes in Commerce
- C. Returns all Menu Attribute values only
- D. Returns the values of configuration attributes in Config

Answer: ([SHOW ANSWER](#))

The best practice for retrieving the value of a configurable attribute in Commerce is to use the getConfigattrvalue()

Valid 1z0-1033-25 Dumps shared by ExamDiscuss.com for Helping Passing 1z0-1033-25 Exam! ExamDiscuss.com now offer the **newest 1z0-1033-25 exam dumps**, the ExamDiscuss.com 1z0-1033-25 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 1z0-1033-25 dumps with Test Engine here: <https://www.examdiscuss.com/Oracle/exam/1z0-1033-25/premium/> (125 Q&As Dumps, **35%OFF** Special Discount Code: **freecram**)

NEW QUESTION: 17

Identify the three data types available for part custom fields. (Choose three.)

- A. "Multi Select Menu"
- B. "Currency"
- C. "Boolean"
- D. "Date" can include time
- E. "Float" can be changed to "Integer"
- F. "String" can be changed to "Single Select Menu"

Answer: B,E,F ([LEAVE A REPLY](#))

NEW QUESTION: 18

A customer sets up BOM Mapping for a Configuration model using a single simple Table-Based BOM Mapping Configuration rule, as well as the BOM Item Definition and BOM Item Mapping Tables. When reviewing their implementation, they notice the following:

* The BOM Root Items Administration List shows the root BOM item and its child BOM items correctly.

No errors are displayed.

* The BOM Item Mapping Administration List shows no root BOM item or child BOM items. No errors are displayed.

Which field have they incorrectly populated in their BOM Mapping Tables?

- A. Parent BOM Map Variable Name in the BOM Item Mapping Table
- B. BOM Item Variable Name in the BOM Item Mapping Table
- C. Configurable Attribute Variable Name in the BOM Item Mapping Table
- D. Root Variable Name in the BOM Item Definition Table

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

Which are three testing strategies for Oracle CPQ Cloud? (Choose three.)

- A. Test cases should be directly linked to business requirements.
- B. Create specific test data for accounts, opportunities, and contracts in the CRM system and use that data to perform end-to-end tests for CPQ Cloud quotes.
- C. Perform isolated tests as well as intra-system and cross-system integration tests.
- D. Avoid using a test case tracking tool because it is time consuming to track all of the testing team's efforts.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

- A. BOM Attribute Definition
- B. BOM Attribute Translation
- C. BOM Attribute Mapping
- D. BOM Item Definition

E. BOM Item Mapping

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

A partner user approves a quote. However, the status in the CRM does not get updated. Which two can be reasons for this?

- A. The partner user does not have access to the attribute "status" in the pending step within CPQ.
- B. The partner user approved the quote through mobile approvals.
- C. Integrations are not associated with the approve action.
- D. The partner user does not have the correct partner info credentials.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

After saving content to the Content library, you check the Content library Tree and find that the new content is missing. What would be your immediate action?

- A. Close and re-open the Content Library Tree.
- B. Deploy Commerce.
- C. Deploy Config and Commerce.
- D. Close, refresh dynamic sources, and re-open the Dynamic Data window.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

Which is allowed in a deployable data table when you create a BMQL query?

- A. SELECT
- B. SELECT, INSERT, and DELETE
- C. SELECT and UPDATE
- D. SELECT, INSERT, and UPDATE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

Which three discount types are available in pricing? (Choose three.)

- A. promotion discount
- B. quantity-dependent discount
- C. percent discount
- D. amount discount
- E. absolute price

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

Which two statements are true about Formulas? (Choose two.)

- A. Formulas cannot be run in sequence to perform multi-step calculations.

- B. Formulas can set both transaction- and line-level attributes.
- C. Only attributes can be used as inputs for Formula Management.
- D. Both attributes and library functions can be used as inputs for Formula Management.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 26

A Commerce Constraint rule has been used to show only applicable currencies in the Currency attribute based on the value selected in the Country attribute.

After selecting the value in the Country attribute, what should be performed to run the specified Constraint rule?

- A. No additional action is needed. Any action will trigger the Constraint rule.
- B. The Save action must be performed.
- C. The Refresh action must be performed.
- D. The Submit action must be performed.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

You want to add a new panel with three columns to your transaction layout in Commerce Layout Editor.

How can you accomplish this?

- A. Drag a new Panel object from the Layout Elements menu onto the transaction layout, then enter the number of columns you wish to have in the new panel into the "# of Columns" field on the New Panel pop-up window and click OK.
- B. Drag a new Panel object from the Layout Elements menu onto the transaction layout, then drag three Commerce attributes from the Attributes menu onto the new panel, placing each attribute next to each other horizontally to create the three columns.
- C. Click Add and select Layout Elements, drag a new Panel object from the Layout Elements pop-up window onto the commerce layout, and drop it where you want the new panel to appear. Enter the number of columns you wish to have in the new panel into the "# of Columns" field on the New Panel pop-up window and click OK.
- D. Drag a new Panel object from the Layout Elements menu onto the transaction layout, then drag three Panel Column objects from the Layout Elements menu onto the new panel, placing each object next to each other horizontally to create the three columns.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

A customer sets up a BOM mapping for a configuration model using a single simple Table-Based BOM Mapping Configuration rule, as well as the BOM Item Definition and BOM Item Mapping Tables. When reviewing their implementation, they notice the following:

* The BOM Root Items Administration List shows the root BOM item and its child BOM items correctly.

No errors are displayed. (Accessed from Admin > Products > BOM > BOM Root Items List)

* The BOM Item Mapping Administration List shows no root BOM item or child BOM items. No errors are displayed. (Accessed from the BOM Mapping rule's "Save and View Details" button)

Which field have they incorrectly populated in their BOM Mapping Tables?

- A. "Parent Variable Name" in the BOM Item Definition Table
- B. "Configurable Attribute Variable Name" in the BOM Item Mapping Table
- C. "Part Number" in the BOM Item Definition Table
- D. "Parent BOM Map Variable Name" in the BOM Item Mapping Table
- E. "BOM Item Variable Name" in the BOM Item Mapping Table
- F. "Root Variable Name" in the BOM Item Definition Table

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

Identify three types of activities that are captured in Administration logs. (Choose three.)

- A. uploading of files in File Manager
- B. deployment of configuration product families
- C. migrations with the site as target
- D. creation of configuration objects
- E. modification of Commerce process objects
- F. creation of data tables

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

- A. Add spacers in the Configuration Layout and define spacer height.
- B. Add HTML attributes and use `
`.
- C. Use CSS.
- D. Add read-only text area attributes in the layout with the required dimensions.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

When using Web Services 1.0, consider the following sequence of a client system calling CPQ Cloud WebServices.

1. Call Security Login WebServices with User ID and Password.
2. Create a Commerce update Transaction WebServices call by using an existing transaction ID.
3. Make the following updates in the web service XML:
 - * Set Session ID.
 - * Set "_shipTo_first_name" to "myName"
4. Submit the WebService call.
5. Call Security Logout WebServices with the Session ID to close the session.

Based on the given sequence, which two statements are true? (Choose two.)

- A. The session will still be open.

- B. The call in step 4 will throw an error.
- C. Step 3 does not specify an action to execute; therefore, nothing is updated in the transaction.
- D. Step 5 is unnecessary. Session ID is not needed to log out.
- E. The Commerce transaction should be updated with the new Ship To name.

Answer: ([SHOW ANSWER](#))

Valid 1z0-1033-25 Dumps shared by ExamDiscuss.com for Helping Passing 1z0-1033-25 Exam! ExamDiscuss.com now offer the **newest 1z0-1033-25 exam dumps**, the ExamDiscuss.com 1z0-1033-25 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 1z0-1033-25 dumps with Test Engine here: <https://www.examdiscuss.com/Oracle/exam/1z0-1033-25/premium/> (**125 Q&As Dumps, 35%OFF Special Discount Code: freecram**)

NEW QUESTION: 32

Identify two supported procedures for moving commerce library functions between environments without overwriting other functions. (Choose two.)

- A. Full commerce migration
- B. Migration packages
- C. Webservices
- D. Bulk download/upload
- E. Granular migration

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 33

What is the minimum number of transactions that must meet the filter criteria to train a Win Probability or Price Optimization machine learning model?

- A. 1000
- B. 40
- C. 35
- D. 200

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

Given the following JSON:

```
jsonString=" {\ "asset-101\" : {\ "lines\" : [ {\ "documentNumber\" : \ "45\", \ "quantity\" : \ "3\", \ "price \" : 9.1 }, {\ "documentNumber\" : \ "40\" , \ "quantity\" : \ "30\" , \ "price\" :62}], \ "finalDate\" :null, \ "finalAction\" : \ "UPDATE\", \ "available\" true} }";
```

Which option gets the reference of a JSON object with a specific Document Number '40'?

- ORACLE®
- A. `jobjLine=jsonpathgetsingle (" $..lines [? (@.documentNmber = = '40')]" , "json", jobjAsset);`
 - B. `jobjLine=jsongetsingle (jobjAsset, "$..lines [? (@dicumentNumber= = '40')]" , "json");`
 - C. `jobjLine=jsonpath.getsingle (jobAsset, "$..lines[? (@.documentNumber= = '40')]" , "json");`
 - D. `jobjLine=jsonpathgetsingle (jobjAsset, "$..lines[? (@.documentNumber= = '40')]" , "json");`

- A. Option A
- B. Option D
- C. Option C
- D. Option B

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 35

Using standard functionality, how do you prevent a user from manually adding or removing rows in an array set?

- A. by using CSS to hide icons
- B. by hiding the control attribute
- C. by selecting the "Disable user override" property on the configurable array set editor page
- D. by hiding the control attribute and marking it as a forced set

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

Which of the following price types are valid in CPQ-CX Sales Integration?

- A. Absolute One Time
- B. BOM Usage
- C. Quantity
- D. Recurring
- E. Tiered

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

Which format will `datetostr (getdate())` return when no format is supplied?

- A. MM/dd/yyyy HH:mm:ss
- B. HH:mm:ss MM/dd/yyyy
- C. HH:mm:ss DD/mm/yyyy
- D. DD/mm/yyyy HH:mm:ss

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 38

Your customer has sales organizations in two countries. The customer wants to make sure that users from one country have access only to quotes from that country.

How do you achieve this?

A. Define different steps (for example, Pending A and Pending B) for each country. The participant profile of each step allows access through user groups (either Group A or Group B depending on the step).

Using transition rules, make sure that quotes for Country A are always moved to steps belonging to that country.

B. Define two groups: Country A and Country B. For each step, define two different participant profiles: Profile A and Profile B. For each profile, select one matching group.

C. Hide Transaction Manager in CPQ and make sure that all access to quotes is performed from the CRM system where you can easily define which quotes should be visible for different users.

D. Define two groups: Country A and Country B. Define a participant profile, Sales, for each step. Define an auto-forwarding rule which returns either "Group A~company~Sales" or "Group B~company~Sales."

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

You want to create a Document Designer template that contains text in multiple columns.

How do you add multiple columns to the template?

A. Set the number of columns to be used in the Section Properties panel.

B. Set the number of columns to be used in the Text Element Properties panel.

C. Click the Column Section icon in the floating Layout Item palette.

D. Drag a Column Text Element to the appropriate section of the template.

E. Select the appropriate options for the number of columns you want in the Text Element Properties panel.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

A. A host company FullAccess user create groups for partner organizations; however, the superuser of a partner organization can only assign users to existing groups.

B. The groups of a partner organization are maintained by FullAccess users belonging to the partner organization.

C. The groups of partner organizations are created by using the Bulk Upload utility or SOAP API calls.

D. Partner organizations have only users, but no user groups.

E. Partner organizations use the same user groups defined for the host company.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

A customer has BOM Mapping configured on their site using a simple Table-Based BOM Mapping rule.

However, they want to modify their BOM Mapping to also map an additional Configuration attribute to a Transaction Line level attribute.

Which two methods can the customer use to achieve this? (Choose two.)

- A. Add a new entry in the BOM Attribute Mapping table for the BOM item.
- B. Add a new entry in the BOM Item Mapping Definition table for the BOM item.
- C. Define an Advanced BML-Based BOM Mapping rule that populates the "fields" node of the BOM item.
- D. Define an Advanced BML-Based BOM Mapping rule that populates the "definition" node of the BOM item.
- E. Define an Advanced BML-Based BOM Mapping rule that populates the "attributes" node of the BOM item.
- F. Add a new entry in the BOM Attribute Definition table for the BOM item.

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 42

Which two items are necessary to migrate between environments? (Choose two.)

- A. Environments must be on the same major release (for example, 2016R2).
- B. Environments must be on the same minor release (for example, 2016R2 update 2).
- C. Administrators must have FullAccess logins for both environments.
- D. Environments must have similar urls (for example, testcustomer and devcustomer).
- E. Entities to be migrated must be deployed within 24 hours of the migration.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

Your users receive a notification for a transaction from CPQ when an approval has been retracted and is no longer needed. The notification contains a generic message about this action. However, users would like to get more details about the transaction.

What is the Oracle-recommended best practice to fulfill this requirement in CPQ?

- A. When a transaction needs to be revised, allow the transaction owner to send a parallel email to approvers, which should include the necessary transaction details.
- B. Trigger an email action to notify users by custom defining the email's subject and body, which contain the transaction details, by using the advanced function available in the Revise action.
- C. Switch the system-generated email-to-email template, which will include the desired transaction information when approvers are notified.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 44

In an existing implementation of CPQ, there is a system configuration with a system that has a root model and several child models that have a complex and hierarchical configuration.

As an administrator, which step should you choose to troubleshoot/debug the system in order to know which models and child items are configured in the entire system before adding the system to a transaction?

- A. Check the Transaction XML to ensure all of the system models and child items have been correctly added.
- B. Check the System Configuration log to ensure that the system has been configured correctly.
- C. Open Pipeline Viewer and verify the hierarchical JSON representation for the entire system data.
- D. Use the Configuration ID value in the BML debugger to run the system configuration and validate the JSON response.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 45

Identify four types of attributes that can be set by formulas. (Choose four.)

- A. Integer Attributes
- B. Date Attributes
- C. Text Attributes
- D. Single Select Menu Attributes
- E. Boolean Attributes
- F. Currency Attributes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

When designing an integration with an ERP system, you must communicate with a third party integration tool (such as a middleware or a hub).

Which three methods can be used to communicate with a middleware in this scenario? (Choose three.)

- A. Commerce Integration XSLs on an Action
- B. DataCube Reporting
- C. Commerce Integration Cloud Service Integration on an Action
- D. Send XML on a Transition Rule via Real Time Integration
- E. urldata function call in a Commerce Advanced Modification BML function
- F. Formula Management
- G. Automated FTP

Answer: C,D,E ([LEAVE A REPLY](#))

Valid 1z0-1033-25 Dumps shared by ExamDiscuss.com for Helping Passing 1z0-1033-25 Exam! ExamDiscuss.com now offer the **newest 1z0-1033-25 exam dumps**, the ExamDiscuss.com 1z0-1033-25 exam **questions have been updated** and **answers have**

been corrected get the **newest** ExamDiscuss.com 1z0-1033-25 dumps with Test Engine here: <https://www.examdisscuss.com/Oracle/exam/1z0-1033-25/premium/> (125 Q&As Dumps, **35%OFF** Special Discount Code: **freecram**)

NEW QUESTION: 47

Which two are allowable methods of defining menu item choices for Single Select Menus attributes or Single Select Pick List attributes in the BOM Item Mapping table?

- A.** Placing all the menu item choices in a single BOM Item Mapping table entry, separating each item with the ^|^ delimiter
- B.** Placing all the menu item choices in a single BOM Item Mapping table entry, separating each item with the *|* delimiter
- C.** Placing the menu choices in a separate CSV file and referencing the CSV file in the BOM Item Mapping table entry
- D.** Creating separate BOM Item Mapping entries for each menu choice

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 48

While designing the integration of a CPQ Cloud transaction with an external Order Management System, you must ensure that the transaction is submitted as an Order on a single-action-click from within CPQ Cloud.

Which two statements are true given this requirement?

- A.** The Order Management System will perform a getTransaction() API call to fetch transaction data in response to a valid request from the CPQ Cloud quote.
- B.** The Order Management System will need to initiate the Submit Order call on the click of a button within its own system.
- C.** The CPQ Cloud transaction will perform an update Transaction() API call to send transaction data in response to a valid request from the Order Management System.
- D.** TransactionID of a transaction is key during the Order submission process.
- E.** The CPQ Cloud transaction will initiate the Submit Order call on the click of a button from the transaction.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

Identify two reasons why some or all transaction in a particular step are hidden for a user in Transaction Manager.

- A.** A hiding rule was defined in commerce rules.
- B.** The user has the RestrictedAccess user type.
- C.** There is no valid participant profile for this user with hidden transactions.
- D.** The step has an auto-forwarding rule, which did not return the user or one of his groups and all participant profiles do not have other permission methods selected.

E. The participant profile that is valid for this user has the Document Views tab, the Document Views panel, and the "Entire Document" = "hide" setting.

F. All participant profiles of this step have group access defined and the "Performer Step" set, and the user did not perform an action on the hidden transactions in other steps.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

A. Recommended Item rules can return only the base price of an item (part) and cannot use dynamic prices based off data tables.

B. If multiple Recommended Item rules recommend the same item (part), the item (part) price is picked from the rule that is last in the order.

C. If multiple Recommended Item rules return the same item (part), the quantity of the item (part) is a total of all quantities returned by each rule.

D. Recommended Item rules can show only the base prices defined in the customer specific module.

Answer: ([SHOW ANSWER](#))

Reference:<http://www.oracle.com/partners/en/most-popular-resources/cpq-partner-faq-2231083.pdf>

NEW QUESTION: 51

Given the following code:

```
xmlPayload = "<?xml version=1.0 encoding=UTF-8?><library><book lang=en>Spring in Action</book><book lang=fr>J2EE Blueprint</book></library>";
xpath = string [1];
xpath [0] = "/library/book/@lang";
output = rpadxmlmultiple (xmlPayload, xpath);

for xpath in xpath {
    print (" (key) = (" + xpath + ") ");
    values = string [1];
    values = get (output, xpath);

    for value in values {
        print (" (value) = (" + value + ") ");
    }
}
return " ";
```

What will be returned?

A. (key) = (/library/book/@lang)(value) = (en)(value) = (fr)

B. (key) = (/library/book/@lang)(value) = (English)(value) = (French)

C. (key) = (/lang/book/library)(value) = (en)(value) = (fr)

D. (key) = (/library/book/@lang)(value) = (Spring in Action)(value) = (J2EE Blueprint)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

Which statement, when placed in the blank space in the code snippet below, will set results = 25.0?

```
var = "25";  
if (isnumber(var)){  
_____  
}else{  
results = 0.01;  
}  
return results;
```

- A. results = atof(var);
- B. results = parsefloat(var);
- C. results = strtod(var);
- D. results = atoi(var);

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 53

When implementing Subscription Ordering according the Subscription Ordering Implementation Guide, you are asked to modify the formula for the Price (List) line level attribute.

What must you do to properly modify the formula?

- A. Add an initial condition that tests for the Action Code to be either DELETE or TERMINATE with a true value of zero.
- B. Add an initial condition that tests for a valid price value in the Price field of the BOM Item Mapping table with a true value of the valid price value.
- C. Add an initial condition that tests for the Action Code to be either DELETE or TERMINATE with a true value of Part Base Price.
- D. Add an initial condition that tests for a valid entry in a specific Subscription Ordering price book with a true value of zero.
- E. Add an initial condition that tests for a valid price value in the Price field of the BOM Item Definition table with a true value of the valid price value.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 54

Given the following code:

```
strArr1 = string [] {"1", "2", "3"};  
strArr2 = _____;  
return strArr2;
```

Which one of the following statements, when placed in the blank space, will give strArr2 a value of "123?"

- A. combine (strArr1, "")
- B. combine (" ", strArr1)

C. join (strArr1, " ")

D. join (strArr1,"")

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 55

There are two single-select attributes in an array set. The first single-select attribute shows a list of countries and the second attribute shows a list of states.

Which is the most efficient way to show relevant states based on chosen country?

A. Use the Hiding rule, which is the only possible option, because arrays do not do not support Constraint rules.

B. Create Hiding rules for each country with Simple Conditions, and then select valid states for the Action attribute. In this case, the number of Hiding rules will be equal to the number of countries.

C. Create a Constraint rule for each country in the drop-down list by using Simple Conditions and select valid states for the Action attribute of the rule. In this case, number of rules will be equal to the number of countries in the list.

D. Load all country and state combinations in a data table and write a Constraint rule to lookup the data table.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 56

What is the best method for restricting users from removing line items that are added to the configuration through a Recommended Item rule?

A. Add an Advanced Validation rule on Delete Main Doc Action.

B. Use CSS to hide the check box on Line Grid.

C. Ensure that all the parts are coming from a "mandatory" Recommended item rule.

D. Write a Constraint rule to throw a runtime error on the Delete Action event.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

Which two scenarios are valid for looping by using XSL Snippets? (Choose two.)

A. You want to display a table of single-select, quote-level Commerce attributes.

B. The data in the line item grid must be displayed as a table.

C. The grid selector cannot handle the conditions that you need to implement.

D. The data needs to be manipulated before being used in loop conditions.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 58

Identify two ways in which you can display a message to a user while using simple table-based lookups for an attribute. (Choose two.)

A. setting the message type as Table Column when selecting an attribute to populate

- B. defining an advanced BML (CPQ Cloud Language) function for that attribute
- C. setting the message type as Static Entry when selecting an attribute to populate
- D. defining a static text message for that attribute

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 59

For a multi-language Document Designer template, which of the following two activities are possible for the nondefault language view? (Choose two.)

- A. Modify date and currency formats.
- B. Add or remove table element's rows and columns.
- C. Add new image element in a section.
- D. Move text elements between elements and layouts.
- E. Change text content.

Answer: ([SHOW ANSWER](#))

Valid 1z0-1033-25 Dumps shared by ExamDiscuss.com for Helping Passing 1z0-1033-25 Exam! ExamDiscuss.com now offer the **newest 1z0-1033-25 exam dumps**, the ExamDiscuss.com 1z0-1033-25 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 1z0-1033-25 dumps with Test Engine here: <https://www.examdiscuss.com/Oracle/exam/1z0-1033-25/premium/> (**125 Q&As Dumps, 35%OFF Special Discount Code: freecram**)