

## Qlik.QSSA2022.v2026-09-07.q75

|                                                                                                                                                       |                                                           |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| Exam Code:                                                                                                                                            | QSSA2022                                                  |
| Exam Name:                                                                                                                                            | Qlik Sense System Administrator Certification Exam - 2022 |
| Certification Provider:                                                                                                                               | Qlik                                                      |
| Free Question Number:                                                                                                                                 | 75                                                        |
| Version:                                                                                                                                              | v2026-09-07                                               |
| # of views:                                                                                                                                           | 107                                                       |
| # of Questions views:                                                                                                                                 | 763                                                       |
| <a href="https://www.freecram.net/torrent/Qlik.QSSA2022.v2026-09-07.q75.html">https://www.freecram.net/torrent/Qlik.QSSA2022.v2026-09-07.q75.html</a> |                                                           |

### NEW QUESTION: 1

A business analyst creates and tests an app on Qlik Sense Desktop. The analyst sends the QVF file to a system administrator and requests the file to be imported into Qlik Sense Enterprise.

The system administrator imports the file, but the data reload fails. The administrator imports and opens the app in the Qlik Sense Desktop, then realizes that Section Access has been implemented.

What is causing this issue with the reload on the server?

- A. The Content Admin role was NOT assigned to the business analyst
- B. The sa\_scheduler entry is missing in the Section Access table
- C. The Qlik Sense service account is missing in the Section Access table
- D. The system administrator did NOT import the data connection and apply Section Access

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 2

so the extension can be used without any special permissions granted. A business analyst can NOT find this extension in the sheet editor.

In Audit, the system administrator confirms that the business analyst has full rights. What is the cause of this issue?

- A. The extension is invalid
- B. Type used is mashup
- C. Type used is visualization
- D. The extension is corrupted

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 3

There is a problem to be resolved on the Qlik Sense server. The infrastructure area has told you that there is no system, network, hardware, or process problem that could be interfering with the operation of Qlik Sense.

You then decide to arrive at how scheduled task runs and token allocations are for users to access. What two tools will you use for this scan?

(Choose two)

- A. Sessions Monitor
- B. Reloads Monitor
- C. Log Monitor
- D. License Monitor
- E. Operations Monitor

**Answer:** ([SHOW ANSWER](#))

#### NEW QUESTION: 4

The Qlik Sense server already has an existing user directory connector (UDC). What is the most efficient approach for the administrator to limit sync?

- A. Create a new LDAP to meet the need
- B. Add users and groups manually
- C. Export the required AD users and groups in an Excel spreadsheet and import into UDC
- D. Apply the necessary filters to the LDAP in the UDC settings

**Answer:** ([SHOW ANSWER](#))

#### NEW QUESTION: 5

A user responsible for the BI area in the company receives a call that an application is not up-to-date. When analyzing the task pane you realize that there is actually a failure.

It enters the properties of this task and finds nothing wrong with the parameters defined there. Then have an idea and opens the application Operations Monitor and find an error message that the reload failed, prompting to make sure the Engine service and its respective logs. Which is strange, because there's no reason for this cause.

What is the most efficient way to find the cause of the problem?

- A. Go to the task pane, click the task that occurred the error, and download the script log
- B. Check c:\ProgramData\Qlik\Sense\Log\Script folder files
- C. Check c:\ProgramData\Qlik\Sense\Log\Engine folder files
- D. The user running the services does not have access permission in the related application from which section access is deployed. It is necessary to verify that the user has been added as admin on it.

**Answer:** ([SHOW ANSWER](#))

#### NEW QUESTION: 6

A company had only one server and later made an additional Qlik server available and configured it as a scheduler node. There is a recharge task that occurs every 30 minutes, every day.

When the task is performed, users suffer from poor performance in browsing applications. Then, when analyzing the settings in QMC, the system administrator identifies that the consumption node runs the services: Engine, Scheduler, Repository, and Proxy. The scheduler node runs: Engine, Scheduler, and Repository. What is the most efficient method for improving performance?

- A. Remove the Scheduler service from the consumption node
- B. Increase the number of tasks on the scheduler node (Scheduler Node)
- C. Set tasks to run only during non-business hours, such as 00:00AM
- D. Change the Scheduler Node to "Slave" (or Secondary) and the consumption node to "Master" (or Primary)

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 7**

A Qlik Sense administrator needs to troubleshoot a task that consistently fails to reload data. Using the Qlik Management Console (QMC), what steps should the administrator take to resolve the issue?

(Choose the correct sequence)

- A) Open QMC and navigate to the "Tasks" section.
- B) Select the failed task and review the task execution logs.
- C) Identify any errors in the task log and correct the data source connection.
- D) Re-run the task after making the necessary corrections.

**A.** B -> D -> C -> A

**B.** A -> B -> C -> D

**C.** C -> A -> D -> B

**D.** D -> B -> C -> A

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 8**

A Qlik Sense site consists of a single server that runs at approximately 50% of capacity. The Qlik Sense service has recently been upgraded in the organization's criticality matrix. The following new requirements must be met:

- The site must be designed for high availability
  - Routine maintenance on a server should NOT impact performance
  - A server can have OS patches installed without affecting performance
  - A component of a server can be replaced/upgraded without affecting performance
- Which two steps should the administrator take to meet these requirements?

(Select two)

- A.** Configure a reverse proxy to distribute user traffic
- B.** Create a second Qlik Sense site with two nodes
- C.** Set up a Windows Cluster to distribute user traffic
- D.** Add a rim node to the existing Qlik Sense site
- E.** Configure a network load balancer to distribute user traffic

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 9**

Which setting should be configured to distribute reload tasks evenly across multiple nodes in a Qlik Sense environment?

- A.** Time-based triggers
- B.** Node resource allocation
- C.** Task chaining
- D.** Load balancing rules

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 10**

The marketing department creates a content library with all company logos and branding images. All business analysts are instructed to use only those images. Business analysts can NOT see these images when they create the apps.

What should the system administrator review first to troubleshoot this issue?

- A. Business analyst's browser proxy configuration
- B. File permissions in Content folder
- C. Security rule for the content library
- D. Custom properties for the virtual proxy

**Answer:** ([SHOW ANSWER](#))

#### NEW QUESTION: 11

A system administrator has a multi-node Qlik Sense environment with two rim nodes:

- Rim node A services enabled: Engine, Scheduler, Repository, Proxy;
- Rim node B services enabled: Engine, Scheduler, Repository

A task is configured to reload an app every 20 minutes and is degrading user performance. Which action should the system administrator take to resolve this issue?

- A. Remove the Scheduler from node A
- B. Change node A type to 'Slave' only
- C. Change node B type to 'Master' only
- D. Increase the number of reloads in node B

**Answer:** ([SHOW ANSWER](#))

#### NEW QUESTION: 12

An administrator must configure a QA environment to test apps before moving them to production.

Once the apps are ready, each user from the Testers directory must be able to publish their apps to a stream named "App Testing". The users have Read and Publish access to the "App Testing" stream.

All users are assigned the AuditAdmin role in the QMC, but do they NOT have access to the App section of the QMC.

Which security rule should the administrator use to enable access for the users?

- A. Resource: QmcSection\_Stream, Conditions: ((user.userDirectory="Testers"))
- B. Resource: App\*, Conditions: ((user.userDirectory="Testers" and resource.owner.userDirectory="Testers"))
- C. Resource: QmcSection\_App, Conditions: ((user.userDirectory="Testers"))
- D. Resource: Stream\*, Conditions: ((user.userDirectory="Testers" and resource.owner.userDirectory="Testers"))

**Answer:** ([SHOW ANSWER](#))

#### NEW QUESTION: 13

During the Qlik Sense installation, which service is responsible for handling communication between the Qlik Sense clients and the Qlik Sense services?

- A. Qlik Sense Repository Service (QRS)
- B. Qlik Sense Scheduler Service (QSS)
- C. Qlik Sense Engine Service (QES)
- D. Qlik Sense Proxy Service (QPS)

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 14**

A Qlik Sense administrator needs to grant access to an app for a specific group of users. Which feature in the QMC should be used to manage access control?

- A. Load Balancing Rules
- B. Stream Management
- C. Security Rules
- D. App Object Permissions

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 15**

A company decides to move servers from on premise to a cloud. A system administrator performs a backup, restore, and brings the server online.

When users open the app on the hub, they get an error message indicating the app could not be found. The system administrator confirms that apps are present in the required location and NO changes have been made.

What could be causing the issue?

- A. Shared persistence path is NOT reachable
- B. The security rules were broken when the servers were migrated
- C. The app has been moved from one stream to another
- D. Synchronized persistence is in place

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 16**

A system administrator must configure three physical servers and a virtual server for a new Qlik Sense Enterprise environment. It takes four separate nodes. Physical servers have 64 GB of RAM. The virtual server has 16 GB of RAM. Which node should be virtualized?

- A. Scheduler
- B. Proxy
- C. Engine
- D. Central

**Answer:** ([SHOW ANSWER](#))

**Valid QSSA2022 Dumps** shared by EduDump.com for Helping Passing QSSA2022 Exam! EduDump.com now offer the **newest QSSA2022 exam dumps**, the EduDump.com QSSA2022 exam **questions have been updated** and **answers have been corrected** get the **newest** EduDump.com QSSA2022 dumps with Test Engine here:

<https://www.edudump.com/exams/Qlik/QSSA2022/premium/> (169 Q&As Dumps, **35%OFF** Special Discount Code: **freecram**)

### NEW QUESTION: 17

You have been tasked with synchronizing users from Active Directory into Qlik Sense. What steps should you take in the Qlik Management Console (QMC) to set up the User Directory Connector (UDC)?


(Choose all that apply)

- A. Set up the synchronization schedule.
- B. Define the LDAP path for the Active Directory.
- C. Open QMC and go to the User Directory Connector section.
- D. Select Add New Connector and choose Active Directory.

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 18

Refer to the exhibit.



A system administrator creates this security rule to keep User1 out of the finance stream: ((user.name!="User1")) After conducting an audit on the finance stream, the system administrator notices that the security rule does NOT function as expected. What is causing this issue?

- A. The syntax of the security rule for User1 is NOT correct
- B. Another security rule is allowing User1 Read and Publish permissions
- C. The resource filter which applies to User1 does NOT include App\_\* to deny access for every app in the stream
- D. UDC synchronization has NOT been performed

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 19

A company works with the Analyzer capacity licensing method. Users claim that they are unable to create applications. What's the cause of the problem?

- A. In this type of licensing it is necessary to perform the release individually for each user
- B. In Analyzer capacity licensing you cannot create new applications

- C. In the QMC, in the Audit tab, check for any rules that are preventing this user
- D. If the user needs to create new applications, then professional capacity should be used for him

**Answer:** ([SHOW ANSWER](#))

#### NEW QUESTION: 20

Poor performance has been reported in a Qlik Sense environment. End users are losing connectivity to the system. When end users are eventually able to log in after many attempts, navigation and app consumption is slow. Long response times each click are also reported.

A system administrator confirms the following:

- The network is stable and has good throughput
- The Qlik Sense server is running virtual on dedicated resources with high-end CPUs
- The number of users in the system has NOT increased
- The data model has NOT changed
- The number and size of apps have increased over time

Which combination of tools should be used to diagnose this issue?

- A. Governance Dashboard, ipconfig, tracert, Wireshark, and the System Monitor app
- B. Wireshark, Disk Usage from Sysinternals, Windows Task Manager, and the Operations Monitor app
- C. Windows Task Manager, Windows Event Viewer, Windows Explorer, and Process Monitor from Sysinternals
- D. Process Explorer from Sysinternals, Windows Task Manager, Windows Event Viewer, and the Operations Monitor app

**Answer:** ([SHOW ANSWER](#))

#### NEW QUESTION: 21

When performing a Qlik Sense installation, which configurations must be considered for network security?

(Select two)

- A. Enable port forwarding for all services.
- B. Disable network load balancing.
- C. Open required ports for Qlik Sense services.
- D. Configure SSL certificates for secure communication.

**Answer:** ([SHOW ANSWER](#))

#### NEW QUESTION: 22

When troubleshooting user access issues in Qlik Sense, which steps should an administrator take to resolve the problem?

(Select two)

- A. Grant all users RootAdmin privileges
- B. Restart the Qlik Sense Scheduler Service
- C. Review the Logs Monitor for any failed access attempts
- D. Check security rules in the QMC

**Answer:** ([SHOW ANSWER](#))

#### NEW QUESTION: 23

A system administrator creates a new content library to give the developers access to images. The system administrator tests the new library in the Qlik Management Console (QMC) by adding an image into a text & image object in an app on the hub. The developers are unable to see the new content library, but can see the default library.

What should the administrator do to make sure the developers have access to the new content library?

- A. Store all required images in the default content library
- B. Have the users upload their own images to the app in the hub
- C. Build a security rule to give access to the new content library
- D. Have the users create their own individual content libraries in the QMC

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 24

Refer to the exhibit.

**ADVANCED**  

```
!resource.App.stream.Empty()  
and resource.App.HasPrivilege("read")  
and (  
  resource.objectType = "userstate"  
  or (  
    resource.objectType = "sheet"  
    or resource.objectType = "story"  
    or resource.objectType = "bookmark"  
    or resource.objectType = "hiddenbookmark"  
    or resource.objectType = "snapshot"  
    or resource.objectType = "embeddedsnapshot"  
    and user.group != "AAACONSUMER"  
  )  
)  
and !user.IsAnonymous()
```

**Conditions**

Con  
text

Only in hub

A system administrator creates the security rule shown. No other custom security rules exist. What effect will the security rule have when applied to a user?

- A. If the user is NOT in AAACONSUMER group, the user can create app objects in published apps
- B. If the user is NOT in AAACONSUMER group, the user can create app objects in non-published apps
- C. If the user is NOT in AAACONSUMER group, the user cannot create sheets
- D. If the user is in AAACONSUMER group, the user can create app objects in published apps

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 25

A system administrator needs to upgrade their environment to the latest version of Qlik Sense Enterprise available. In order for you to have security in this process, you need to perform a backup.

What three items does the system administrator need to make sure to back up before continuing?

(Select Three)

- A. Qlik Sense Applications

- B. Qlik Sense repository database
- C. Qlik Sense folder in ProgramData
- D. Shared persistence file share
- E. Qlik Sense Certificates

**Answer: B,D,E ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 26**

A new Qlik Sense deployment is planned for use by 100 users. The area manager believes that in the next two years, it will grow to 1500, with more than 70 applications. Most current users work from within the company itself. In relation to user growth, a plan is due for sales reps to access externally, outside the network, and the local firewall.

What are the two secure ways to maintain external access to the server?

(Select two)

Deploy Qlik Sense in the corporate network, open all required firewall ports, and allow external users to access apps directly

- A. Enable all external users to connect to the corporate network via a secure VPN to access Qlik Sense apps
- B. Deploy Qlik Sense in the DMZ and open all required ports to internal and external users
- C. Set up a reverse proxy with DMZ and route traffic to the server
- D. Configure Qlik Sense in "off-line mode" for external users and allow them to access apps locally

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 27**

A Qlik Sense environment uses user-based license types. A user, who can typically create new apps in Personal Work, can no longer create new apps. The personal Work area is NOT displayed for this user.

How should the system administrator resolve this issue?

- A. In License Management, verify that Analyzer access rules applies to this user
- B. In Audit, select Audit license rules, and verify there are no rules for this user
- C. In Users, look up the user and verify that this user is assigned the ContentAdmin role
- D. In License Management, verify that Professional access rules applies to this user

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 28**

Which steps are involved in planning the infrastructure for a multi-node Qlik Sense deployment?

(Select two)

- A. Set up load balancing between nodes.
- B. Configure a dedicated firewall for each node.
- C. Assign a separate domain controller for each node.
- D. Use shared persistence for all nodes.

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 29**

Which of the following are the correct steps to create a security rule to control user access to a specific stream in Qlik Sense?

(Select two)

- A. Go to the Load Balancing Rules section in the QMC
- B. Create a new rule in the Security Rules section in the QMC
- C. Define the resource filter to specify the stream
- D. Apply Section Access for the stream

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 30

You are tasked with monitoring the memory usage of your Qlik Sense environment during peak usage periods. What are the correct steps to accomplish this task?

(Choose the correct sequence)

- A) Open the Operations Monitor app.
- B) Navigate to the Memory Usage section.
- C) Filter the data by time range to identify peak usage periods.
- D) Analyze memory consumption during the selected time range.

- A. C -> A -> D -> B
- B. A -> B -> C -> D
- C. B -> D -> C -> A
- D. D -> B -> C -> A

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 31

Which two actions can be taken when a Qlik Sense node is overloaded with reload tasks?

(Select two)

- A. Configure load balancing rules to distribute tasks.
- B. Reduce the task timeout value.
- C. Increase the number of CPU cores allocated to the node.
- D. Increase the allocated RAM for the node.

Answer: ([SHOW ANSWER](#))

**Valid QSSA2022 Dumps** shared by EduDump.com for Helping Passing QSSA2022 Exam! EduDump.com now offer the **newest QSSA2022 exam dumps**, the EduDump.com QSSA2022 exam **questions have been updated** and **answers have been corrected** get the **newest** EduDump.com QSSA2022 dumps with Test Engine here:

<https://www.edudump.com/exams/Qlik/QSSA2022/premium/> (169 Q&As Dumps, **35%OFF** Special Discount Code:

**freecram**)

#### NEW QUESTION: 32

A company has Qlik Sense streams based on departments. Users must NOT be able to access apps from streams of other departments. A user has recently moved from Sales to Marketing. The domain administrator correctly updates the user's group membership in Active Directory.

How should the system administrator confirm that the user can NO longer access the apps in the Sales stream?

- A.** In the QMC, from the Start menu, select Streams Highlight Marketing, click Edit, and then select User Access and view the audit
- B.** In the QMC, from the Start menu, select Users Highlight the user's name, click Edit, and then select User Access and view the audit
- C.** In the QMC, from the Start menu, select Users Highlight the user's name, click Edit, and then select Owned items and view the audit
- D.** In the QMC, from the Start menu, select Streams Highlight Sales, click Edit, and then select User Access and view the audit
- Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 33**

A system administrator needs to set up a solution for mobile device users to access the Qlik Sense hub. The solution must meet several requirements:

- Support iOS devices
- Can be used in remote locations where users do NOT have laptop or desktop computers
- Ability to access Qlik Sense outside the office network without a compatible tunnel solution
- Ability to access Qlik Sense using a secure gateway

What should the system administrator do to meet these requirements?

- A.** Implement an Enterprise Mobile Management solution
- B.** Download the QVF and copy it to the mobile devices
- C.** Copy the SSL certificates to the iOS devices, and then access the hub via a browser
- D.** Set up access to the Qlik Sense hub via VPN

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 34**

Which of the following tasks is necessary to install Qlik Sense Enterprise on a Windows server?

- A.** Install the Qlik Sense services and the Repository Database.
- B.** Set up a custom data connection for each node.
- C.** Configure the firewall to block all external traffic.
- D.** Disable the Windows Defender service.

**Answer:** **A** ([LEAVE A REPLY](#))

**NEW QUESTION: 35**

A developer needs to share JavaScript libraries to be used with several extensions. All extensions need to use the same version of the libraries. Which option should be used?

- A.** Folder Data connection
- B.** Content Library
- C.** AppContent Folder
- D.** File share

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 36**

During the installation of Qlik Sense, what is the purpose of the Repository Database (PostgreSQL)?

- A. It handles data reloads.
- B. It manages user sessions and application data.
- C. It stores configuration data, user data, and metadata.
- D. It stores the Qlik Sense visualizations.

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 37

When synchronizing users from Active Directory, which two criteria should be considered to ensure all required users are synchronized correctly?

(Select two)

- A. User location in the domain
- B. Application ownership
- C. User role in Qlik Sense
- D. Organizational unit (OU) filters

Answer: A,D ([LEAVE A REPLY](#))

#### NEW QUESTION: 38

A system administrator imports an app into Qlik Sense Enterprise. The app was developed with Qlik Sense Desktop. The app reload fails. What is causing this error?

- A. A previous data connection exists with the same name
- B. The data connection owner is NOT the service account
- C. The data connection in the hub has an incorrect name
- D. The INTERNAL\SA\_ENGINE account does NOT have permissions

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 39

A business requires SAML authentication. What should the system administrator set up to meet this requirement?

- A. A proxy for SAML authentication
- B. A SAML repository database connection
- C. A SAML user directory connector
- D. A virtual proxy for SAML authentication

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 40

Which of the following is the default port used by the Qlik Sense Repository Service (QRS)?

- A. 443
- B. 4244
- C. 80
- D. 4432

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 41**

A single-node Qlik Sense environment has all services up and running. Users report apps and sheets are slow to open. A system administrator works remotely and does NOT have access to the shared file system for the environment. The system administrator's computer can make requests to the Qlik Sense Repository Service.

Due to the system performance issues, a system administrator can NOT run any new reloads. The system administrator receives a warning email about high RAM usage on the server.

Which step should the system administrator take to troubleshoot this issue?

- A. Request the "http://<server.domain.com>/engine/performancecheck/" API
- B. Access the server remotely and inspect the logs in %ProgramData%\Qlik\Sense\Log\Engine
- C. Request the "https://<server.domain.com>/qmc/audit" API
- D. Request the "https://<server.domain.com>/engine/healthcheck/" API

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 42**

An organization needs to deploy Qlik Sense Enterprise on Windows to meet several security requirements:

- Users in the 'Developers' group should be able to create apps;
- Users with ContentAdmin and RootAdmin roles should be able to create apps;
- No other users should be able to create apps.

Which two actions should the system administrator take to meet these requirements?

(Select two)

- A. Create a security rule for streams, Action: Update, Condition: ((user.roles="RootAdmin" or user.roles="ContentAdmin" or user.group="Developers"))
- B. Create a security rule for apps: Action: Create, Condition: ((user.roles="RootAdmin" or user.roles="ContentAdmin" or user.group="Developers"))
- C. Disable the CreateApp default security rule
- D. Add the ContentAdmin role to the 'Developers' group

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 43**

A user who can typically create new apps in personal work can no longer create new applications. The user's work stream is no longer displayed. How can this problem be fixed?

- A. In the QMC, in the License Management tab, check if there is a Professional license asweled for this user
- B. In the QMC, in the Audit tab, check for any rules that are preventing this user
- C. In QMC, in the users tab, make sure it has the ContentAdmin rule
- D. In the QMC, in the License Management tab, check if there is a Professional license asweled for this user

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 44**

A system administrator needs to grant an auto login access pass for directory (ABC) users. Which configuration will meet this requirement?

**A.**

**BASIC**

Resource filter: License.UserAccessGroup\_9cbbe417-b590-442c-ba9a-aaa808938a4d

Actions: ☒ Allow access

#License.User.AccessGroup | name | = | value: ABC

**ADVANCED**

Conditions: ((resource.name="ABC"))

**B.**

**BASIC**

Resource filter: License.UserAccessGroup\_9cbbe417-b590-442c-ba9a-aaa808938a4d

Actions: ☒ Allow access

user | name | = | value: ABC

**ADVANCED**

Conditions: ((user.name="ABC"))

**C.**

**BASIC**

Resource filter: License.UserAccessGroup\_9cbbe417-b590-442c-ba9a-aaa808938a4d

Actions: ☒ Allow access

#License.User.AccessGroup | name | like | value: userDirectory

**ADVANCED**

Conditions: ((resource.name like user.userDirectory))

**D.**

**BASIC**

Resource filter: License.UserAccessGroup\_9cbbe417-b590-442c-ba9a-aaa808938a4d

Actions: ☒ Allow access

user | user Directory | like | value: ABC

**ADVANCED**

Conditions: ((user.userDirectory like "ABC"))

A. Option D

B. Option A

C. Option B

D. Option C

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 45

What is the significance of Streams in Qlik Sense Enterprise?

A. Streams are like an Active Directory group

B. Streams allow the user to view any number of reports on a Qlik Sense server

- C. Streams define how users can access a report in Qlik Sense
- D. A stream allows the user to read and/or publish applications, folders, and narratives

**Answer: D** ([LEAVE A REPLY](#))

#### NEW QUESTION: 46

IT conducts an audit at Qlik Sense installation. The environment has been configured within the defaults options and all RIM nodes have all possible services running.

The auditing process consists of making sure that all traffic is encrypted with 256-bit keys and that passwords follow basic security standards with the use of letters, numbers, and minimum number of characters.

What would be missing to deploy to make the Qlik Sense environment within the requirements?

- A. A third-party certificate and VPN
- B. A firewall web application
- C. A third-party trust certificate installed
- D. A reverse proxy

**Answer: (**[SHOW ANSWER](#)**)**

**Valid QSSA2022 Dumps** shared by EduDump.com for Helping Passing QSSA2022 Exam! EduDump.com now offer the **newest QSSA2022 exam dumps**, the EduDump.com QSSA2022 exam **questions have been updated** and **answers have been corrected** get the **newest** EduDump.com QSSA2022 dumps with Test Engine here:  
<https://www.edudump.com/exams/Qlik/QSSA2022/premium/> (169 Q&As Dumps, **35%OFF** Special Discount Code: **freecram**)

#### NEW QUESTION: 47

Which tools can be used to monitor Qlik Sense reload task failures?

(Select two)

- A. Reloads Monitor
- B. License Monitor
- C. Task Manager in Windows
- D. Operations Monitor

**Answer: (**[SHOW ANSWER](#)**)**

#### NEW QUESTION: 48

A system administrator has a multi-node Qlik Sense environment with a consumer node and a scheduler node. Reload task occur every 20 minutes, 24 hours a day, 7 days a week. The reload tasks cause poor performance for the users.

The system administrator reviews the configuration in the Qlik Management Console. The consumer node runs the Engine, Scheduler, Repository, and Proxy services. The scheduler node runs the Engine, Scheduler, and Repository services.

What is the most efficient method to improve performance?

- A. Increase the number of reloads in the scheduler node
- B. Configure the reloads to run only during non-business hours

- C. Change the scheduler node to "Master" only
- D. Remove the Scheduler from the consumer node

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 49

Which two of the following are prerequisites for installing Qlik Sense Enterprise?

(Select two)

- A. Active Directory configured for user authentication
- B. A valid Microsoft 365 subscription
- C. Windows Server operating system
- D. Access to a PostgreSQL database

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 50

A company changes its network policies. The system administrator finds that the exported visualizations are blank. Which Qlik service settings should the system administrator change?

- A. Engine Service
- B. Proxy Service
- C. Printing Service
- D. Service Dispatcher

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 51

A Qlik Sense environment has users from Active Directory. A system administrator creates a task to synchronize the users from Active Directory with Qlik Sense.

The system administrator adds a new user to Active Directory, and manually executes the synchronization task in Qlik Sense. The administrator observes that the new user was NOT added to the Qlik Sense environment.

What should the system administrator do to ensure the new user is added?

- A. Wait 10 minutes for the new user in Active Directory to become visible for Qlik Sense
- B. Ensure the synchronization task has sufficient rights to find new users
- C. Look for an LDAP filter on the UDC for users from Active Directory
- D. In the UDC, check Sync user data for existing users and re-run the synchronization task

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 52

A system administrator needs to configure load balancing rules to ensure that reload tasks for heavy applications are distributed across two nodes, Node A and Node B.

What steps should the administrator take in QMC to set up this load balancing rule?

(Choose the correct sequence)

- A) Open QMC and go to Load Balancing Rules.
- B) Select Add New Rule.

- C) Specify Node A and Node B as target nodes.  
D) Assign resource filter to include all reload tasks.

- A. C -> A -> D -> B  
B. A -> B -> C -> D  
C. B -> C -> A -> D  
D. D -> A -> C -> B

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 53

A security audit revealed problems with the newly installed multi-node environment. The environment was deployed using the default settings for the central and nm nodes. All possible services have been added to the rim node.

The audit was based on the current IT security policy which states:

- All traffic between servers should be encrypted
  - 2 56-bit encryption is required
  - Traffic between client and server should be encrypted and trusted
  - iOS devices must be supported
  - Password length must be at least eight characters and include at least one number and one special character
- What should the system administrator deploy to meet these requirements?

- A. A web app firewall in the environment  
B. A certificate with third-party VPN  
C. A third-party trusted certificate  
D. A reverse proxy in the DMZ

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 54

A user creates a 64-bit ODBC data source to access a Microsoft Access 2016 database on the Qlik Sense server. In the past, the user has successfully created a Microsoft SQL Server data connection. After creating a new app in the Qlik Sense hub, the user selects Add Data, then ODBC. The new User DSN is NOT visible.

What is causing this issue?

- A. The user did NOT select the 64-bit System DSN  
B. The user did NOT create an OLE DB User DSN to the database  
C. The user did NOT enter the username and password for the ODBC connection  
D. The user did NOT select the proper driver when creating the ODBC User DSN

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 55

A system administrator must set up a backup strategy for a Qlik Sense shared persistence environment. This multi-node environment consists of one node and two consumer nodes. Which three steps are required?

(Choose three.)

- A. Back up the certificate of the central node using MMC  
B. Back up the certificates on the consumer nodes using MMC

- C. Back up the repository database on the central node
- D. Back up the log and app data in the file share
- E. Back up the log and app data on the nodes

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 56**

A user reports that the Create new app button does NOT consistently appear when logging into the hub. The system administrator tries to verify the problem and finds the following:

- The user has the correct security rule setup
  - The problem can be reproduced in different machines and different browsers
  - No error message is related to the user activities in the Qlik Sense logs
  - The user can see the Create new app button when directly accessing the central node URL
  - The user can NOT see the Create new app button when directly accessing the rim node URL
- What is the likely cause of this issue?

- A. The node purpose for the rim node is Production
- B. The node purpose for the rim node is Development
- C. The rim node has problems applying the user security rule
- D. The rim node has NOT been configured for load balancing

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 57**

When performing system maintenance on a Qlik Sense environment, which activities should be included to ensure optimal performance?

(Select two)

- A. Disable Windows updates
- B. Back up the Qlik Sense Repository Database (QRS)
- C. Regularly clean up and archive logs
- D. Defragment the hard drive hosting Qlik Sense data

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 58**

A system administrator manages an operational production environment with more than 100 apps.

The system administrator performs several steps while updating an LDAP filter:

- Unchecks "Delete prohibited" on the system admin account;
- Updates the LDAP filter and makes a typing error;
- Syncs the user directory.

Because of the typing error, the next attempt to log back in to the QMC is unsuccessful. What should the system administrator do to get access to the QMC?

- A. Use another virtual proxy that will allow all users to enter the QMC
- B. Use the service account to log in to the QMC and correct the issue
- C. Use the QlikSenseUtil.exe to update the repository database

D. Create a local user on the server to access the QMC

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 59

You are tasked with configuring a high-availability (HA) Qlik Sense deployment with three nodes. Which of the following components must be configured to achieve HA?

(Choose all that apply)

- A. Shared persistence
- B. Multiple central nodes
- C. Distributed Repository Database
- D. Load balancer

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 60

A task is configured with default settings to reload at the end of every day. Reloading usually takes one hour and uses a database connection. The administrator notices that the task is still running in the morning when it should have finished the night before.

What is the cause of the extended reload time?

- A. A slight increase in the amount of data
- B. Automatic update of database connection drivers
- C. Change of database credentials
- D. Database resource constraints

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 61

An administrator must configure a quality environment (QA) to approve applications before they go to production. Once approved, users of the "QAS" directory can publish them to the QA stream.

Users can read and publish within the QA stream. They also have AuditAdmin, but do not have access to the QMC APP tab.

What rule should be included to allow access to the tab by these users?

- A. Resource: App\* Conditions: ((user.userDirectory="QAS" and resource.owner.userDirectory="QAS"))
- B. Resource: QmcSection\_Stream Conditions: ((user.userDirectory="QAS"))
- C. Resource: Stream\* Conditions: ((user.userDirectory="QAS" and resource.owner.userDirectory="QAS"))
- D. Resource: QmcSection\_App Conditions: ((user.userDirectory="QAS"))

Answer: ([SHOW ANSWER](#))

**Valid QSSA2022 Dumps** shared by EduDump.com for Helping Passing QSSA2022 Exam! EduDump.com now offer the **newest QSSA2022 exam dumps**, the EduDump.com QSSA2022 exam **questions have been updated** and **answers have been corrected** get the **newest** EduDump.com QSSA2022 dumps with Test Engine here:

### NEW QUESTION: 62

Referring to the image. What is the result when the administrator starts the task Black\_Friday in the tasks tab?

The screenshot shows the 'Edit cloud task' dialog box. Under the 'IDENTIFICATION' section, the 'Name' and 'App' fields both contain 'Black\_Friday'. Under the 'EXECUTION' section, the 'Enabled' checkbox is checked, 'Task session timeout (minutes)' is set to 1440, and 'Max retries' is set to 0. At the bottom, there is a 'Triggers' table with columns 'Name', 'Type', and 'Enabled'. The table is empty with the message 'No records found'. 'Apply' and 'Cancel' buttons are at the bottom of the dialog.

- A. The task will start, but then fail
- B. A warning will appear for a trigger to be created
- C. Will run successfully
- D. The task will run continuously

**Answer:** ([SHOW ANSWER](#))

### NEW QUESTION: 63

A system administrator must move an app from a development environment to a production environment. The administrator exports the app from development and imports it into production successfully. The app is visible on the hub.

When the system administrator tries to initiate a reload task, it fails with the following error in the script log:

"Error: Connection not found: FolderConnection".

In the Qlik Management Console, the administrator notices that the FolderConnection is NOT shown. How should the system administrator fix this issue?

- A. Rebuild the script with new data connections
- B. Open the app in Qlik Sense Desktop, save the app, then import that app into production
- C. Open the app without data and then reload it
- D. Create the data connections used in the script

**Answer:** ([SHOW ANSWER](#))

### NEW QUESTION: 64

A system administrator notices that several Qlik Sense apps are experiencing performance issues. What is the best tool to use for identifying resource bottlenecks in the system?

- A. License Monitor
- B. Log Monitor
- C. Governance Dashboard
- D. Operations Monitor

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 65

A system administrator should ensure that only members of the Active Directory "Developers" group have access to their personal workflows and are able to build applications in Qlik Sense.

The administrator then creates the rule, but other users can still see their personal workflows and are able to create applications. What's the cause of the problem?

- A. The functionality of creating applications is disabled for the "Developers" group
- B. The default security rule for creating applications is enabled
- C. Security rules are corrupted
- D. Security rules do not affect work stream

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 66

Refer to the exhibit.

The screenshot shows the 'Edit reload task' dialog in Qlik Sense. The 'IDENTIFICATION' section has 'Name' set to 'TASK-APP1' and 'App' set to 'APP1'. The 'EXECUTION' section has 'Enabled' checked, 'Task session timeout (minutes)' set to '1440', and 'Max retries' set to '0'. Below the execution settings is a 'Triggers' table with columns 'Name', 'Type', and 'Enabled'. The table is currently empty, displaying 'No records found'. At the bottom of the dialog are 'Apply' and 'Cancel' buttons.

What is the result when the administrator selects the Start button for TASK-APP1 in the Task screen?

- A. TASK-APP1 will run successfully
- B. TASK-APP1 will start but eventually fail
- C. A prompt will appear to create a trigger
- D. TASK-APP1 will run continuously

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 67

Which two factors are essential when configuring Qlik Sense for a multi-node environment?

(Select two)

- A. Shared persistence configuration
- B. Use of a VPN for communication between nodes
- C. Local storage on each node
- D. Network bandwidth between nodes


Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 68


A system administrator must design a Qlik Sense server architecture that meets the following requirements:

- Approximately 1000 users will be using apps
- Apps are reloaded outside of office hours
- The total size of data in all apps will be approximately 600 million rows
- Apps must be available 24/7


Which architecture meets these requirements in the most cost efficient way?



A.



B.



C.



D.

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 69

A user plans to use an extension in Qlik Sense and must get the extension into the environment. How should the administrator accomplish this task?

- A. Import the extension into the environment via an API call. Unzip file contents to StaticContent\Extensions located in the shared folder location
- B. Unzip the extension and then import the files via the QMC
- C. Import the extension into the environment via the Qlik Management Console 0 (QMC)
- D. Unzip the extension in the environment and place the contents in StaticContent\Extensions located in the shared folder location

**Answer: C** ([LEAVE A REPLY](#))

**NEW QUESTION: 70**

Qlik Sense is deployed in a environment using up-to-the-minute data replication software that keeps all storage drives backed up. A system administrator needs to upgrade the environment to the latest version of Qlik Sense Enterprise. Which three items should the administrator back up?

(Select three)

- A. Qlik Sense certificates
- B. Qlik Sense Repository Database
- C. Qlik Sense ProgramData folder
- D. Shared persistence file share
- E. Qlik Sense Program Files folder

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 71**

Which component in Qlik Sense is responsible for distributing user access across different streams?

- A. Qlik Sense Engine Service (QES)
- B. Qlik Sense Scheduler Service (QSS)
- C. Qlik Sense Repository Service (QRS)
- D. Qlik Sense Proxy Service (QPS)

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 72**

A customer uses an older version of Qlik Sense Enterprise and needs to upgrade to the latest version. The server has Microsoft Windows Server 2008 R2. What is the recommendation to be made to the customer?

- A. Use the latest version of Qlik Sense and run in Windows compatibility mode
- B. Use up to any version of Qlik Sense Enterprise 2018 at most
- C. Run the Windows Update tool to get all the necessary updates before installing the latest version of Qlik Sense
- D. Upgrade to Windows Server to 2012 or later

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 73**

What is the primary function of the Qlik Sense Log Monitor app?

- A. To manage and monitor license allocations
- B. To monitor the performance of reload tasks
- C. To track app usage and user activity
- D. To monitor and analyze system logs for troubleshooting

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 74**

The sales department in an organization is consolidating from three regional sales groups to one global sales group. The department still has three different streams in the hub, one for each region. The organization needs the stream structure to match the department structure.

What should the administrator create to meet this requirement?

- A. A global sales group stream for all three regions
- B. A global sales group login security run
- C. A custom property named "global" and bind it to all three streams
- D. A global sales group stream and three regional streams

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 75

A data architect creates an application in Qlik Sense Desktop on an ODBC connection to Apache Hive using the single sign-on (SSO) login method. When the application is published the data connection fails.

The system administrator tests login credentials and realizes that it is possible to communicate with the server and database.

What's the cause of the problem?

- A. Qlik Sense Desktop is NOT allowing Qlik Sense server to use Apache Hive
- B. The Qlik Sense server does NOT support ODBC connections with Apache Hive
- C. The data architects account is NOT assigned the RootAdmin role
- D. There is a problem with the Qlik Sense Server service user when connecting to Apache Hive. The settings within Apache Hive need to be checked.

Answer: ([SHOW ANSWER](#))

**Valid QSSA2022 Dumps** shared by EduDump.com for Helping Passing QSSA2022 Exam! EduDump.com now offer the **newest QSSA2022 exam dumps**, the EduDump.com QSSA2022 exam **questions have been updated** and **answers have been corrected** get the **newest** EduDump.com QSSA2022 dumps with Test Engine here:

<https://www.edudump.com/exams/Qlik/QSSA2022/premium/> (169 Q&As Dumps, **35%OFF** Special Discount Code:

**freecram**)