

RSA.050-80-CASECURID01.v2019-06-02.q40

Exam Code:	050-80-CASECURID01
Exam Name:	RSA SecurID Certified Administrator 8.0 Exam
Certification Provider:	RSA
Free Question Number:	40
Version:	v2019-06-02
# of views:	1010
# of Questions views:	10425
https://www.freecram.net/torrent/RSA.050-80-CASECURID01.v2019-06-02.q40.html	

NEW QUESTION: 1

If a Super Admin administrator can view a certain set of user records in the Authentication Manager database but a Help Desk administrator can NOT view the same records,

- A. the Help Desk administrator may not have the scope to view these users.
- B. the Help Desk administrator should be assigned a Super Admin role.
- C. the user accounts have been marked as "hidden" for Help Desk level administrators.
- D. the Help Desk administrator must be a member of the same Security Domain as the users to view them.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

Settings for the Lockout Policy affect which of the following?

- A. User login to a Windows environment with Windows Password Integration
- B. User attempts to log in to the Self-service console
- C. User authentication attempts using an RSA SecurID token
- D. Administrator login to the RSA Operations Console

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

The "Quick Search" function that allows access to a user's account, token and recent activity is a feature of

- A. The Self-Service Console.
- B. On-Demand Authentication.
- C. The Windows MMC Snap-In.
- D. The User Dashboard.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

If a user is seeking help after receiving an 'Access Denied' message, which Security Console function would help locate the activity?

- A. Administrative Activity Monitor
- B. User activation record
- C. Token record
- D. Reporting

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

What action will allow an Authentication Agent to register automatically with RSA Authentication Manager?

- A. Add "Auto-Registration=ALLOW" as a parameter value in the sdconf.rec file
- B. Select the option to "Allow Auto Registration" during installation of the Agent
- C. Edit the Authentication Agent Access Policy to allow auto-registration
- D. Enable "Allow authentication agent auto-registration" in the Agent record

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

Which statements concerning RSA SecurID time-synchronous authentication are true? (Choose two)

- A. Calculation of a tokencode involves the use of Universal Coordinated Time.
- B. On-demand codes have a 5-minute synchronization window.
- C. Tokencode calculations are performed by both the RSA Authentication Manager instance and RSA SecurID tokens.
- D. Token expiration dates are based on the date of the token's first use.
- E. An administrator can configure the tokencode change interval on an RSA SecurID token.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

User authentication:

- A. is the same as user identification.
- B. requires an RSA SecurID token.
- C. always consists of two factors.
- D. can consist of one or more factors.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

Using the 'Generate Configuration File' function of the Security Console helps to establish

- A. Communication with Authentication Agents.

- B. A connection to a Replica instance.
- C. A connection to external Identity Sources.
- D. RADIUS client profiles.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 9

If an administrator creates a new administrative user,

- A. by default, the new user has permissions identical to the administrator creating the new user.
- B. permissions granted to the new user can not exceed those of the administrator creating the new user.
- C. the administrator creating the new user must have at least a Super Admin role.
- D. by default, the new administrator must use a SecurID token to log in.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

- A. Translate LDAP directory information for the Primary instance.
- B. Help load-balance authentication requests.
- C. Allow the administrator to add users when the Primary instance is down.
- D. Allow a single PASSCODE to be accepted on multiple RSA Authentication Agents.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

An RSA SecurID tokencode is unique for each successful authentication because

- A. the Node Secret is updated after each authentication.
- B. a token periodically calculates a new code.
- C. the user continuously changes their secret PIN.
- D. the Authenticaiton Manager instance clock is set to Universal Coordinated Time.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

The Authentication Activity Monitor is helpful in which of the following cases?

- A. Troubleshooting authentication attempts while in direct contact with the user
- B. Monitoring a user's network path to the Web Tier server
- C. Defining parameters for the Self-Service Troubleshooting Policy
- D. Locating RSA SecurID tokens that are near their expiration date

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

A user password policy can be used to define

- A. Which character strings can not be used for passwords.

- B. The number of password attempts before a user is locked out.
- C. Which RSA SecurID token types can be used with or without PINs.
- D. If Windows Password Integration is used with Authentication Manager.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

NEW QUESTION: 14

Which RSA SecurID authentication method can use alphabetic characters as part of the user's PASSCODE?

- A. Key Fob
- B. PINPad
- C. On-demand authentication
- D. Software Token in PINPad mode

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

When a user authenticates with a token for the first time, what does the user enter when prompted for a PASSCODE?

- A. the tokencode on the token's display
- B. the serial number of the token
- C. a temporary PASSCODE assigned by the Administrator
- D. a PIN the user creates followed by their tokencode

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

A user is trying to authenticate to establish a VPN connection but receives an "Access Denied" message.

The most recent authentication log entry for the user shows the message: "PIN Rejected". What should the next action be?

- A. Resynchronize the user's token.
- B. Clear the VPN Agent's Node Secret.
- C. Instruct the user to log in using only a tokencode.
- D. Clear the user's PIN.

Answer: C ([LEAVE A REPLY](#))

Valid 050-80-CASECURID01 Dumps shared by ExamDiscuss.com for Helping Passing 050-80-CASECURID01 Exam! ExamDiscuss.com now offer the **newest 050-80-CASECURID01 exam dumps**, the ExamDiscuss.com 050-80-CASECURID01 exam questions have been updated and answers have been corrected get the **newest**

ExamDiscuss.com 050-80-CASECURID01 dumps with Test Engine here:

<https://www.examdisscuss.com/RSA/exam/050-80-CASECURID01/premium/> (70 Q&As

Dumps, **35%OFF** Special Discount Code: **freecram**)

NEW QUESTION: 17

If the RSA Authentication Manager places a token into Next Tokencode Mode, and the user waits for three minutes (three tokencode increments) to enter his/her next tokencode, what will be the expected result?

- A. The authentication will be successful even though the input was delayed.
- B. Authentication Manager will assume that the token has been stolen, and disable the token.
- C. Authentication Manager will not accept the value because it is not sequential.
- D. Authentication Manager will ask for a third tokencode, so that it has two sequential codes.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

An Authentication Manager user can exist in only one Security Domain at any one time.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

If the access time range allowed for a group is specified as 8 AM to 6 PM each weekday, which statement about a group member's login is true?

- A. A user will be prompted to renew their login each day after 8 AM.
- B. All group members will be logged out automatically at 6 PM.
- C. Once logged in during the allowed time period, a user can remain logged in indefinitely.
- D. A user's individual access times override a group's access time range.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

- A. the licensed number of users has been exceeded.
- B. all Agent node secrets have been cleared by the users.
- C. the Super Admin administrator has left the instance in debug mode.
- D. the Authentication Manager services are not running.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

A "Secured by RSA Security Implementation Guide" document would assist you in

- A. Configuring a third-party Authentication Agent.

- B. Finding vendors for purchasing RSA SecurID tokens.
- C. Defining a deployment plan for installing Primary and Replica instances.
- D. Installing RSA Authentication Manager software.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

If a user forgets his/her PIN and still has possession of his/her token, an Administrator should verify the identity of the user and then

- A. Assign a temporary Fixed Passcode.
- B. Assign a new token to the user.
- C. Disable the user's token.
- D. Clear the user's old PIN.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

A user complains that they have received seven 'Access Denied' messages in a row when attempting to authenticate. What would be an appropriate action to take?

- A. Change the token Lockout Policy
- B. Instruct the user to attempt to log in to the Self-Service Console
- C. Access the token record and resynchronize the token
- D. Access the user record and unlock the user account

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

Allowing only certain users to authenticate on a given Authentication Agent ("Restricted" Agent) is accomplished with

- A. Group Associations.
- B. Node Secrets.
- C. Agent APIs.
- D. User Policies.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

Which one of the following statements concerning an RSA Authentication Manager Identity Source is true?

- A. An Identity Source can only be assigned to one user.
- B. An Identity Source must include at least one external Security Domain.
- C. An Identity Source can only be associated with one User Group.
- D. Multiple Identity Sources can be mapped to Authentication Manager.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 26

Within which RSA Authentication Manager menu would you configure the number of incorrect PASSCODES that will invoke Next Tokencode Mode?

- A. Identity Settings
- B. Policies
- C. RADIUS Lockout
- D. System Setup

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

Offline Authentication capability allows:

- A. a list of RSA SecurID passcodes to be stored in a text file in the event that an instance is unavailable
- B. user authentication with an RSA SecurID token when their computer is disconnected from a network
- C. an On-demand tokencode to be used in place of an RSA SecurID passcode
- D. an Authentication Agent to verify user passcodes in the event that an instance is unavailable

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

For RSA Authentication Manager administration, "Administrative Role" is a combination of. (Choose two)

- A. scope
- B. RADIUS profile
- C. permissions
- D. domain
- E. group list

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

If a user is NOT a member of an Authentication Manager user group, which of the following statements is true?

- A. The user can not log on to an unrestricted Authentication Agent.
- B. The user can not be forced to adhere to password policies.
- C. The user can not take advantage of Risk-Based authentication.
- D. The user can not be restricted to certain login times.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

- A. View a report job output.

- B. Use the 'view-audit-log' command line utility.
- C. View the Audit Monitor utility.
- D. Edit a report template.
- E. Export the audit database to a spreadsheet format.
- F. Run a report job.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

Which of the following services is NOT an option to users through the Self-Service Console?

- A. Resynchronizing an RSA SecurID token
- B. Creating an individual PIN policy
- C. Requesting a replacement token
- D. Changing a password or PIN

Answer: ([SHOW ANSWER](#))

Valid 050-80-CASECURID01 Dumps shared by ExamDiscuss.com for Helping Passing 050-80-CASECURID01 Exam! ExamDiscuss.com now offer the **newest 050-80-CASECURID01 exam dumps**, the ExamDiscuss.com 050-80-CASECURID01 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 050-80-CASECURID01 dumps with Test Engine here:

<https://www.examdiscuss.com/RSA/exam/050-80-CASECURID01/premium/> (70 Q&As

Dumps, **35%OFF** Special Discount Code: **freecram**)

NEW QUESTION: 32

Universal Coordinated Time (UTC) is a critical component of which type of authentication method?

- A. On-Demand Authentication
- B. RSA SecurID hardware token
- C. Risk-Based Authentication
- D. Fixed Passcode

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 33

What is the maximum number of active tokens and/or user fixed passcodes that can be assigned to a user at one time?

- A. one
- B. unlimited
- C. seven

D. three

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

What can cause the error message "Cannot Communicate with RSA Authentication Manager" to be displayed on the RSA Authentication Agent when the Agent is used for the first time?

- A. The Agent has the wrong name and IP address for the Primary Instance.
- B. The Agent is open only to locally known users.
- C. The Primary Instance cannot resolve the Agent's name.
- D. The Agent contains two conflicting Network Interface Cards.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 35

RSA SecurID tokens are initially supplied with matching token records. After tokens are assigned, deployed and used by end-users, what information might be overwritten if the original token records are re- imported into the RSA Authentication Manager database? (Choose two)

- A. system PIN parameter settings
- B. Authentication Agent usage
- C. user assignment
- D. token time offset information
- E. tokencode values

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

Token expiration dates;

- A. Appear on the token display thirty days prior to expiration.
- B. Depend on the clock in the Authentication Agent to determine if the token is active.
- C. Vary according to the date set by the administrator when assigning the token.
- D. Are programmed into a token record at the time of manufacture.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

An RSA Authentication Manager deployment must have at least one Authentication Agent record in the database in order to

- A. Configure a Authentication Sources through the Self-Service Console.
- B. Establish logon policies related to Authentication Agent time restrictions.
- C. Perform user authentications with an RSA SecurID token.
- D. Add time-restricted user accounts to the database.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

The term "Secured by RSA" is most closely associated with

- A. An RSA token device.
- B. An Authentication Agent device.
- C. A Managed Security Provider company.
- D. A secure directory server.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

A feature of the RADIUS protocol is

- A. The computer time setting is verified remotely by the RADIUS client (remote time service).
- B. A user's default login name becomes their password (RADIUS login synchronization).
- C. The user Profile and Attribute Value Pair matches their tokencode (RADIUS token matching).
- D. The ability to track a user's login and logout time (RADIUS accounting).

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

- A. Are always deleted from the database when they are archived.
- B. Can be digitally signed by the administrator for archival storage protection.
- C. Are only accessible by the Super Admin administrator.
- D. Can be archived using a scheduled job.

Answer: ([SHOW ANSWER](#))

Valid 050-80-CASECURID01 Dumps shared by ExamDiscuss.com for Helping Passing 050-80-CASECURID01 Exam! ExamDiscuss.com now offer the **newest 050-80-CASECURID01 exam dumps**, the ExamDiscuss.com 050-80-CASECURID01 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 050-80-CASECURID01 dumps with Test Engine here:
<https://www.examdisscuss.com/RSA/exam/050-80-CASECURID01/premium/> (**70 Q&As** Dumps, **35%OFF** Special Discount Code: **freecram**)