

SASInstitute.A00-251.v2022-11-07.q20

Exam Code:	A00-251
Exam Name:	Administering SAS Viya 3.5
Certification Provider:	SASInstitute
Free Question Number:	20
Version:	v2022-11-07
# of views:	112
# of Questions views:	202
https://www.freecram.net/torrent/SASInstitute.A00-251.v2022-11-07.q20.html	

NEW QUESTION: 1

Which statement about the CAS backup controller is FALSE?

- A. CAS supports adding only one backup controller
- B. CAS supports adding a backup controller after the initial deployment
- C. A CAS backup controller can only be used in a distributed CAS server architecture.
- D. A CAS backup controller can be deployed to the same machine as a CAS worker

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

Match the SAS Viya monitoring term with its definition by dragging from left to right.

Term	Definition
RabbitMQ	Manages monitoring and operations activities in a SAS Viya deployment
Operations Infrastructure	Implements an event-driven architecture that underlies several areas of SAS Viya administration
Operations Agent	Enables the information producers to operate independently of the information consumers and serves as an intermediate holding area between data collection and consumption.
Metric	A measurement that describes the performance of a component or a subsystem of SAS Viya

Answer:

Term	Definition
RabbitMQ	Operations Infrastructure: Manages monitoring and operations activities in a SAS Viya deployment
Operations Infrastructure	RabbitMQ: Implements an event-driven architecture that underlies several areas of SAS Viya administration
Operations Agent	Operations Agent: Enables the information producers to operate independently of the information consumers and serves as an intermediate holding area between data collection and consumption.
Metric	Metric: A measurement that describes the performance of a component or a subsystem of SAS Viya

NEW QUESTION: 3

You have an MPP SAS Viva environment with a primary CAS Controller and a backup CAS Controller. The primary controller fails and your backup controller is now active.

Which task will you need to complete during the process of recovering the primary controller?

- A. Delete the permstore from the backup controller.
- B. Stop SAS services on all the CAS workers.
- C. Restore CASDISKCACHE from the backup controller to the primary controller.
- D. Restore the permstore from the backup controller to the primary controller.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

Which authentication domain is used to store user credentials for compute process launching?

- A. EsriAuth
- B. CASHostAccountRequired
- C. UserAuth
- D. DefaultAuth

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5


SAS Viya requires what encoding for SAS7BCAT files when importing?

- A. EN-US
- B. CASL
- C. UTF-8
- D. HTML

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

Refer to the Exhibit.



You have saved the permission setting explicitly prohibiting Update for Authenticated Users on the Marketing folder? Which statement is TRUE about the effective setting'?

- A. Marketing SAS Administrators and Christine will be an explicit prohibit for the Update permission on the Marketing folder
- B. Marketing SAS Administrators, and Christine will remain unchanged
- C. Marketing and Christine will be an indirect prohibit for the Update permission on the Marketing folder SAS Administrators will retain an indirect grant for the Update permission on the Marketing folder
- D. Marketing. SAS Administrators, and Christine will be an indirect prohibit for the Update permission on the Marketing folder

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7


In a programming-only SAS Viya deployment, which web application is available?

- A. SAS Environment Manager
- B. SAS Dove
- C. SAS Visual Analytics
- D. SAS Studio

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

Refer to the exhibit.



How would you find the specific log messages associated with the errors in the graph?

- A. Use the Configuration page to select the specific service and display the related log messages
- B. Use the options on the left side of the Logs page to find the related log messages
- C. Use the Machines page to select the machine the service is running on and display the related log messages
- D. Double click on a spike in the graph to display the related log messages in the Messages table

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

Which option in the Security menu of SAS Environment Manager allows a user to manage their own external account?

- A. Configuration
- B. My Logins
- C. Domains
- D. My Credentials

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

An administrator needs to restart only the SAS Logon service. Which is a valid method for doing that?

- A. Using the operating system's service management utility
- B. Using the CAS Server Monitor
- C. Using the sas-admin CLI command with the saslogon service-id
- D. Using the SAS Environment Manager Dashboard

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

Which statement is TRUE about modifying CAS server logging in SAS Environment Manager as it compares to using the CAS server's logging configuration file?

- A. It is temporary and will only remain in effect until you restart the CAS server
- B. It is possible for a single-machine CAS server architecture only
- C. It requires a restart of the CAS server
- D. It only applies to CAS sessions for the user who makes the logging changes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

Which custom group has access to all SAS Content by default?

- A. SAS Administrators
- B. Data Administrators
- C. CAS Administrators
- D. Content Administrators

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

Refer to the exhibit.

```
[root@intviya01 bin]# /opt/sas/viya/home/bin/sas-admin authorization --output text list-rules | grep SASenv
278f2ecc-1a48-485a-8b88-1efade65416d /SASenv/EnvironmentManager/* SASAdministrators group authenticatedUsers grant [read] [read]
6e966869-a463-4e96-8270-2077557c54f8 /SASenv/EnvironmentManager/* authenticatedUsers grant [read] [read]
953a113b-8a82-456a-99c4-bf7119f03ae9 /SASenv/EnvironmentManager/* authenticatedUsers grant [read] [read]
1f714fa1-ab6d-4ee7-a4cf-24c4ca3bc342 /SASenv/EnvironmentManager/content authenticatedUsers grant [read] [read]
818c7f1a-5d4b-4db1-ae13-58e18451637f9 /SASenv/EnvironmentManager/data authenticatedUsers grant [read] [read]
76e59e87-7f54-4821-83ad-babc7b193cec /SASenv/EnvironmentManager/servers authenticatedUsers grant [read] [read]
8c82988d-ddcf-4fc5-b20d-b4fc8f998e3d /SASenv/EnvironmentManager/migration authenticatedUsers grant [read] [read]
```

Currently all authenticated users have access to SAS Environment Manager. An administrator would like to limit access to SAS Environment Manager to application administrators. Which statement will achieve this?

A)

```
/opt/sas/viya/home/bin/sas-admin authorization update-rule --id 6e966869-a463-4e96-8270-2077557c54f8 --grant --group ApplicationAdministrators
```

B)

```
/opt/sas/viya/home/bin/sas-admin authorization update-rule --id 278f2ecc-1a48-485a-8b88-1efade65416d --prohibit --authenticated-users
```

C)

```
/opt/sas/viya/home/bin/sas-admin authorization update-rule --id 278f2ecc-1a48-485a-8b88-1efade65416d --grant --group ApplicationAdministrators
```

D)

```
/opt/sas/viya/home/bin/sas-admin authorization update-rule --id 6e966869-a463-4e96-8270-2077557c54f8 --prohibit --authenticated-users
```

- A. Option B
- B. Option A
- C. Option C
- D. Option D

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

What is the function of the baseDN field within the identities service configuration?

- A. Specifies the starting point for the LDAP search for a user or group
- B. Specifies the filter to use when searching for a user or group.
- C. Specifies the user account to authenticate to the LDAP server
- D. Specifies the field in LDAP to find the distinguished name for a user or group

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

When storing a user ID and password in Viva to connect to an external database for which identity can you NOT store a credential?

- A. The individual user
- B. A custom group
- C. The Authenticated Users group
- D. An LDAP group

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

(**Note: This is an interactive item follow the instructions to answer the question Scroll bars may appear if the window is too small You may click anywhere on the exhibit Your answer choice will be marked with 0 plus sign (+). You can relocate the plus sign to change your answer.) Click on the row of the identity that is not known to the Identities microservice.

Principal	Read	Update	Delete	Secure	Add	Remove	Read (convey)	Update (convey)	Delete (convey)	Secure (convey)	Add (convey)	Remove (convey)
Authenticated Users	✓	✗	✗	✗	✗	✗	✓	✗	✗	✗	✗	✗
Marketing	✓	✓+	✗	✗	✓+	✓+	✓	✓+	✓	✗	✓+	✓+
SAS Administrators	✓	✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗
Christine	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Jerry	✓	✗	✗	✗	✗	✗	✓	✗	✗	✗	✗	✗

Answer:

View Authorization

Show horizontal column headings

Principal	Read	Update	Delete	Secure	Add	Remove	Read (convey)	Update (convey)	Delete (convey)	Secure (convey)	Add (convey)	Remove (convey)
Authenticated Users	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Marketing	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
SAS Administrators	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Christine	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Jerry	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Edit Close

Valid A00-251 Dumps shared by Fast2test.com for Helping Passing A00-251 Exam!
 Fast2test.com now offer the **newest A00-251 exam dumps**, the Fast2test.com A00-251 exam questions have been updated and answers have been corrected get the newest Fast2test.com A00-251 dumps with Test Engine here: <https://www.fast2test.com/A00-251-premium-file.html> (62 Q&As Dumps, **30%OFF Special Discount: freecram**)

NEW QUESTION: 17

SAS Viya servers and services use different methods to configure logging. For which option would you use SAS Environment Manager to administer logging?

- A. SAS Visual Analytics
- B. SAS Configuration Server
- C. SAS Object Spawner
- D. SAS Launcher Server

Answer: (SHOW ANSWER)

NEW QUESTION: 18

Within SAS VIVA you have a Marketing Folder to which you want a user to be able to save new reports and open/modify/save the reports that already exist within the folder. Which permission(s) will the user need in order to do this?

To answer the question check the box(es) in the and that correspond to the appropriate permissions for each URI.

	Read	Update	Delete	Secure	Add	Remove
Marketing folder object URI	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Marketing folder container URI	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Answer:

	Read	Update	Delete	Secure	Add	Remove
Marketing folder object URI	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Marketing folder container URI	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

NEW QUESTION: 19

Which Rule Target (URI) gives users the ability to view reports in SAS Visual Analytics?

- A. SASVisualAnalytics/**
- B. /SASVisualAnalytics/
- C. SASVisualAnalytics/*
- D. SASVisualAnalytics/*/*

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

- A. Ansible
- B. SAS Deployment Manager
- C. SAS Orchestration CLI
- D. SAS Mirror Manager

Answer: ([SHOW ANSWER](#))

Valid A00-251 Dumps shared by Fast2test.com for Helping Passing A00-251 Exam!
 Fast2test.com now offer the **newest A00-251 exam dumps**, the Fast2test.com A00-251 exam **questions have been updated** and **answers have been corrected** get the **newest** Fast2test.com A00-251 dumps with Test Engine here: <https://www.fast2test.com/A00-251-premium-file.html> (62 Q&As Dumps, **30%OFF** Special Discount: **freecram**)