

SolarWinds.SPM-NPM.v2023-09-04.q31

| | |
|---|---|
| Exam Code: | SPM-NPM |
| Exam Name: | SolarWinds Network Performance Monitor (NPM) Exam |
| Certification Provider: | SolarWinds |
| Free Question Number: | 31 |
| Version: | v2023-09-04 |
| # of views: | 104 |
| # of Questions views: | 310 |
| https://www.freecram.net/torrent/SolarWinds.SPM-NPM.v2023-09-04.q31.html | |

NEW QUESTION: 1

Which is not true for Device Studio Poller?

- A. Collects data from Orion Failover Engine or Hot Standby Engines
- B. Can poll multiple OIDs for a given technology
- C. Polled values are displayed in existing resources
- D. Can perform logical operations or transformations on the polled data

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

You run ten reports on three assorted weekly schedules and send the results to the network operations distribution list. The email address for the distribution list changed, and you must update the new email address to send the reports. How do you implement this update?

- A. Make a copy of each report, edit the action to change the email address
- B. Use the Action Manager to edit each action on each report schedule, and change the email address
- C. Use the Schedule Manager to edit each action on each report schedule, and change the email address
- D. Edit each action on each report schedule, and change the email address

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

How many days of data must your database contain in order to see Capacity Forecast Charts in NPM?

- A. 3 Days
- B. 1 Day
- C. 5 Days
- D. 7 Days

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

You start a new job where NPM is already in use. As soon as you are added to the alert list, you begin receiving "high traffic utilization" alerts from a handful of interfaces.

When you check the alert, the traffic spike has ended. Your new colleagues advise you to ignore these alerts because the spikes rarely last for more than a couple of minutes and are only a concern if they last longer.

How should NPM be modified so you receive fewer false alerts?

- A. Increase the statistics polling frequency on the problematic interfaces
- B. Configure the alert so that it resets only when traffic utilization remains high for a sustained period
- C. Configure the alert so that it triggers only when traffic utilization remains high for a sustained period
- D. Increase the status polling frequency on the problematic interfaces

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

You created a Universal Device Poller (UnDP) but cannot find an OID in the MIB tree. How do you resolve this issue?

- A. Update the MIB database
- B. Add the node to NPM for monitoring
- C. Restart the Universal Device Poller
- D. Rediscover the node via Network Sonar Discovery

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

Users report that email is slow. The Exchange team reports that everything is normal on the mail servers. What NPM statistic can you look at to find what might be causing the issue?

- A. SMTP service on the Exchange server
- B. Network bandwidth utilization
- C. Server component monitor status
- D. Mail queue length on the Exchange server

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

In which scenario is an agent the best solution?

- A. If Native GLX log file monitoring is required
- B. If hosts in distributed networks have overlapping IP addresses
- C. If the WMI ports are already in use on Linux
- D. If you cannot allow ICMP polling on your routers

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

When you configure a report, you can limit access to specific users.

- A. TRUE
- B. FALSE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

Network performance over an inter-campus Ethernet link is slow. One side of the connection is experiencing a high number of packet drops. What information in NPM can you review to help discover the cause of the issue?

- A. Packet loss on the nodes on either side of the connection
- B. Routing tables on each side of the link
- C. MTU of each side of the link
- D. Possible Duplex Mismatches

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

You deploy a new router on your network. What should you do to ensure NPM correctly interprets SNMP traps from the device?

- A. Verify that NPM is using the correct SNMP community strings
- B. Review your firewall rules to ensure the traps are not blocked
- C. Update the MIB database
- D. Contact the router vendor for a firmware update

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

How many agents does NPM require for Quality of Experience, NetPath, and system monitoring on the same Windows server?

- A. 1
- B. 2
- C. 3
- D. 5

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

A custom poller has polled some results from nodes. Which of the following is a possible reason for NOT being able to show the polled results as charts on the Orion Web Console?

- A. The poller is not enabled and assigned to the devices
- B. Charts are only supported by out-of-the-box pollers

- C. You must use Device Studio to build the poller
- D. You did not set the poller to collect historical statistics

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 13

NPM polls static properties, and calculates bandwidth consumption based on the total amount of _____ coming through the firewall.

- A. Megabytes
- B. Bytes
- C. Nibbles
- D. Kilobytes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

You inherit an environment with NPM and begin to receive High Traffic Utilization alerts from interfaces. When you view the alert, the issue is resolved. How do you modify NPM to receive fewer false alerts?

- A. Configure the alert so that it resets only when traffic utilization remains high for a sustained period
- B. Increase the status polling frequency on the problematic interfaces
- C. Configure the alert so that it triggers only when traffic utilization remains high for a sustained period
- D. Increase the statistics polling frequency on the problematic interfaces

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

How do you prevent alerts when an interface is down, without influencing the status of the parent node?

- A. Select Display Interface as Unplugged Rather Than Down in the Node Management view
- B. Select Unmanage Now in the parent node's Maintenance Mode drop-down
- C. Add a dependency with the node as the parent object, and the interface as the child
- D. Add a dependency with the interface as the parent object, and the interface as the child

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

Your network has critical devices on the opposite side of a WAN link from your SolarWinds server. You do not want alerts about the devices if the router (name = "target") that connects your SolarWinds server to the remote site is down. How do you configure Alert Suppression?

- A. Suppress alert when all of the following apply: Node Name is equal to "target" / Node Status is equal to "Down"

B. Suppress alert when any of the following apply: Node Name is equal to "target" / Interface Status is equal to "Down"

C. Suppress alert when any of the following apply: Node Name is equal to "target" / Node Status is equal to "Warning"

D. Suppress alert when all of the following apply: Node Name is equal to "target" / Interface Status is equal to "Warning"

Answer: ([SHOW ANSWER](#))

Valid SPM-NPM Dumps shared by PassTestKing.com for Helping Passing SPM-NPM Exam! PassTestKing.com now offer the **newest SPM-NPM exam dumps**, the PassTestKing.com SPM-NPM exam **questions have been updated** and **answers have been corrected** get the **newest** PassTestKing.com SPM-NPM dumps with Test Engine here:

<https://www.passtestking.com/SolarWinds/SPM-NPM-practice-exam-dumps.html> (77 Q&As

Dumps, **35%OFF** Special Discount Code: **freecram**)

NEW QUESTION: 17

You can apply Universal Device Pollers to which object types? (Choose all that apply.)

A. Volumes

B. Nodes

C. Interfaces

D. Applications

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

You can make bulk changes, such as changing the polling method, to nodes.

A. TRUE

B. FALSE

Answer: **A** ([LEAVE A REPLY](#))

NEW QUESTION: 19

You can share with others the PerfStack URL of any troubleshooting project you save.

A. FALSE

B. TRUE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

You receive traps from your network devices and want to alert on a select message. How do you accomplish this?

A. Configure Syslog alert actions on the Alert Actions tab

- B. You cannot alert on traps through the Orion Platform
- C. Use Traps in Orion Alerts to configure the default trap alert to fire on the trap message you select to alert on
- D. Go to the Traps view and configure a new Log Viewer rule

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

How can you add entities from NPM to monitor for all registered devices in your company domain?

- A. Add each registered device individually, and then select the entities you want to monitor
- B. Add each of your Domain Controllers as nodes to NPM and scan Active Directory Organization Units (OUs) for the registered devices
- C. Select to query Domain Controllers in a Network Discovery and then select the Organizational Units (OUs) with the registered devices you want to scan
- D. Use the NPM Active Directory Discovery tool to find all registered devices on the domain

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

You need to build an Orion Map to show the relationships and connections between your Cloud servers and on premise infrastructure. You add the nodes but discover that the Orion Platform is not automatically mapping the connection between your cloud server and on premise router. You have verified that layer 2 and layer 3 topologies are being polled on the devices. How do you resolve this issue?

- A. You need to configure a custom connection between the cloud node and the on premise node
- B. You need to open the topology ports in your firewall between the on premise node and the cloud node
- C. You cannot monitor the connection between on premise and off premise devices
- D. You need to turn off layer 2 and layer 3 topology polling for cloud monitoring

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

You receive an alert that one of your routers is experiencing critical level CPU utilization. The router details in the web console show as critical utilization, but you do not consider the utilization on that router to be at a critical level.

What change can you make in NPM to reflect a CPU utilization level you consider to be critical for the device?

- A. Copy the alert, change the trigger threshold, and limit the scope on that device
- B. Change the global critical CPU threshold for node statuses
- C. Change the trigger threshold on the alert
- D. Change the critical CPU threshold on the node

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

Which is the best way to monitor an SNMP metric that NPM is not monitoring out-of-the-box?

- A. Create a custom poller
- B. Node Management utility
- C. Enable CLI polling
- D. Update the SolarWinds MIB database

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

The Universal Device Poller retrieves management data in which format?

- A. XML
- B. WMI
- C. OID
- D. ANSI 1

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

You want to create an Orion Map that shows the connections between your on-site devices and your servers in the Cloud. You can see the connections between all of the devices on site, but do not have visibility to the connections to your cloud servers.

How do you resolve this?

- A. Open additional firewall ports between the cloud servers and the on-site devices
- B. Manually configure connections between onsite and cloud resources in Orion Maps
- C. Switch to SNMP polling for all devices to show the connections between on site and cloud resources
- D. Increase the polling intervals between Orion and the cloud servers

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 27

You run a Network Discovery and discover devices that you do not want to monitor. What feature can you use to exclude those devices from future discoveries?

- A. Discovery Trash List
- B. Discovery White List
- C. Discovery Ignore List
- D. Discovery Watch List

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

You want to create an Orion Map that shows the connections between your on-site devices and your servers in the Cloud. You can see the connections between all of the devices on site, but do not have visibility to the connections to your cloud servers.

How do you resolve this?

- A. Switch to SNMP polling for all devices to show the connections between on site and cloud resources
- B. Open additional firewall ports between the cloud servers and the on-site devices
- C. Increase the polling intervals between Orion and the cloud servers
- D. Manually configure connections between onsite and cloud resources in Orion Maps

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

You want a user to be able to acknowledge alerts. Which permissions do you assign to the user account?

- A. Allow Node Management Rights
- B. Allow Account to Clear Events and Acknowledge Alerts and Syslogs
- C. Allow Account to Unmanage Objects
- D. Allow Administrator Rights

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

What is required of your nodes to detect duplex mismatches? (Choose all that apply.)

- A. Unify the duplex mode configuration on neighboring interfaces
- B. Ensure corresponding values for each interface are different
- C. Duplex of both devices must be identified as full or half
- D. The nodes must support topology and be interconnected

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

Half of your objects in a nested map are down, but the top level map is up. What is the cause?

- A. You set map status thresholds to below 50%
- B. You set map status thresholds to above 50%
- C. You set availability thresholds for devices to above 50%
- D. You set availability thresholds for devices to below 50%

Answer: ([SHOW ANSWER](#))

Valid SPM-NPM Dumps shared by PassTestKing.com for Helping Passing SPM-NPM Exam! PassTestKing.com now offer the **newest SPM-NPM exam dumps**, the PassTestKing.com SPM-NPM exam **questions have been updated** and **answers have been corrected** get the

newest PassTestKing.com SPM-NPM dumps with Test Engine here:

<https://www.passtestking.com/SolarWinds/SPM-NPM-practice-exam-dumps.html> (77 Q&As

Dumps, **35%OFF** Special Discount Code: **freecram**)

Valid SPM-NPM Dumps shared by PassTestKing.com for Helping Passing SPM-NPM Exam!

PassTestKing.com now offer the **newest SPM-NPM exam dumps**, the PassTestKing.com SPM-NPM exam **questions have been updated** and **answers have been corrected** get the

newest PassTestKing.com SPM-NPM dumps with Test Engine here:

<https://www.passtestking.com/SolarWinds/SPM-NPM-practice-exam-dumps.html> (77 Q&As

Dumps, **35%OFF** Special Discount Code: **freecram**)