

VMware.2V0-622.v2019-06-12.q138

Exam Code:	2V0-622
Exam Name:	VMware Certified Professional 6.5 - Data Center Virtualization Exam
Certification Provider:	VMware
Free Question Number:	138
Version:	v2019-06-12
# of views:	1278
# of Questions views:	73620
https://www.freecram.net/torrent/VMware.2V0-622.v2019-06-12.q138.html	

NEW QUESTION: 1

Which statement regarding datastore clusters meets VMware's recommended best practices?

- A. Clusters should contain only datastores presented from the same storage array.
- B. Clusters should contain only datastores with equal hardware acceleration capability.
- C. Clusters should contain only datastores with the same capacity.
- D. Clusters should contain only datastores using the same connection method (iSCSI, FC, etc.).

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/VMware-vSphere/5.5/com.vmware.vsphere.resmgmt.doc/GUID-34A10B42-C79E-491C-A5AA-99E3B5FA2278.html>

NEW QUESTION: 2

What VM Monitoring setting would ensure that the maximum reset window for a virtual machine is 24 hours?

- A. Medium
- B. Low
- C. High
- D. Normal

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

There are 3 built in presets (Low, Medium & High) and the option to select custom settings for any of these options.

	Failure Interval	Minimum uptime	Maximum per-VM resets	Maximum resets time window
Low	120 secs	480 secs	3	7 days
Medium	60 secs	240 secs	3	24 hrs
High	30 secs	120 secs	3	1 hr

Reference:

<https://blogs.vmware.com/vsphere/2014/03/vsphere-ha-vm-monitoring-back-basics.html>

NEW QUESTION: 3

A vSphere Administrator has VM Component Protection (VMCP) enabled, but the VM was not restarted when one of the VMFS datastores experienced an All Paths Down (APD) failure.

What two scenarios would explain why the virtual machine was not restarted? (Choose two.)

- A. VM Monitoring is required in order for VMCP to failover during an APD event.
- B. VMware Tools is not installed on the guest operating system for the VM.
- C. Insufficient Capacity is available on the failover ESXi hosts.
- D. The APD failure was corrected before the VM could be restarted.

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: <https://communities.vmware.com/thread/553779>

NEW QUESTION: 4

When installing vCenter Converter Standalone, why must an administrator perform a client-server installation instead of a local installation?

- A. to manage conversion tasks remotely
- B. to convert virtual machines as well as physical machines
- C. to allow installation of the Converter agent on remote source machines
- D. to hot clone physical or virtual machines

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

Perform a Client-Server Installation in Windows

Perform a client-server installation so that you can create and manage conversion tasks remotely

Reference:

https://www.vmware.com/pdf/convsa_61_guide.pdf page 11

NEW QUESTION: 5

What are three parameters for traffic filtering or marking? (Choose three.)

- A. Protocol
- B. Traffic Direction
- C. DSCP value
- D. virtual Port ID

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.networking.doc/GUID-968EBF83-2F96-44B4-868E-099F737306A0.html>

NEW QUESTION: 6

Which of the following is not a parameter for traffic filtering or marking?

- A. virtual port ID
- B. Protocol
- C. Traffic Direction
- D. DSCP value
- E. Traffic redirection

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/5.5/com.vmware.vsphere.networking.doc/GUID-968EBF83-2F96-44B4-868E-099F737306A0.html>

NEW QUESTION: 7

What two VMware Remote Console Options can be defined in the virtual machine settings? (Choose two.)

- A. Boot Delay
- B. Maximum number of sessions
- C. Guest OS lock
- D. Total video memory

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

VMware Remote Console Options -

Lock the guest operating system when the last remote user disconnects and limit the number of simultaneous connections to the virtual machine.

Reference: https://pubs.vmware.com/vsphere-51/index.jsp?topic=%2Fcom.vmware.vsphere.vm_admin.doc%2FGUID-389D87EA-A848-4A21-B53E-1C55D28195C2.html

NEW QUESTION: 8

Which two statements correctly describe VM-Host affinity rules? (Choose two.)

- A.** When there is more than one VM-Host affinity rule in a vSphere DRS cluster, the rules are applied equally.
- B.** After creating a VM-Host affinity rule, its ability to function in relation to other rules is predetermined.
- C.** When there is more than one VM-Host affinity rule in a vSphere DRS cluster, the rules will be ranked.
- D.** After creating a VM-Host affinity rule, its ability to function in relation to other rules is not checked.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

If you create more than one VM-Host affinity rule, the rules are not ranked, but are applied equally. Be aware that this has implications for how the rules interact. For example, a virtual machine that belongs to two DRS groups, each of which belongs to a different required rule, can run only on hosts that belong to both of the host DRS groups represented in the rules.

When you create a VM-Host affinity rule, its ability to function in relation to other rules is not checked. So it is possible for you to create a rule that conflicts with the other rules you are using. When two VM-Host affinity rules conflict, the older one takes precedence and the newer rule is disabled. DRS only tries to satisfy enabled rules and disabled rules are ignored.

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.resmgmt.doc/GUID-793013E2-0976-43B7-9A00-340FA76859D0.html>

NEW QUESTION: 9

Which two permissions are required to migrate a virtual machine with Storage vMotion? (Choose two.)

- A.** Network > Move Network
- B.** Virtual Machine > Inventory > Move
- C.** Resource > Migrate powered on virtual machine
- D.** Datastore > Allocate Space

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

You require these permissions to perform Storage vMotion from the Remote Command Line Interface (RCLI):

Resource > Migrate

Resource > Relocate

Datastore > Allocate Space

Reference:

https://kb.vmware.com/selfservice/microsites/search.do?language=en_US&cmd=displayKC&externalId=1011345

NEW QUESTION: 10

What are three considerations when booting ESX host from SAN software FCoE? (Choose three.)

- A. The VMware_FCoE_vSwitch that the installer automatically created cannot be changed.
- B. Boot LUN cannot be shared with other hosts even on shared storage.
- C. Multipathing is not supported at pre-boot.
- D. Software FCoE boot configuration cannot be changed from within ESXi.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://kb.vmware.com/s/article/2032363>

NEW QUESTION: 11

An administrator has recently upgraded from vSphere 6.0 to 6.5, and can no longer see the software iSCSI named vmhba33.

Which could be the reason for this?

- A. The upgrade has changed the vmhba name.
- B. vSphere 6.5 automates iSCSI configurations.
- C. vSphere 6.5 no longer supports software iSCSI.
- D. The upgrade has deleted the vmhba.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

In vSphere 6.5, the name assigned to the iSCSI software adapter is different from the earlier releases. After you upgrade to the vSphere 6.5 release, the name of the existing software iSCSI adapter, vmhbaXX, changes.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/rn/vsphere-esxi-vcenter-server-65-release-notes.html#storageissues>

NEW QUESTION: 12

When upgrading a VMware vSAN cluster to version 6.5, which two tasks must be completed to comply with upgrade requirements and VMware-recommended best practices? (Choose two.)

- A. Use only the "Full data migration" maintenance mode option.
- B. Use the latest available ESXi version.
- C. Back up all VMs.
- D. Use RVC to upgrade the hosts.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

Which feature facilitates the sharing of templates via vCenter Server?

- A. Content Library
- B. OVF
- C. folders
- D. vApp

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

Content libraries are container objects for VM templates, vApp templates, and other types of files. vSphere administrators can use the templates in the library to deploy virtual machines and vApps in the sphere inventory. Sharing templates and files across multiple vCenter Server instances in same or different locations brings out consistency, compliance, efficiency, and automation in deploying workloads at scale.

Reference:

https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.vm_admin.doc/GUID-254B2CE8-20A8-43F0-90E8-3F6776C2C896.html

NEW QUESTION: 14

Bidirectional CHAP is support by which storage initiator?

- A.** software FCoE HBA
- B.** Fibre Channel HBA
- C.** independent hardware iSCSI HBA
- D.** dependent hardware iSCSI HBA

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

The bidirectional CHAP authentication adds an extra level of security. With this method, the initiator can also authenticate the target. VMware supports this method for software and dependent hardware iSCSI adapters only.

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.storage.doc/GUID-3F97FB05-3C92-4040-84E7-D928555B3808.html>

NEW QUESTION: 15

An administrator is attempting to access an ESXi host via the DCUI but is unable to do so.

Which could be two possible causes? (Choose two.)

- A.** The host in question has no out-of-band management capability (i.e. iLO/iDRAC).
- B.** The SSH service is disabled on the host.
- C.** Strict lockdown mode is enabled on the host.
- D.** Normal lockdown mode is enabled and the administrator is a member of the Exception User list.
- E.** The DCUI service is disabled on the host.

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference:

<https://blogs.vmware.com/vsphere/2015/03/vsphere-6-0-lockdown-modes.html>

NEW QUESTION: 16

When using VMware Converter to import a Windows server and improve the consistency of the destination virtual machine, which optional step can be performed immediately prior to powering down the source server?

- A. Remove the server from the Active Directory domain.
- B. Uninstall production applications.
- C. Remove the server from the network.
- D. Perform a final synchronization task.

Answer: ([SHOW ANSWER](#))

Valid 2V0-622 Dumps shared by ExamDiscuss.com for Helping Passing 2V0-622 Exam!
ExamDiscuss.com now offer the **newest 2V0-622 exam dumps**, the ExamDiscuss.com 2V0-622 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 2V0-622 dumps with Test Engine here:

<https://www.examdiscuss.com/VMware/exam/2V0-622/premium/> (290 Q&As Dumps, **35%OFF**

Special Discount Code: **freecram**)

NEW QUESTION: 17

Which statement is true regarding the use of VMFS3 datastores with vSphere 6.5?

- A. VMFS3 datastores can be used but not created.
- B. VMFS3 datastores can be neither used nor created.
- C. VMFS3 datastores will be present but unmounted.
- D. VMFS3 datastores can be created and used.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://communities.vmware.com/thread/589132>

NEW QUESTION: 18

How can an administrator exclude Encryption rights from a support engineer?

- A. Clone the role Virtual machine power user, remove Cryptographic operations privileges.
- B. Clone the role Administrator and assign to the support engineer.
- C. Clone the role Virtual machine power user and assign to the support engineer.
- D. Clone the role No cryptography administrator and select privileges only for the support engineer.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.security.doc/GUID-17568345-E59E-43A8-A811-92F8BE9C7719.html>

NEW QUESTION: 19

In vSphere Data Protection 6.1, which is the function of a Backup Verification job?

A. None. Backup Verification job is not a feature of vSphere Data Protection

B. It is a manual task

- Power it on

- Verify the guest OS

- Check started applications

C. It is an automatic process

- Restore a virtual machine

- Power it on

- Verify that the guest OS is booted by communicating with the Backup Verification agent

D. It is an automatic process

- Restore a virtual machine

- Power it on

- Verify that the guest OC is booted by detecting the VMware Tools™ "heartbeats"

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

Automatic Backup Verification (ABV) is a scheduled or on-demand mechanism for verification of backups that ensures the integrity of restore points.

Heartbeat Verification:

The heartbeat verification checks whether the VMware Tools heartbeat has been received within a specific timeframe after the VM has powered on. If the VMware Tools heartbeat is received, the guest OS has booted successfully and is in a healthy state.

Reference:

https://blogs.vmware.com/vsphere/files/2013/12/ABV_technical_white_paper.pdf page 8

NEW QUESTION: 20

Which statement applies to the vSphere Replication appliance?

A. Only one vSphere Replication appliance can be deployed per vCenter Server instance.

B. VMware Tools in the vSphere Replication appliance can be upgraded.

C. A single vSphere Replication appliance can manage a maximum of 4000 replications.

D. vSphere Replication is available only with the vSphere Essentials Plus license.

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/vSphere-Replication/6.5/vsphere-replication-65-install.pdf>

NEW QUESTION: 21

What two parameters can be adjusted in the Round Robin path selection policy? (Choose two.)

- A. number of I/Os before rotation
- B. number of bytes before rotation
- C. queue depth per path
- D. number of optimized paths in rotation

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://kb.vmware.com/s/article/2069356>

NEW QUESTION: 22

What are two features introduced in Network I/O Control version 3? (Choose two.)

- A. Bandwidth reservation per traffic type
- B. Network resource pools
- C. CoS tagging
- D. Bandwidth guarantee to virtual machines

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

Version 3 of the Network I/O Control feature offers improved network resource reservation and allocation across the entire switch.

Models for Bandwidth Resource Reservation

Network I/O Control version 3 supports separate models for resource management of system traffic related to infrastructure services, such as vSphere Fault Tolerance, and of virtual machines.

The two traffic categories have different nature. System traffic is strictly associated with an ESXi host. The network traffic routes change when you migrate a virtual machine across the environment. To provide network resources to a virtual machine regardless of its host, in Network I/O Control you can configure resource allocation for virtual machines that is valid in the scope of the entire distributed switch.

Bandwidth Guarantee to Virtual Machines

Network I/O Control version 3 provisions bandwidth to the network adapters of virtual machines by using constructs of shares, reservation and limit. Based on these constructs, to receive sufficient bandwidth, virtualized workloads can rely on admission control in vSphere Distributed Switch, vSphere DRS and vSphere HA Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.0/com.vmware.vsphere.networking.doc/GUID-98E0B3C2-52A7-4CAB-A839-4DA82A9F6D3A.html>

NEW QUESTION: 23

Which three storage protocols are supported by Virtual Volumes? (Choose three.)

- A. FCIP
- B. FCoE
- C. iSCSI

D. NFS v3

E. NFS v4

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

Virtual Volumes supports NFS version 3 and 4.1, iSCSI, Fibre Channel, and FCoE.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.storage.doc/GUID-AAA99054-4D81-49F8-9927-65E9B08577AD.html>

NEW QUESTION: 24

Which three vSphere features are compatible with vSphere Replication? (Choose three.)

A. vSphere High Availability

B. vSphere Fault Tolerance

C. vSphere Storage DRS

D. vSphere vMotion


Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://docs.vmware.com/en/vSphere-Replication/6.0/com.vmware.vsphere.replication-admin.doc/GUID-8006BF58-6FA8-4F02-AFB9-A6AC5CD73021.html>

NEW QUESTION: 25

A vSphere administrator observes a CPU spike on one of the web servers (view the Exhibit.)



Which two statements can describe the cause of this activity? (Choose two.)

- A. The network packet size is too large.
- B. VMware Tools is not installed.
- C. The network packet size is too small.
- D. Disk latency is present on the datastore.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

A security officer has issued a new directive that users will no longer have access to change connected network adapters to limit denial of service on a virtual machine.

Which two correct virtual machine advanced configuration parameters will accomplish this? (Choose two.)

- A. isolation.device.edit.disable = "FALSE"
- B. isolation.device.edit.disable = "TRUE"
- C. isolation.device.connectable.disable = "FALSE"
- D. isolation.device.connectable.disable = "TRUE"

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

<https://pubs.vmware.com/vsphere-51/index.jsp?topic=%2Fcom.vmware.vsphere.security.doc%2FGUID-F88A5FED-552B-44F9-A168-C62D9306DBD6.html>

NEW QUESTION: 27

What advanced parameter defines a custom isolation IP address for a vSphere HA cluster?

- A. das.usedefaultisolationaddress
- B. das.isolationshutdowntimeout
- C. fdm.isolationpolicydelaysec
- D. das.isolationaddress

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

https://kb.vmware.com/selfservice/microsites/search.do?language=en_US&cmd=displayKC&externalId=1002117

NEW QUESTION: 28

A vSphere administrator manages a cluster which includes critical and non-critical virtual machines. The cluster requires different permissions for contractors and non-contractors.

How can the administrator exclude the contractor group from some of the critical VMs?

- A. Apply permission for both contractors and non-contractors on the cluster level.
- B. Apply permission for both contractors and non-contractors on the cluster level. Remove permission on the critical VMs for contractors.
- C. Remove permission for contractors on the cluster level. Apply permission on the critical VMs for non- contractors.
- D. Apply permission for both contractors and non-contractors on the VMs. Remove permission on the critical VMs for contractors.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

To exclude the contractor group simple apply permission for both contractors and non-contrators on the cluster level. After that, remove permission on the critical VMs for contractors.

NEW QUESTION: 29

What are three benefits of using a few large-capacity LUNs instead of many small-capacity LUNs? (Choose three.)

- A. Better performance because there is less contention for a single volume.
- B. More flexibility for resizing virtual disks.
- C. Less wasted storage space.
- D. More flexibility to create virtual machines without adding new LUNs.
- E. Fewer VMFS datastores to manage.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

You might want fewer, larger LUNs for the following reasons:

- More flexibility to create virtual machines without asking the storage administrator for more space.

- More flexibility for resizing virtual disks, doing snapshots, and so on.

- Fewer VMFS datastores to manage.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.storage.doc/GUID-2C8FAE1F-98F7-4E0B-AEA0-83A4FF16A252.html>

NEW QUESTION: 30

How can failback of a recovered virtual machine in vSphere Replication be performed?

A. No action required, because failback is automatically performed to the source site.

B. Configure a new replication in the reverse direction at the target site.

C. Disable or Stop the virtual machine replication on the source site.

D. Power off and unregister the virtual machine on the target site.

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

Failback of Virtual Machines in vSphere Replication

Failback of virtual machines is a manual task in a vSphere Replication.

After performing a successful recovery from the primary site to the secondary site, you can perform failback. You manually configure a new replication in the reverse direction, that is, from the secondary site to the primary site. The disks of the primary site are used as replication seeds, so that vSphere Replication only synchronizes the changes made to the .vmdk files. Before you configure the reverse replication, you must manually unregister the virtual machine from the inventory on the primary site.

Reference:

https://pubs.vmware.com/vsphere-51/index.jsp?topic=%2Fcom.vmware.vsphere.replication_admin.doc%2FGUID-0594C104-1381-4EE7-8C6A-A44E9F380AAB.html

NEW QUESTION: 31

An administrator must reprovision 25 hosts with a new image profile that he has created. Which two methods can the administrator use to change the image profile? (Choose two.)

A. From the vSphere Web client home page, select the Deploy Rules tab in the Auto Deploy section.

B. Run the Copy-Deploy Rule and specify the Replace Item parameter with Power CLI.

C. From the vSphere Web client home page, select the Assign Rules tab in the Auto Deploy section.

D. Run the Set-Deploy Rule and specify the Replace Item parameter with Power CLI.

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: <https://pubs.vmware.com/vsphere-51/index.jsp?topic=%2Fcom.vmware.vsphere.upgrade.doc%2FGUID-8B9AAAA7-914B-4643-8C2A-FEA5F171BDC8.html>

Valid 2V0-622 Dumps shared by ExamDiscuss.com for Helping Passing 2V0-622 Exam!
ExamDiscuss.com now offer the **newest 2V0-622 exam dumps**, the ExamDiscuss.com 2V0-622 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 2V0-622 dumps with Test Engine here:

<https://www.examdisscuss.com/VMware/exam/2V0-622/premium/> (290 Q&As Dumps, **35%OFF**

Special Discount Code: **freecram**)

NEW QUESTION: 32

Which three prerequisites must be in place prior to enabling secure boot for a virtual machine?
(Choose three.)

- A. VirtualMachine.Config.Settings privileges
- B. an encrypted USB drive
- C. Virtual Hardware version 13 or later
- D. Virtual Hardware version 12 or later
- E. EFI firmware

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

Verify that the virtual machine operating system and firmware support UEFI boot.

EFI firmware

Virtual hardware version 13 or later.

Operating system that supports UEFI secure boot.

You need VirtualMachine.Config.Settings privileges to enable or disable UEFI secure boot for the virtual machine.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.security.doc/GUID-898217D4-689D-4EB5-866C-888353FE241C.html>

NEW QUESTION: 33

Upgrading vCenter Server with Microsoft SQL database fails with the following error message:

The DB User entered does not have the required permissions needed to install and configure vCenter Server with the selected DB. Please correct the following error(s): %s What could cause this error?

- A. incorrect ports open on SQL Server
- B. incorrect database on the SQL server
- C. incorrect compatibility mode on the SQL server

D. incorrect permission on SQL Server database

Answer: C ([LEAVE A REPLY](#))

Explanation/Reference:

Explanation/Reference:

Problem

The following error message appears: The DB User entered does not have the required permissions needed to install and configure vCenter Server with the selected DB. Please correct the following error(s): %s Cause The database version must be supported for vCenter Server. For SQL, even if the database is a supported version, if it is set to run in compatibility mode with an unsupported version, this error occurs. For example, if SQL 2008 is set to run in SQL 2000 compatibility mode this error occurs.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.0/com.vmware.vsphere.upgrade.doc/GUID-5AA32F87-270C-4171-8896-41A607F8F997.html>

NEW QUESTION: 34

The vSphere administrator must change the path selection policy (PSP) to comply with best practices. Which two interfaces can be used to change the PSP? (Choose two.)

- A.** ESXi shell
- B.** vSphere Client
- C.** ESXi host client
- D.** vSphere Web Client

Answer: ([SHOW ANSWER](#)**)**

Explanation/Reference:

Reference: <https://pubs.vmware.com/vsphere-51/index.jsp?topic=%2Fcom.vmware.vsphere.storage.doc%2FGUID-AE95818C-0782-429B-9526-DF12673A63C7.html>

NEW QUESTION: 35

Which two options can optimize conversion with VMware Converter? (Choose two.)

- A.** Disable real-time antivirus scanners.
- B.** Remove the source from Active Directory.
- C.** Remove third-party device drivers.
- D.** Exclude diagnostic partitions from conversion.
- E.** Disable Volume Shadow Copy (VSS).

Answer: A,D ([LEAVE A REPLY](#))

Explanation/Reference:

Explanation:

Optimizing the conversion for best success

To set up conversion for the best success:

If you are encountering failures with Converter, reduce the number of optional items in the Conversion Wizard:

Do not convert diagnostic partitions or unrecognized file systems.

If you are experiencing cloning phase failures, do not choose to resize the partitions.

If there are multiple volumes, attempt converting only the system volume.

If you are experiencing network or Ethernet issues, try using a different network type.

Leave the default number of virtual network cards (NICs) unaltered. The number of virtual NICs can be changed after conversion has completed.

Deselect the option to install VMware Tools.

Deselect the option to perform Customization on the virtual machine.

To prepare for conversion:

If the source is a domain controller, special considerations must be made. VMware does not recommend virtualizing an active domain controller with Converter.

If the source is Microsoft Exchange, SQL, or other database server, VMware recommends that the application (Microsoft Exchange/SQL) and database services be shut down prior to conversion. This minimizes any chance of corrupted database tables or stale data in the destination virtual machine.

Disable the real-time antivirus scanning during the conversion.

Reference: <https://kb.vmware.com/s/article/1004588>

NEW QUESTION: 36

An administrator sees the following error in the log files:

```
Lost access to volume 496befed-1c79c817-6beb-001ec9b60619 (san-  
lun-100) due to connectivity issues.
```

Which two events could be the source of the error message? (Choose two.)

- A. vCenter Server failure
- B. VXLAN failure
- C. Disk array failure
- D. Network failure
- E. ESXi host failure

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

To determine why the heartbeat, I/O operations never complete:

Note the date/time when the lost access to volume message was reported and check the ESXi host logs for related information.

Verify that there are no connectivity issues between the ESXi host and the storage device.

Reference:

https://kb.vmware.com/selfservice/microsites/search.do?language=en_US&cmd=displayKC&externalId=2136081

NEW QUESTION: 37

A vSphere Administrator must ensure that a user is able to view and manage the system configuration in vSphere Web Client.

In the vCenter Single Sign-On domain, which group should the user be a part of?

- A. SystemConfiguration.BashShellAdministrators
- B. ComponentManager. Administrators
- C. Administrators
- D. SystemConfiguration.Administrators

Answer: D ([LEAVE A REPLY](#))

Explanation/Reference:

Explanation:

SystemConfiguration.Administrators

Members of the SystemConfiguration.Administrators group can view and manage the system configuration in the vSphere Web Client. These users can view, start and restart services, troubleshoot services, see the available nodes and manage those nodes.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.psc.doc/GUID-87DA2F34-DCC9-4DAB-8900-1BA35837D07E.html>

NEW QUESTION: 38

Which two logs should be examined to troubleshoot a Windows vCenter Server upgrade failure? (Choose two.)

- A. vminst.log
- B. vim-um-msi.log
- C. firstboot.log
- D. pkgmgr.log

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.0/com.vmware.vsphere.upgrade.doc/GUID-CF80C555-BFB1-4FF1-B4E6-6935D424838E.html>

NEW QUESTION: 39

Which CLI command shows the physical uplink status for a vmnic?

- A. esxcli network ip connection list
- B. esxcli network ip neighbor list
- C. esxcli network nic get

D. esxcli network nic list

Answer: D (LEAVE A REPLY)

Explanation/Reference:

Reference:

https://vdc-repo.vmware.com/vmwb-repository/dcr-public/26334f54-ee84-47c2-b2f3-901f51cbc98a/d3f55719-4d3f-47c4-a3c5-fe9c7e5a67f6/doc/esxcli_network.html

NEW QUESTION: 40

To prevent possible failures or issues during a vSphere upgrade, which component should be upgraded first?

A. ESXi Hosts

B. virtual machines

C. datastores

D. vCenter Server

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/vsphere-esxi-vcenter-server-65-upgrade-guide.pdf> (12)

NEW QUESTION: 41

What are two consequences of turning off vSphere DRS on a cluster? (Choose two.)

A. vMotion capability will be lost.

B. Resource pools will be lost.

C. vApps will be lost.

D. Affinity rules will be lost.

Answer: B,D (LEAVE A REPLY)

Explanation/Reference:

Reference: https://pubs.vmware.com/vsphere-4-esx-vcenter/index.jsp?topic=/com.vmware.vsphere.resourcemanagement.doc_41/creating_a_drs_cluster/t_disable_drs.html

NEW QUESTION: 42

Which is required for configuring iSCSI Software Adapter network port binding?

A. VMkernel of the iSCSI traffic must be load balanced using Route based on IP Hash algorithm.

B. VMkernel of the iSCSI traffic must be load balanced using Route based on Source Virtual Port ID algorithm.

C. VMkernel of the iSCSI traffic must be load balanced using Route based on Source MAC Hash algorithm.

D. VMkernel of the iSCSI traffic must be bound to only one active network adapter.

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

(...) ensure each vmkernel port has a unique active adapter.

Reference:

https://kb.vmware.com/selfservice/microsites/search.do?language=en_US&cmd=displayKC&externalId=2045040

NEW QUESTION: 43

The virtual machine log rotation size can be changed for all VMs by which two interfaces? (Choose two.)

- A.** PowerCLI
- B.** vSphere Web Client
- C.** ESXi host client
- D.** esxcli

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

https://kb.vmware.com/selfservice/microsites/search.do?language=en_US&cmd=displayKC&externalId=8182749

NEW QUESTION: 44

Which two protocols can be used to back up vCenter Server Appliance Instance? (Choose two.)

- A.** iSCSI
- B.** HTTPS
- C.** FTP
- D.** NFS

Answer: B,C ([LEAVE A REPLY](#))

Explanation/Reference:

Reference: <https://virtualizationreview.com/articles/2017/03/20/how-to-back-up-a-vcenter-server-appliance.aspx>

NEW QUESTION: 45

When you attempt to open a virtual machine console from the vSphere Web Client, the console does not connect. The following error message appears:

HTTP ERROR 404

Problem accessing/.Reason:

Not Found

Why did not connect?

- A.** Port 443 is in use.
- B.** Port 9443 is in use.
- C.** Port 8443 is in use.
- D.** Port 22443 is in use.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

Another program or process is using port 9443, the default port used by the HTML5 virtual machine console.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.troubleshooting.doc/GUID-8536C14F-4D4F-4674-846E-08BE321B7A11.html>

NEW QUESTION: 46

Which port is used for communication between ESXi and vSphere Data protection?

- A. 80
- B. 443
- C. 902
- D. 22

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://kb.vmware.com/s/article/2034929>

Valid 2V0-622 Dumps shared by ExamDiscuss.com for Helping Passing 2V0-622 Exam!
ExamDiscuss.com now offer the **newest 2V0-622 exam dumps**, the ExamDiscuss.com 2V0-622 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 2V0-622 dumps with Test Engine here:

<https://www.examdiscuss.com/VMware/exam/2V0-622/premium/> (**290** Q&As Dumps, **35%OFF**

Special Discount Code: [freecram](#))

NEW QUESTION: 47

What is the command for updating an ESXi host?

- A. esxcli software vib update -d "/vmfs/volumes/Datastore/DirectoryName/PatchName.zip"
- B. esxupdate software update -d "/vmfs/volumes/Datastore/DirectoryName/PatchName.zip"
- C. esxcli software update -d "/vmfs/volumes/Datastore/DirectoryName/PatchName.zip"
- D. esxupdate software vib update -d "/vmfs/volumes/Datastore/DirectoryName/PatchName.zip"

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://www.ivobeerens.nl/2017/02/15/patch-vmware-esxi-6-5-hosts-command-line/>

NEW QUESTION: 48

The business managers have asked the IT administrator to ensure configuration compliance in the vSphere infrastructure. The IT administrator wants to use Host Profiles to accomplish this, but is unable to do so.

Why is the administrator unable to use Host Profiles?

- A. The infrastructure uses a vSphere Standard license.
- B. The infrastructure has servers with various CPU families.
- C. The user has only the "Administrator" role.
- D. Host Profiles apply only to storage settings.

Answer: A ([LEAVE A REPLY](#))

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.hostprofiles.doc/GUID-7500B48E-6353-4FCB-A03E-C0295E5ADD46.html>

NEW QUESTION: 49

Which three operations can cause VMFS metadata updates? (Choose three.)

- A. Restarting a VM using the guest OS.
- B. Launching a VM console.
- C. Migrating a VM with vMotion.
- D. Powering a VM on or off.
- E. Expanding a VMFS datastore.

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

Metadata is updated each time you perform datastore or virtual machine management operations.

Examples of operations requiring metadata updates include the following:

Creating, growing, or locking a virtual machine file

▪

Changing a file's attributes

▪

Powering a virtual machine on or off

▪

Creating or deleting a VMFS datastore

▪

Expanding a VMFS datastore

▪

Creating a template

▪

Deploying a virtual machine from a template

▪

Migrating a virtual machine with vMotion

▪

Reference:

https://pubs.vmware.com/vsphere-50/index.jsp?topic=%2Fcom.vmware.vsphere.storage.doc_50%2FGUID-7A385576-9434-432E-92C4-51E26A4761AA.html

NEW QUESTION: 50

Which log file would assist in identifying an issue that occurred during the database export phase of a vCenter Server upgrade process?

- A. vcdb_import.out

- B. export.json
- C. export-upgrade-runner.log
- D. vcdb_export.out

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.upgrade.doc/GUID-5EAC8B84-0A95-41EC-AAF4-6CBBB3A5152A.html>

NEW QUESTION: 51

When performing a vCenter Server 5.5 for Windows with Microsoft SQL Server Express database migration to vCenter Server Appliance 6.5, which will be the target database?

- A. Microsoft SQL Server Express 2012R2
- B. Microsoft SQL Server Standard 2012R2
- C. PostgreSQL
- D. Oracle DB 11g

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

The vCenter Server 6.0 embedded Microsoft SQL Server Express database is replaced with an embedded PostgreSQL database during the upgrade to vCenter Server 6.5. The maximum inventory size that applied for Microsoft SQL Server Express still applies for PostgreSQL.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/vsphere-esxi-vcenter-server-65-upgrade-guide.pdf>

NEW QUESTION: 52

Which command can be run to troubleshoot connectivity problems with vmkernel network interfaces?

- A. esxcli network
- B. vmkping
- C. net-stats
- D. vicfg-vmknic

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

For troubleshooting purposes, it may be necessary to test VMkernel network connectivity between ESX hosts in your environment.

Reference:

<https://kb.vmware.com/s/article/1003728>

NEW QUESTION: 53

How can a vSphere administrator ensure that two virtual machines never run on the same datastore in a datastore cluster, while permitting the VMs to be load-balanced?

- A. Configure a storage DRS VM override.
- B. Disable storage DRS for the VMs.
- C. Use an Inter-VM Anti-Affinity Rule.
- D. Use an Intra-VM Anti-Affinity Rule.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 54

A virtual machine is connected on a distributed port group where the average bandwidth configured in the traffic shaping policy is 100 Mbps. The VM network adapter is configured with a reservation of 200 Mbps.

What is the VM's effective bandwidth?

- A. 200 Mbps
- B. 100 Mbps
- C. 150 Mbps
- D. 400 Mbps

Answer: ([SHOW ANSWER](#)**)**

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.networking.doc/GUID-8E957535-7969-4E12-BD11-DF746D6D5379.html>

NEW QUESTION: 55

vSphere Availability considers which two factors for virtual machine restarts? (Choose two.)

- A. Host Isolation Response
- B. file accessibility
- C. NUMA node size
- D. resource reservations

Answer: ([SHOW ANSWER](#)**)**

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/vsphere-esxi-vcenter-server-65-availability-guide.pdf> page 16-17

NEW QUESTION: 56

What can prevent Storage DRS from functioning on a datastore?

- A. The datastore is configured for Virtual Machine Swapfile location.
- B. The datastore is shared across multiple datacenters.
- C. The datastore is connected to a host that is running Storage I/O Control.
- D. Storage DRS advanced option IgnoreAffinityRulesForMaintenance is set to 1.

Answer: ([SHOW ANSWER](#)**)**

Explanation/Reference:

Reference: [https://pubs.vmware.com/vsphere-50/index.jsp?topic=%](https://pubs.vmware.com/vsphere-50/index.jsp?topic=%2Fcom.vmware.vsphere.troubleshooting.doc_50%2FGUID-976F5B21-8C64-4C85-BE75-0D86655E32DD.html)

[2Fcom.vmware.vsphere.troubleshooting.doc_50%2FGUID-976F5B21-8C64-4C85-BE75-0D86655E32DD.html](https://pubs.vmware.com/vsphere-50/index.jsp?topic=%2Fcom.vmware.vsphere.troubleshooting.doc_50%2FGUID-976F5B21-8C64-4C85-BE75-0D86655E32DD.html)

NEW QUESTION: 57

Assuming a mirrored (RAID-1) object configuration, how many hosts must contribute storage in a non-stretched VMware vSAN cluster to satisfy the "Number of failures to tolerate" policy option?

"n" is the desired "Number of failures to tolerate" value for all options.

A. $2n+2$

B. $2n$

C. $2n+1$

D. $3n$

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

VMware vSAN Policy Options			
Capability	Use Case	Value	Comments
Number of failures to tolerate	Redundancy	Default 1 Max 3	A standard configuration for a virtual machine. The value of the number of failures tolerated is the number of copies of the data required. A higher number of replicas, which can be more than expected.

Reference:

<http://pubs.vmware.com/vmware-validated-design-40/index.jsp?topic=%2Fcom.vmware.vvd.sddc-design.doc%2FGUID-6F009138-C06B-4CF0-89A4-9FFECA22F7FE.html>

NEW QUESTION: 58

Which storage feature always requires the use of third-party software on ESXi?

A. Hardware Acceleration for NAS devices

B. VVOL

C. Hardware Acceleration for Block Devices

D. VM Storage Policies

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:


With the hardware acceleration, ESXi hosts can integrate with NAS devices and use several hardware operations that NAS storage provides. The hardware acceleration uses vSphere APIs for Array Integration (VAAI) to facilitate communications between the hosts and storage devices.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.storage.doc/GUID-F0FA0117-D48F-4F6F-BE3F-A06BF26F742C.html>

NEW QUESTION: 59

In a vSphere environment, two resource pools are created as shown in the Exhibit.



Each VM is configured with 1 GB of memory. When the administrator tried to power on VM3, the operation failed.

What action in the resource pool settings will allow VM3 to power on successfully?

- A. Deselect Expandable Memory Reservation
- B. Increase Memory Reservation
- C. Deselect Expandable CPU Reservation
- D. Increase the CPU Reservation

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

VM3 doesn't have sufficient memory to power on. In the resource pool settings, increase the memory reservation of VM3 and it will power up.

NEW QUESTION: 60

A scripted upgrade of ESXi fails due to an incorrect parameter in the upgrade script. What file must the administrator modify to correct the problem?

- A. vmreconfig.pl
- B. hostinfo.pl
- C. ks.cfg
- D. boot.cfg

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://kb.vmware.com/s/article/2004729>

NEW QUESTION: 61

What three conditions could result in VMware Flash Read Cache being unable to claim a disk? (Choose three.)

- A. The disk is not listed in the VMware hardware compatibility guide.
- B. The disk is not detected as an SSD.
- C. The disk is not detected as local.
- D. The disk is in use by VMFs.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.0/com.vmware.vsphere.troubleshooting.doc/GUID-6E75A727-C2D9-4B20-B47A-A243AE1881.html>

Valid 2V0-622 Dumps shared by ExamDiscuss.com for Helping Passing 2V0-622 Exam!

ExamDiscuss.com now offer the **newest 2V0-622 exam dumps**, the ExamDiscuss.com 2V0-622 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 2V0-622 dumps with Test Engine here:

<https://www.examdumps.com/VMware/exam/2V0-622/premium/> (290 Q&As Dumps, **35%OFF**

Special Discount Code: [freecram](#))

NEW QUESTION: 62

Which three requirements are true for the vCenter Server HA network? (Choose three.)

- A. Network latency between all nodes must be less than 10 milliseconds.
- B. IP addresses for all nodes must be static.
- C. HA network IP addresses for all nodes can be on different subnets.
- D. IP addresses must be on the same network as the management network.
- E. A default gateway must be configured.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.avail.doc/GUID-9B176C8A-4EEE-4A28-A3C1-24656D6402CF.html#GUID-9B176C8A-4EEE-4A28-A3C1-24656D6402CF>

NEW QUESTION: 63

Which port is used for vSphere HA agent-to-agent communication?

- A. 443
- B. 8182
- C. 22
- D. 902

Answer: B (LEAVE A REPLY)

Explanation/Reference:

Explanation:

vSphere HA uses TCP and UDP port 8182 for agent-to-agent communication. The firewall ports open and close automatically to ensure they are open only when needed.

Reference: https://pubs.vmware.com/vsphere-50/index.jsp?topic=%2Fcom.vmware.vsphere.avail.doc_50%2FGUID-7442EF04-56C9-4910-ACBA-DF42E97ED311.html

NEW QUESTION: 64

A virtual machine fails to power on after being deployed from a template.

What two remediation steps could correct this issue? (Choose two.)

- A. Increase CPU reservation
- B. Decrease memory reservation
- C. Increase memory reservation
- D. Increase datastore capacity
- E. Decrease CPU reservation

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference:

<https://pubs.vmware.com/vsphere-51/index.jsp?topic=%2Fcom.vmware.vsphere.troubleshooting.doc%2FGUID-FFE2CB60-A35D-4FCD-8D13-DF538F183692.html>

NEW QUESTION: 65

Which two situations could cause a virtual machine to appear with (orphaned) appended to its name? (Choose two.)

- A. if a host failover is unsuccessful
- B. if a virtual machine was removed from vCenter Server's inventory
- C. if a virtual machine was deployed from template, and the template has been deleted
- D. if a virtual machine is unregistered directly on the host

Answer: A,D (LEAVE A REPLY)

Explanation/Reference:

Explanation:

Virtual machines can become orphaned if a host failover is unsuccessful, or when the virtual machine is unregistered directly on the host. If this situation occurs, move the orphaned virtual machine to another host in the datacenter that has access to the datastore on which the virtual machine files are stored.

Reference:

https://pubs.vmware.com/vsphere-50/index.jsp?topic=%2Fcom.vmware.vsphere.troubleshooting.doc_50%2FGUID-BFD8C9BC-30FB-4A92-AFEC-2FC9FF387920.html

NEW QUESTION: 66

Which statement is correct when migrating from a Windows vCenter Server to the vCenter ServerAppliance 6.5?

- A. Migration deployments do not migrate local OS users from the source vCenter Server.
- B. Migration deployments support DHCP on the source vCenter Server.
- C. Migration deployments allow the source vCenter Server to remain powered on afterwards.
- D. Migration deployments support custom ports for all services on the source vCenter Server.

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.upgrade.doc/GUID-5E19B79A-AE4F-497A-9047-3E9AAC1D7767.html>

NEW QUESTION: 67

Which is the maximum number of block devices (LUNs) that are supported by ESXi hosts that are running version 6.5?

- A. 1024
- B. 512
- C. 2048
- D. 256

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

LUNs per server 512

Reference:

<https://www.vmware.com/pdf/vsphere6/r65/vsphere-65-configuration-maximums.pdf>

NEW QUESTION: 68

Which two configuration options can exclude virtual disks from snapshot operations? (Choose two.)

- A. Use RDM in virtual mode for virtual disk.

- B. Use virtual disks in Independent - Persistent mode.
- C. Use a virtual disk larger than 2 TB in size.
- D. Use RDM in physical mode for virtual disk.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

VMware does not support snapshots of raw disks, RDM physical mode disks, or guest operating systems that use an iSCSI initiator in the guest.

Virtual machines with independent disks must be powered off before you take a snapshot. Snapshots of powered-on or suspended virtual machines

Reference:

https://pubs.vmware.com/vsphere-51/index.jsp?topic=%2Fcom.vmware.vsphere.vm_admin.doc%2FGUID-53F65726-A23B-4CF0-A7D5-48E584B88613.html

NEW QUESTION: 69

What is the supported protocol to perform remote L3 traffic monitoring in vSphere 6.5?

- A. VXLAN
- B. ERSPAN
- C. RSPAN
- D. SPAN

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://docs.extrahop.com/6.2/configure-erspan-vmware/>

NEW QUESTION: 70

An administrator is attempting to power on a virtual machine with 32GB of memory. The operation fails with the following error:

Could not power on VM: No space left on device

Checking the space on the virtual machine's datastore, there is 30GB free.

Which action would allow the VM to power on?

- A. Set a 2GB memory reservation on the VM.
- B. Mount the virtual disk from the affected VM on to another virtual machine and free up space from within the OS.
- C. Enable vSphere HD admission control on the cluster in which the VM resides.
- D. Set a 2GB memory limit on the VM.

Answer: A ([LEAVE A REPLY](#))

Explanation/Reference:

Explanation:

The swap file size can be calculated with the formula (.vswp File = Allocated Memory - Memory Reservation).

As per default, the reservation is set to 0, so the .vswp file size is equal to the amount of virtual memory.

NEW QUESTION: 71

What is a potential downside of having more than four paths per datastore?

- A. limits the storage protocols
- B. increases storage latency for VM
- C. limits the path selection policies
- D. limits the number of LUNs per host

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.configmax.doc/GUID-18B4D7E1-BE1B-4B18-8115-17C704DA0F06.html>

NEW QUESTION: 72

A vSphere HA cluster with four hosts has admission control configured to tolerate one host failure. Which statement is true if a fifth host is added?

- A. CPU and Memory capacity will be set to 50%.
- B. CPU and Memory capacity will be set to 30%.
- C. CPU and Memory capacity will be set to 25%.
- D. CPU and Memory capacity will be set to 20%.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

Select the Percentage of Cluster Resources Reserved admission control policy. This policy offers the most flexibility in terms of host and virtual machine sizing. When configuring this policy, choose a percentage for CPU and memory that reflects the number of host failures you want to support. For example, if you want vSphere HA to set aside resources for two host failures and have ten hosts of equal capacity in the cluster, then specify 20% Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.0/com.vmware.vsphere.avail.doc/GUID-BD6D9434-84C8-4937-BC76-04852F5EA136.html>

NEW QUESTION: 73

What is the default pathing policy for most active-active arrays?

- A. Fixed
- B. Most Recently Used
- C. Dynamic Disk Mirroring
- D. RoundRobin

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: [https://pubs.vmware.com/vsphere-50/index.jsp?topic=%](https://pubs.vmware.com/vsphere-50/index.jsp?topic=%2Fcom.vmware.vsphere.storage.doc_50%2FGUID-37F97D1C-4E4F-460B-ACF9-04D1347959CC.html)

[2Fcom.vmware.vsphere.storage.doc_50%2FGUID-37F97D1C-4E4F-460B-ACF9-04D1347959CC.html](https://pubs.vmware.com/vsphere-50/index.jsp?topic=%2Fcom.vmware.vsphere.storage.doc_50%2FGUID-37F97D1C-4E4F-460B-ACF9-04D1347959CC.html)

NEW QUESTION: 74

What two methods are used to configure VMware vSphere Storage I/O Control shares and limits?
(Choose two.)

- A. Assign shares and limits to VM virtual disks.
- B. Assign shares and limits to datastores.
- C. Assign shares and limits to Storage DRS clusters.
- D. Assign shares and limits using VM storage policies.

Answer: A,D (LEAVE A REPLY)

Explanation/Reference:

Explanation:

Assign shares and limits to VM virtual disks

Disk File	[TS253A-50GB] win07_01/win07_01.vmdk	
Shares	Low	500
Limit - IOPs	Unlimited	

Assign shares and limits using VM storage policies



NEW QUESTION: 75

A VM folder contains VM1 and VM2.

Group A has permission to power on virtual machines, defined on the VM folder and its children.

Group B has permission to power off virtual machine VM2.

If a user is a member of group A and B, what action can the user perform?

- A. Power on and power off VM2.
- B. Power on and power off VM1.
- C. Power off VM1.
- D. Suspend VM2.

Answer: (SHOW ANSWER)

NEW QUESTION: 76

A vSphere content library administrator is attempting to unpublish the content library, but the option is grayed out as shown in the Exhibit.



Which statement identifies the reason for not being able to unpublish?

- A. The content library is optimized for syncing over HTTP.
- B. A synchronization operation is in progress with this content library.
- C. There are active subscriptions on this content library.
- D. Underlying storage for this content library is not accessible.


Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

This optimization option comes with limitations:

- Once a library is published as optimized for syncing over HTTP (streaming optimized), you cannot revert it back (unpublish) to a local library
- A streaming optimized published library cannot be used to deploy VMs.



Reference: http://docs.hol.vmware.com/HOL-2017/hol-1710-sdc-6_html_en/

Valid 2V0-622 Dumps shared by ExamDiscuss.com for Helping Passing 2V0-622 Exam!
ExamDiscuss.com now offer the **newest 2V0-622 exam dumps**, the ExamDiscuss.com 2V0-622 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 2V0-622 dumps with Test Engine here:

<https://www.examdiscuss.com/VMware/exam/2V0-622/premium/> (290 Q&As Dumps, **35%OFF**

Special Discount Code: freecram)

NEW QUESTION: 77

"OneAppServer" is a VM template stored in a content library named "LibraryOne", but the vSphere administrator is not able to use this template for deployment.

Why is the administrator unable to deploy OneAppServer?

- A. OneAppServer must be updated before it can be deployed.
- B. LibraryOne is a subscribed library and OneAppServer is not downloaded yet.
- C. LibraryOne is published and optimized for syncing over HTTP.
- D. OneAppServer was imported from a local file on the system.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

The administrator is unable to deploy OneAppServer because LibraryOne is published and optimized for syncing over HTTP. If the syncing is enabled, you cannot use this template for deployment.

NEW QUESTION: 78

A vSphere Administrator observes that the Primary VM configured with Fault Tolerance is executing slowly. After further investigation, it is determined that the Secondary VM is on an overcommitted ESXi host.

What two methods will correct the problem? (Choose two.)

- A. Use Storage vMotion to migrate the Secondary VM to another datastore.
- B. Use vMotion to migrate the Secondary VM to a different ESXi host.
- C. Configure a CPU limit on the Primary VM which will also apply to the Secondary VM.
- D. Turn off and turn on FT in order to recreate the Secondary VM on a different datastore.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

https://pubs.vmware.com/vsphere-4-esx-vcenter/index.jsp?topic=/com.vmware.vsphere.availability.doc_40/c_ft_ts_perf.html

NEW QUESTION: 79

What advanced option for vSphere HA defines a maximum number of reset attempts by VMCP for a virtual machine?

- A. das.maxterminates
- B. das.isolationshutdowntimeout
- C. das.maxresets
- D. fdm.isolationpolicydelaysec

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

das.maxresets

The maximum number of reset attempts made by VMCP. If a reset operation on a virtual machine affected by an APD situation fails, VMCP retries the reset this many times before giving up.

Reference: <https://kb.vmware.com/s/article/2033250>

NEW QUESTION: 80

An administrator has enabled vSphere Distributed Switch Health Check. The hosts connected to that Distributed Switch all display an alert:

vSphere Distributed Switch MTU supported status

The administrator has all of the VMkernel ports MTU sizes set to 1600.

Which action will remedy this problem?

- A. Configure the Distributed Switch to MTU 9100.
- B. Disconnect and reconnect the physical network cable.
- C. Configure the physical switch to MTU 1600.
- D. Disable the Distributed Switch MTU.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

You can increase the MTU size up to 9000 bytes. Therefore, a MTU of 9100 is not supported. The MTU configured in the VDS must match the physical switch configured MTU.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.networking.doc/GUID-53F968D9-2F91-41DA-B7B2-48394D997F2A.html>

NEW QUESTION: 81

Which three directories are available under the vcса-cli-installer folder of the vCenter ServerAppliance installation media? (Choose three.)

- A. \mac
- B. \ovftool
- C. \migration-assistant
- D. \win32
- E. \lin64

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:



Reference:

<https://virtualtassie.com/2017/vsphere-6-5-cli-vcsa-embedded-deployment-walkthrough/>

NEW QUESTION: 82

In network troubleshooting it is important to know what upstream switch the ESXi host is connected to. Which two features does ESXi provide to help identify the upstream switch? (Choose two.)

- A. Promiscuous mode
- B. DPM
- C. LLDP
- D. CDP

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/VMware-vSphere/5.5/com.vmware.vsphere.networking.doc/GUID-A1B145E9-6454-45C0-8E7E-71E04A3BC9FF.html>

NEW QUESTION: 83

vSphere DRS helps to balance virtual machines with available resources in a vSphere cluster. What three types of resources can be taken into account for balancing? (Choose three.)

- A. CPU
- B. physical NIC saturation of an ESXi host
- C. virtual NIC saturation of a virtual machine
- D. RAM
- E. storage latency

Answer: A,B,D ([LEAVE A REPLY](#))

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.resmgmt.doc/GUID-4C2CFBA8-0A38-48BD-8C68-1811158AC6C9.html>

NEW QUESTION: 84

The networking team has requested to have a dedicated network for iSCSI traffic. This task has been assigned to the vSphere Administrator.

What is the VMware-recommended way to accomplish this?

- A. Configure Static Routes on each ESXi Server.
- B. Define a dedicated gateway for the iSCSI vmkernel.
- C. Create a custom IP Stack.
- D. Configure the right subnet.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 85

What are two requirements to enable EVC in vSphere DRS cluster? (Choose two.)

- A. CPUs must be from the same vendor.
- B. EVC must use the lowest possible baseline supported by the hardware.
- C. CPUs must be in the same family and of the same speed.
- D. No VMs may be running in the cluster.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.vcenterhost.doc/GUID-FEC87C0B-7276-4152-8EAA-915305E64FED.html>

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.vcenterhost.doc/GUID-9F444D9B-44A0-4967-8C07-693C6B40278A.html>

NEW QUESTION: 86

What is the minimum number of hosts that must contribute capacity to a non-ROBO single site VMware vSAN cluster?

- A. 1
- B. 64
- C. 3
- D. 2

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

For standard datacenter deployments, VSAN requires a minimum of three ESXi hosts (where each host has local storage and is contributing this storage to the VSAN datastore) to form a supported VSAN cluster Essential Virtual SAN (VSAN): Administrator's Guide to VMware Virtual SAN (2nd Edition) (VMware Press Technology) page 14

NEW QUESTION: 87

An administrator wants to restore the vCenter Server Appliance 6.5 from backup.

Where can this be accomplished?

- A. from the ESXi Host Client
- B. from the VMware vSphere Appliance Management Interface
- C. from within the VMware vSphere Web Client
- D. from the vCenter Server Appliance Installer

Answer: D ([LEAVE A REPLY](#))

Explanation/Reference:

Explanation:

Launch the setup application of the VCSA 6.5 (from the ISO) and hit the Restore button > Deploy a new appliance > Accept EULA > Enter Backup details > Review backup information > Enter appliance deployment target (ESXi host) from them it is pretty similar to a clean deployment...

Reference:

<https://www.vladan.fr/vmware-vcsa-6-5-backup-and-restore-how-to/>

NEW QUESTION: 88

By default, how often is the vCenter vpx user password automatically changed?

- A. 15 days
- B. 60 days
- C. 30 days
- D. 45 days

Answer: ([SHOW ANSWER](#)**)**

Explanation/Reference:

Explanation:

vCenter Server creates the vpxuser account on each ESX/ESXi host that it manages. The password for each vpxuser account is auto-generated when an ESX/ESXi host is added. The password is updated by default every 30 days.

Reference:

<https://kb.vmware.com/s/article/1016736>

NEW QUESTION: 89

What new feature is introduced in NFS 4.1 on ESXi 6.5?

- A. IPv6
- B. KRB5i
- C. AUTH_SYS
- D. Storage DRS

Answer: ([SHOW ANSWER](#)**)**

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.storage.doc/GUID-8A929FE4-1207-4CC5-A086-7016D73C328F.html>

NEW QUESTION: 90

In which scenario will vSphere DRS balance resources when set to Fully Automated?

- A. Hosts with only shared storage
- B. Hosts are part of a vSphere HA cluster
- C. Power Management is set to Balanced on hosts
- D. Hosts with shared or non-shared storage

Answer: ([SHOW ANSWER](#)**)**

Explanation/Reference:

Reference:

<http://searchvmware.techtarget.com/tip/VMware-DRS-and-VMotion-Improve-workload-balance-prevent-problems>

NEW QUESTION: 91

Which two components are part of storage I/O multipathing on ESXi? (Choose two.)

- A. SATP
- B. VASA
- C. PSP
- D. VAAI

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

Multipathing Acronyms	
Acronym	Definition
PSA	Pluggable Storage Architecture
VMP	Native Multipathing Plug-in. Generic VMware multipathing module
PSP	Path Selection Plug-in, also called Path Selection Policy. Handles path selection for a given device
SATP	Storage Array Type Plug-in, also called Storage Array Type Policy. Handles path failover for a given storage array

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/vsphere-esxi-vcenter-server-65-storage-guide.pdf>
page
186

Valid 2V0-622 Dumps shared by ExamDiscuss.com for Helping Passing 2V0-622 Exam!
ExamDiscuss.com now offer the **newest 2V0-622 exam dumps**, the ExamDiscuss.com 2V0-622 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 2V0-622 dumps with Test Engine here:

<https://www.examdiscuss.com/VMware/exam/2V0-622/premium/> (290 Q&As Dumps, **35%OFF**

Special Discount Code: [freecram](#))

NEW QUESTION: 92

VMware Converter can import a powered off virtual machine from which two virtual machine platforms? (Choose two.)

- A. Microsoft Hyper-V
- B. Citrix Xen

C. VMware Workstation

D. Linux with KVM

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: https://www.vmware.com/pdf/convsa_60_guide.pdf

NEW QUESTION: 93

Which are three supported storage requirements for vCenter Server HA? (Choose three.)

A. NFS

B. RDM

C. vSAN

D. VMFS

E. JBOD

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

vCenter HA is supported and tested with VMFS, NFS, and vSAN datastores.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.avail.doc/GUID-8FD87389-8CC9-4298-8B08-A1526FB44524.html>

NEW QUESTION: 94

What are two requirements in order to restore a Resource Pool Tree from a snapshot? (Choose two.)

A. vSphere DRS must be turned on.

B. A restore can only be performed on a vSphere DRS cluster within the original vCenter Server.

C. vSphere DRS must be turned off.

D. A restore can only be performed on the same cluster the snapshot was taken from.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

You can restore a previously saved resource pool tree snapshot.

Prerequisites

- vSphere DRS must be turned ON.

- You can restore a snapshot only on the same cluster that it was taken.

- No other resource pools are present in the cluster.

Reference: <https://pubs.vmware.com/vsphere-51/index.jsp?topic=%2Fcom.vmware.vsphere.resmgmt.doc%2FGUID-43B3A1EF-B7FF-421C-96FA-33FA230688BB.html>

NEW QUESTION: 95

Which two types of iSCSI adapters require VMkernel networking configuration? (Choose two.)

- A. dependent hardware
- B. in-guest
- C. software
- D. independent hardware

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

<https://pubs.vmware.com/vsphere-55/index.jsp?topic=%2Fcom.vmware.vsphere.storage.doc%2FGUID-C476065E-C02F-47FA-A5F7-3B3F2FD40EA8.html>

NEW QUESTION: 96

Which network is used by vSphere HA when VMware vSAN is enabled?

- A. Management network
- B. vSphere Replication network
- C. vMotion network
- D. VSAN network

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:



Reference: <https://docs.vmware.com/en/VMware-vSphere/6.0/com.vmware.vsphere.virtualsan.doc/GUID-D68890D8-841A-4BD1-ACA1-DA3D25B6A37A.html>

NEW QUESTION: 97

An administrator finds that the Microsoft Exchange virtual machines are exhibiting network latency. What two in-guest changes can help decrease latency? (Choose two.)

- A. LRO
- B. TSO
- C. SR-IOV
- D. PVRDMA

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

Using TSO and LRO on physical and virtual machine NICs improves the performance of ESX/ESXi hosts by reducing the CPU overhead for TCP/IP network operations. The host uses more CPU cycles to run applications.

If TSO is enabled on the transmission path, the NIC divides larger data chunks into TCP segments. If TSO is disabled, the CPU performs segmentation for TCP/IP.

TSO is referred to as LSO (Large Segment Offload or Large Send Offload) in the latest VMXNET3 driver attributes.

LRO reassembles incoming network packets into larger buffers and transfers the resulting larger but fewer packets to the network stack of the host or virtual machine. The CPU has to process fewer packets than when LRO is disabled, which reduces its utilization for networking.

Reference:

<https://kb.vmware.com/s/article/2055140>

NEW QUESTION: 98

Which are two supported storage primitives for VAAI NAS? (Choose two.)

- A. Full File Clone
- B. Reserve Space
- C. hardware assisted locking
- D. block zeroing

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

In ESXi 5.x, support for NAS Hardware Acceleration is included with support for these primitives:

- Full File Clone - Like the Full Copy VAAI primitive provided for block arrays, this Full File Clone primitive enables virtual disks to be cloned by the NAS device.

- Native Snapshot Support - Allows creation of virtual machine snapshots to be offloaded to the array.

- Extended Statistics - Enables visibility to space usage on NAS datastores and is useful for Thin Provisioning.

- Reserve Space - Enables creation of thick virtual disk files on NAS.

- Note: Previously, the only supported VMDK type that could be created on NAS was thin.

Reference: <https://kb.vmware.com/s/article/1021976>

NEW QUESTION: 99

When troubleshooting VMware vCenter Server issues, when logging level provides maximum detail?

- A. Verbose
- B. Trivia
- C. Info
- D. Error

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: <https://kb.vmware.com/s/article/1001584>

NEW QUESTION: 100

What two reasons can explain why a host cannot be removed from a vSphere Distributed Switch? (Choose two.)

- A. There are VMkernel network adapters connected to the switch.
- B. There are blocked ports on the switch.
- C. There are LACP LAGs configured on the switch.
- D. There are virtual machine network adapters connected to the switch.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 101

What is the result of a "Consolidate" action on a virtual machine?

- A. All snapshots on the virtual machines will be deleted.
- B. The virtual machine will be reverted to its last snapshot.
- C. Redundant delta disks will be combined and deleted.
- D. A new snapshot with memory state will be created.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.vm_admin.doc/GUID-2F4A6D8B-33FF-4C6B-9B02-C984D151F0D5.html

NEW QUESTION: 102

Which two statements are true for NFS v4.1 firewall behavior? (Choose two.)

- A. It closes port 2049.
- B. It sets allowed. All flag to TRUE.
- C. It sets allowed. All flag to FALSE.
- D. It opens port 2049.

Answer: B,D ([LEAVE A REPLY](#))

Explanation/Reference:

Explanation:

NFS v4.1 Firewall Behavior

When you mount the first NFS v4.1 datastore, ESXi enables the nfs41client rule set and sets its allowedAll flag to TRUE. This action opens port 2049 for all IP address. Unmounting an NFS v4.1 datastore does not affect the firewall state. That is, the first NFS v4.1 mount opens port 2049 and that port remains enabled unless you close it explicitly.

	Label	Incoming Ports	Outgoing Ports	Protocols	Data
☒	SynologyNasPlugin	2049	2049,111	TCP,UDP	N/

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.storage.doc/GUID-70686ADB-961A-46BD-B814-48DCF6C5E34B.html>

NEW QUESTION: 103

vSphere 6.5 DRS is now Network-Aware. Based on network utilization, when will DRS balance VMs?


- A. DRS will place VMs on initial boot for hosts that have network utilization lower than the threshold.
- B. DRS will balance VMs when a network resource pool is configured for VMs.
- C. DRS will vMotion VMs when network utilization is higher than the threshold on a particular host.
- D. DRS will balance VMs when Network I/O Control is enabled.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 104

The administrator wants to power on VM-K2, which has a 2GHz CPU reservation. VM-M1, VM-M2, and VM-K1 are all powered on. VM-K2 is not powered on.

The exhibit shows the parent and child resource reservations.



If Resource Pool RP-KID is configured with an expandable reservation, which statement is true?

- A. VM-K2 will be unable to power on because there are insufficient resources.
- B. VM-K2 will be able to power on since resource pool RP-KID has 2GHz available.
- C. VM-K2 will be unable to power on because only 2GHz are reserved for RP-KID.
- D. VM-K2 will receive resource priority and will be able to power on this scenario.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.resmgmt.doc/GUID-8D813BB8-CE07-40F2-B2CA-269C1FB39475.html>

NEW QUESTION: 105

An administrator is troubleshooting network communications between a vCenter Server and an ESXi 6.5 host.

Which log shows the related events between these components?

- A. /var/log/fdm.log
- B. /var/log/vpxa.log
- C. /var/log/hostd.log
- D. /var/log/auth.log

Answer: B ([LEAVE A REPLY](#))

Explanation/Reference:

Reference:

<https://pubs.vmware.com/vsphere-60/topic/com.vmware.vsphere.monitoring.doc/GUID-832A2618-6B11-4A28-9672-93296DA931D0.html>

NEW QUESTION: 106

Which three VMware-recommended best practices should an administrator follow before upgrading to vSphere 6.5? (Choose three.)

- A. Disconnect ESXi host from vCenter.
- B. VMware Tools are installed in the virtual machine.
- C. Ensure that the system hardware complies with ESXi requirements.
- D. Back up the host.
- E. Check the interoperability of any other software integrated with vSphere.

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference:

https://kb.vmware.com/selfservice/microsites/search.do?language=en_US&cmd=displayKC&externalId=2130664

Valid 2V0-622 Dumps shared by ExamDiscuss.com for Helping Passing 2V0-622 Exam!
ExamDiscuss.com now offer the **newest 2V0-622 exam dumps**, the ExamDiscuss.com 2V0-622 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 2V0-622 dumps with Test Engine here:

Special Discount Code: **freecram**)

NEW QUESTION: 107

What two enhancements are in VMFS6 but not in VMFS5? (Choose two.)

- A. Support for 4k native disks
- B. Support for 512e disks
- C. GPT storage device partitioning
- D. Automatic space reclamation

Answer: ([**SHOW ANSWER**](#)**)**

Explanation/Reference:

Explanation:

NEW QUESTION: 108

When will vSphere Data Protection delete the expired backup image of a Platform Service Controller?

- A. Immediately after the retention period has expired.
- B. After the expired backup image is restored.
- C. During the next backup window following expiry.
- D. During the next maintenance window following expiry.

Answer: ([**SHOW ANSWER**](#)**)**

NEW QUESTION: 109

Which is the correct order for upgrading vSphere components?

- A. vCenter Server, ESXi hosts, VMware Tools, Virtual Machine hardware
- B. VMware Tools, Virtual Machine hardware, ESXi hosts, vCenter Server
- C. vCenter Server, Virtual Machine hardware, VMware tools, ESXi hosts
- D. ESXi hosts, vCenter Server, Virtual Machine hardware, VMware Tools

Answer: A ([**LEAVE A REPLY**](#)**)**

Explanation/Reference:

Explanation:

Upgrade vCenter Server on the protected site.

Upgrade ESXi Server on the protected site

Upgrade the virtual hardware and VMware Tools on the virtual machines on the ESXi hosts Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/vsphere-esxi-vcenter-server-65-upgrade-guide.pdf>
page

12

NEW QUESTION: 110

The storage vendor recommends adjusting the Fibre Channel HBA queue depth to resolve a performance problem.

Which esxcli namespace can a vSphere Administrator use to adjust the queue depth?

Freecram.net

- A. esxcli system module parameters
- B. esxcli storage core device
- C. esxcli system module set
- D. esxcli storage core adapter

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

<http://www.virtten.net/2016/11/vmware-esxi-6-5-esxcli-command-reference/>

NEW QUESTION: 111

Which method is supported for backing up the virtual machine that contains vCenter Server?

- A. differential
- B. incremental
- C. full image
- D. individual disks

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.0/com.vmware.vsphere.install.doc/GUID-539B47B4-114B-49BC-9736-F14058127ECA.html>

NEW QUESTION: 112

Which two statements correctly describe Normal Lockdown Mode? (Choose two.)

- A. ESXi Shell and SSH services are independent of lockdown mode.
- B. In normal lockdown mode the DCUI service is stopped.
- C. ESXi Shell and SSH services are dependent of lockdown mode and cannot be configured.
- D. In normal lockdown mode the DCUI service is running.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://blogs.vmware.com/vsphere/2015/03/vsphere-6-0-lockdown-modes.html>

NEW QUESTION: 113

What three processes on the vCenter Server Appliance (VCSA) does "vmware-watchdog" monitor? (Choose three.)

- A. vmware-eam
- B. vmcad
- C. vmware-vpostgres
- D. vpxd
- E. vsan-health

Answer: C,D,E ([LEAVE A REPLY](#))

Explanation/Reference:

Explanation:

vmware-vpostgres	VMware Postgres
vmware-vpx-workflow	VMware vCenter Workflow Man
vmware-vpxd	VMware vCenter Server
vmware-vsm	VMware vService Manager
vsphere-client	vSphere Web Client
vmware-vws	VMware System and Hardware H
vmware-vsan-health	VMware vSAN Health Service

Reference: <https://blogs.vmware.com/vsphere/2015/10/what-is-vcenter-server-watchdog.html>

NEW QUESTION: 114

Which is the correct sequence to upgrade a vSphere infrastructure?

- A. vCenter Server>ESXi host> VMware Tools>VM compatibility
- B. ESXi host>vCenter Server> VMware Tools>VM compatibility
- C. vCenter host> ESXi host> VM compatibility> VMware Tools
- D. ESXi host>vCenter Server> VM compatibility>VMware Tools

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

<https://kb.vmware.com/s/article/1010675>

NEW QUESTION: 115

Which two storage technologies are supported for MSCS? (Choose two.)

- A. NFS
- B. iSCSI
- C. VAAI
- D. FC

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 116

Restoration of the vCenter Server Appliance is accomplished using which interface?

- A. vSphere Web Client
- B. vSphere Client
- C. vCenter Server ApplianceManagement Interface
- D. vCenter Server ApplianceGUI Installer

Answer: D ([LEAVE A REPLY](#))

Explanation/Reference:

Explanation:

In vSphere 6.5, you can use the vCenter Server Appliance Management Interface to create a file-based backup of the vCenter Server Appliance and Platform Services Controller appliance. After you create the backup, you can restore it by using the GUI installer of the appliance.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.install.doc/GUID-3EAED005-B0A3-40CF-B40D-85AD247D7EA4.html>

NEW QUESTION: 117

A vSphere administrator wants to enable a virtual machine with Secure Boot, but in VM setting, Secure Boot option was not found under Boot Options.

What could be the cause?

- A.** The virtual hardware is not compatible.
- B.** The virtual machine has missing drivers.
- C.** The virtual machine OS does not support secure boot.
- D.** VMware Tools is not upgraded.

Answer: C ([LEAVE A REPLY](#))

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.7/com.vmware.vsphere.security.doc/GUID-898217D4-689D-4EB5-866C-888353FE241C.html>

NEW QUESTION: 118

If there are eight paths per LUN in a vSphere6.5 environment, what is the maximum number of LUNs usable by an ESXi host?

- A.** 128
- B.** 512
- C.** 64
- D.** 256

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: <https://www.vladan.fr/vmware-vsphere-6-5-configuration-maximums/>

NEW QUESTION: 119

Which are two true statements for cloning items across content libraries?

- A.** Items cannot be cloned if subscriber libraries are not synchronized
- B.** Items can be cloned only across published libraries
- C.** Items can have a subscribed library as source but not as destination
- D.** Items can be cloned across libraries in the same vCenter Server Instance.

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: https://docs.vmware.com/en/VMware-vSphere/6.0/com.vmware.vsphere.vm_admin.doc/GUID-7727C494-B2E6-4D9B-B599-D3F0DB838442.html

NEW QUESTION: 120

Which two statements about vCenter HA are correct? (Choose two.)

- A. ESXi 5.5 or later is required.
- B. vCenter HA network latency between nodes must be less than 50 ms.
- C. NFS datastore is supported.
- D. It must be deployed on a 3 ESXi host cluster with DRS enabled.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

vCenter HA Requirements	
Component	Requirements
ESXi	• ESXi 5.5 or later is required. • Three hosts are strongly recommended. Each vCenter HA node can then run on a different host for better protection. • Using VMware DRS to protect the set of hosts is recommended. In that case a minimum of three ESXi hosts is required.
vCenter Server Appliance	• vCenter Server 6.5 is required. • Deployment size Small (4 CPU and 16GB RAM) or bigger is required to support the RTO. Do not use Tiny in production environments. • vCenter HA is supported and tested with VMFS, NFS, and vSAN datastores.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.avail.doc/GUID-8FD87389-8CC9-4298-8B08-A1526FB44524.html>

NEW QUESTION: 121

Which two storage configurations on the source server are unsupported with VMware Converter? (Choose two.)

- A. Linux LVM
- B. software RAID
- C. GPT/MBR hybrid disks
- D. Windows basic volumes

E. Windows dynamic volumes

Answer: B,C (LEAVE A REPLY)

Explanation/Reference:

Explanation:

Supported and Nonsupported Source Volumes and Disks

Source	Supported Volumes and Disks	Nonsupported Volumes and Disks
Virtual machine	•Basic volumes •All types of dynamic volumes • Master boot record (MBR) disks • GUID partition table (GPT) disks	RAID GPT/MBR hybrid disks RDM disks

Reference:

https://www.vmware.com/pdf/convsa_61_guide.pdf page 23

Valid 2V0-622 Dumps shared by ExamDiscuss.com for Helping Passing 2V0-622 Exam!
ExamDiscuss.com now offer the **newest 2V0-622 exam dumps**, the ExamDiscuss.com 2V0-622 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 2V0-622 dumps with Test Engine here:

<https://www.examdumps.com/VMware/exam/2V0-622/premium/> (290 Q&As Dumps, **35%OFF**

Special Discount Code: freecram)

NEW QUESTION: 122

What availability mode does vCenter HA provide?

- A. Active-Passive
- B. Active-Standby
- C. Active-Active
- D. Load-balanced

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

In vSphere 6.5, the vCenter High Availability feature was introduced. vCenter High Availability (vCenter HA) protects the vCenter Server Appliance against host and hardware failures. The active-passive architecture of the solution can also help reduce downtime significantly when the vCenter Server Appliance is patched. vCenter HA is only available for the vCenter Server Appliance. For more information about vCenter HA, see the vCenter High Availability section of the vSphere Availability Guide.

Reference:

https://kb.vmware.com/selfservice/microsites/search.do?language=en_US&cmd=displayKC&externalId=1024051

NEW QUESTION: 123

Which command will show the iSCSI sessions on a ESXi 6.5 host?

- A. esxcli storage iscsi session get
- B. esxcli iscsi session get
- C. esxcli storage iscsi session
- D. esxcli iscsi session list

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: <https://pubs.vmware.com/vsphere-6-5/index.jsp?topic=%2Fcom.vmware.vcli.examples.doc%2FGUID-8788CE60-2E57-4545-9CDA-8BCE3A655B15.html>

NEW QUESTION: 124

Which guest operating system supports PVRDMA?

- A. Windows (32-Bit)
- B. Linux (32-Bit)
- C. Windows (64-Bit)
- D. Linux (64-Bit)

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

The guest operating system that supports PVRDMA is Linux 64 bit.

Explanation:

Guest OS • Linux (64-bit)

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.networking.doc/GUID-4A5EBD44-FB1E-4A83-BB47-BBC65181E1C2.html>

NEW QUESTION: 125

Which two statements describe why a vSphere DRS cluster would report load imbalance? (Choose two.)

- A. The configured migration threshold is too high.
- B. The configured migration threshold is too low.
- C. DRS is configured for Partially Automated.
- D. Enhanced vMotion Compatibility (EVC) is enabled.

Answer: A,C (LEAVE A REPLY)

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/VMware-vSphere/5.5/com.vmware.vsphere.troubleshooting.doc/GUID-0C132C85-E7BF-445E-925D-31420A06B01C.html>

NEW QUESTION: 126

An administrator cannot enable multi-processor Fault Tolerance (SMP-FT) for a virtual machine. Which are two possible causes for this? (Choose two.)

- A. The virtual machine is running on a vSAN datastore.
- B. The Fault Tolerance network is using a 10Gbit uplink.
- C. The virtual machine has 6 vCPUs assigned.
- D. The virtual machine has a 1TB VMDK attached.
- E. The virtual machine has snapshots present.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.avail.doc/GUID-F5264795-11DA-4242-B774-8C3450997033.html>

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.avail.doc/GUID-57929CF0-DA9B-407A-BF2E-E7B72708D825.html>

NEW QUESTION: 127

Which two features require the use of Host Profiles? (Choose two.)

- A. Host Customizations
- B. shared storage
- C. Auto Deploy
- D. vRealize Suite

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.hostprofiles.doc/GUID-1B10EC63-AAFB-4FE5-A715-2A7F22EC8622.html>

NEW QUESTION: 128

Boot from SAN is supported on which three storage technologies? (Choose three.)

- A. VMware vSAN
- B. FCoE
- C. NFS 4.1
- D. iSCSI
- E. FC

Answer: B,D,E ([LEAVE A REPLY](#))

Explanation/Reference:

Reference:

<http://pubs.vmware.com/vsphere-51/topic/com.vmware.ICbase/PDF/vsphere-esxi-vcenter-server-51-storage-guide.pdf>

NEW QUESTION: 129

Which three design requirements must be satisfied to enable RAID-6 objects in a VMware vSAN cluster?

(Choose three.)

- A. vSAN Advanced license or higher
- B. vSAN stretched cluster
- C. at least six hosts contributing storage
- D. deduplication and compression
- E. All Flash configuration

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

[https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.virtualsan.doc/GUID-AD408FA8-](https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.virtualsan.doc/GUID-AD408FA8-5898-4541-9F82-FE72E6CD6227.html)

[5898-4541-9F82-FE72E6CD6227.html](https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.virtualsan.doc/GUID-AD408FA8-5898-4541-9F82-FE72E6CD6227.html)

[https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.virtualsan.doc/GUID-ED76D553-](https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.virtualsan.doc/GUID-ED76D553-0AB5-44EC-BEB7-A054C5BAE7A3.html)

[0AB5-44EC-BEB7-A054C5BAE7A3.html](https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.virtualsan.doc/GUID-ED76D553-0AB5-44EC-BEB7-A054C5BAE7A3.html)

[https://docs.vmware.com/en/VMware-](https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.virtualsan.doc/GUID-6D818555-8DE8-4F06-9498-66903FB9C775.html)

[vSphere/6.5/com.vmware.vsphere.virtualsan.doc/GUID-6D818555-](https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.virtualsan.doc/GUID-6D818555-8DE8-4F06-9498-66903FB9C775.html)

[8DE8-4F06-9498-66903FB9C775.html](https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.virtualsan.doc/GUID-6D818555-8DE8-4F06-9498-66903FB9C775.html)

NEW QUESTION: 130

Which two choices are applicable to vSphere Availability? (Choose two.)

- A. Heartbeat Datastores
- B. VM Startup/Shutdown
- C. Power Management
- D. Admission Control

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://4sysops.com/wp-content/uploads/2017/02/VMware-vSphere-availability-Proactive-HA-failures-and-responses.png>

NEW QUESTION: 131

What two services run on all nodes in a vCenter Server HA cluster? (Choose two.)

- A. vmware-vcha
- B. vmware-vpostgres
- C. vmware-vmon

D. vmware-rbd-watchdog

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 132

When attempting to migrate a virtual machine to another host in the same cluster, the error message, "Select a valid compute resource" returns.

What could cause this error?

- A. VMware Tools is not installed.
- B. Virtual machine has an ISO attached.
- C. Both hosts run different versions of ESXi.
- D. Both hosts are not sharing the same datastore.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 133

vCenter Server Appliance Instance can be backed up using which Client Interface?

- A. vSphere Client Interface
- B. vSphere Web Client Interface
- C. VMware Host Client Interface
- D. Virtual Appliance Management Interface

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

<https://pubs.vmware.com/vsphere-60/index.jsp?topic=%2Fcom.vmware.vsphere.install.doc%2FGUID-539B47B4-114B-49BC-9736-F14058127ECA.html>

NEW QUESTION: 134

What are the minimum hardware requirements for a Windows vCenter Server with embedded PSC that manages a "Small" environment?

- A. 2vCPUs, 16 GB RAM
- B. 4 vCPUs, 16 GB RAM
- C. 2 vCPUs, 10 GB RAM
- D. 4 vCPUs, 10 GB RAM

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware->

[vSphere/6.0/com.vmware.vsphere.upgrade.doc/GUID-D2121DC5-1FC8-48DC-A4BA-C3FD72D0BE77.html](https://docs.vmware.com/en/VMware-vSphere/6.0/com.vmware.vsphere.upgrade.doc/GUID-D2121DC5-1FC8-48DC-A4BA-C3FD72D0BE77.html)

NEW QUESTION: 135

The Health check feature in the vSphere Distributed Switch helps troubleshoot network connectivity.

What three checks does this feature perform? (Choose three.)

- A. Network Utilization
- B. MTU
- C. Teaming and Failover
- D. VLAN

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://kb.vmware.com/s/article/2032878>

NEW QUESTION: 136

Which two new vSphere 6.5 features enable an Administrator to locate configuration options when creating or editing host profiles more easily than in previous versions? (Choose two.)

- A. Add the configuration option to favorites.
- B. Navigate the option tree.
- C. Search for the configuration option.
- D. Copy the configuration option from a different profile.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <http://searchvmware.techtarget.com/tip/Use-VMware-Host-Profiles-to-create-consistent-configuration-settings>

Valid 2V0-622 Dumps shared by ExamDiscuss.com for Helping Passing 2V0-622 Exam!
ExamDiscuss.com now offer the **newest 2V0-622 exam dumps**, the ExamDiscuss.com 2V0-622 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 2V0-622 dumps with Test Engine here:

<https://www.examdiscuss.com/VMware/exam/2V0-622/premium/> (290 Q&As Dumps, **35%OFF**

Special Discount Code: **freecram**)

NEW QUESTION: 137

A user is given the "Virtual machine user (sample)" role in a vSphere 6.x environment.

Which three permissions would the user be able to perform? (Choose three.)

- A. Reset a virtual machine.
- B. Power on a virtual machine.
- C. Move a host into a cluster.
- D. Configure CD media.
- E. Migrate a virtual machine with Storage vMotion.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

A set of privileges to allow the user to interact with a virtual machine's console, insert media, and perform power operations.

NEW QUESTION: 138

An administrator is creating VMkernel adapters on an ESXi 6.5 host and wants to create separate VMkernel adapters for every type of traffic in the default TCP/IP stack.


Which three types of traffic can be explicitly enabled on a separate VMkernel adapter? (Choose three.)

- A. Virtual SAN traffic
- B. NFS traffic
- C. vMotion traffic
- D. vSphere HA traffic
- E. Fault Tolerance logging traffic

Answer: A,C,E (LEAVE A REPLY)

Explanation/Reference:

Explanation:



Valid 2V0-622 Dumps shared by ExamDiscuss.com for Helping Passing 2V0-622 Exam!
ExamDiscuss.com now offer the **newest 2V0-622 exam dumps**, the ExamDiscuss.com 2V0-622 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 2V0-622 dumps with Test Engine here:

<https://www.examdumps.com/VMware/exam/2V0-622/premium/> (290 Q&As Dumps, **35%OFF**

Special Discount Code: freecram)