

VMware.2V0-622.v2019-08-12.q140

Exam Code:	2V0-622
Exam Name:	VMware Certified Professional 6.5 - Data Center Virtualization Exam
Certification Provider:	VMware
Free Question Number:	140
Version:	v2019-08-12
# of views:	1814
# of Questions views:	54505
https://www.freecram.net/torrent/VMware.2V0-622.v2019-08-12.q140.html	

NEW QUESTION: 1

vCenter Server Appliance Instance can be backed up using which Client Interface?

- A. vSphere Client Interface
- B. vSphere Web Client Interface
- C. VMware Host Client Interface
- D. Virtual Appliance Management Interface

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference:

<https://pubs.vmware.com/vsphere-60/index.jsp?topic=%2Fcom.vmware.vsphere.install.doc%2FGUID-539B47B4-114B-49BC-9736-F14058127ECA.html>

NEW QUESTION: 2

An ESXi host's VMCA-Signed certificate has expired. How can the certificate be renewed?

- A. In the vSphere Web Client, browse to the host in question. Click the Manage tab and select settings.

Select System and click Certificate, then click the Renew button.

- B. In the vSphere Web Client, browse to the host in question. Click the Manage tab and select settings.

Select System and click Certificate, then click the Refresh CA Certificates button.

- C. Run the command `/sbin/generate-certificates` on the affected host.

- D. Disconnect the host from vCenter Server and reconnect it.

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

You can renew your certificates when they are about to expire, or if you want to provision the host with a new certificate for other reasons. If the certificate is already expired, you must disconnect the host and reconnect it.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.security.doc/GUID-ECFD1A29-0534-4118-B762-967A113D5CAA.html>

NEW QUESTION: 3

What two reasons can explain why a host cannot be removed from a vSphere Distributed Switch? (Choose two.)

- A. There are blocked ports on the switch.
- B. There are virtual machine network adapters connected to the switch.
- C. There are LACP LAGs configured on the switch.
- D. There are VMkernel network adapters connected to the switch.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

What two methods are used to configure VMware vSphere Storage I/O Control shares and limits? (Choose two.)

- A. Assign shares and limits to VM virtual disks.
- B. Assign shares and limits to datastores.
- C. Assign shares and limits to Storage DRS clusters.
- D. Assign shares and limits using VM storage policies.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

Assign shares and limits to VM virtual disks

Assign shares and limits using VM storage policies

NEW QUESTION: 5

How can a vSphere administrator ensure that two virtual machines never run on the same datastore in a datastore cluster, while permitting the VMs to be load-balanced?

- A. Use an Intra-VM Anti-Affinity Rule.
- B. Use an Inter-VM Anti-Affinity Rule.
- C. Configure a storage DRS VM override.
- D. Disable storage DRS for the VMs.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

Which two configuration options can exclude virtual disks from snapshot operations? (Choose two.)

- A. Use RDM in virtual mode for virtual disk.
- B. Use virtual disks in Independent - Persistent mode.
- C. Use a virtual disk larger than 2 TB in size.
- D. Use RDM in physical mode for virtual disk.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

VMware does not support snapshots of raw disks, RDM physical mode disks, or guest operating systems that use an iSCSI initiator in the guest.

Virtual machines with independent disks must be powered off before you take a snapshot.

Snapshots

of powered-on or suspended virtual machines

Reference:

https://pubs.vmware.com/vsphere-51/index.jsp?topic=%2Fcom.vmware.vsphere.vm_admin.doc%2FGUID-53F65726-A23B-4CF0-A7D5-48E584B88613.html

NEW QUESTION: 7

When using VMware Converter to import a Windows server and improve the consistency of the destination

virtual machine, which optional step can be performed immediately prior to powering down the source server?

- A. Remove the server from the Active Directory domain.
- B. Perform a final synchronization task.
- C. Remove the server from the network.
- D. Uninstall production applications.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

Which is the block size on the VMFS6 datastore?

- A. All small and large file blocks are 8MB.
- B. All small and large file blocks are 1MB.
- C. Small file blocks are 512KB. large file blocks are 64MB.
- D. Small file blocks are 1MB, large file blocks are 512MB.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

File Block Format

VMFS-6 introduces two new block sizes, referred to as small file block (SFB) and large file block (LFB).

While the SFB size can range from 64KB to 1MB for future use-cases, VMFS-6 in vSphere 6.5 is utilizing

an SFB size of 1MB only. The LFB size is set to 512MB.

Reference:

<https://forums.itpro.tv/topic/1471/vmfs-6-block-size>

NEW QUESTION: 9

A vSphere Administrator has VM Component Protection (VMCP) enabled, but the VM was not restarted

when one of the VMFS datastores experienced an All Paths Down (APD) failure.

What two scenarios would explain why the virtual machine was not restarted? (Choose two.)

- A. VM Monitoring is required in order for VMCP to failover during an APD event.
- B. VMware Tools is not installed on the guest operating system for the VM.
- C. Insufficient Capacity is available on the failover ESXi hosts.
- D. The APD failure was corrected before the VM could be restarted.

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: <https://communities.vmware.com/thread/553779>

NEW QUESTION: 10

A VM folder contains VM1 and VM2.

Group A has permission to power on virtual machines, defined on the VM folder and its children.

Group B has permission to power off virtual machines, defined on the VM folder and its children.

If a user is a member of Groups A and B, what will be the user's effective permission on VM1 and VM2?

- A. Power on and Power off.
- B. Power on
- C. Reset.
- D. Power off.

Answer: (SHOW ANSWER)

NEW QUESTION: 11

Which two statements describe why a vSphere DRS cluster would report load imbalance?

(Choose two.)

- A. The configured migration threshold is too high.
- B. The configured migration threshold is too low.

- C. DRS is configured for Partially Automated.
- D. Enhanced vMotion Compatibility (EVC) is enabled.

Answer: A,C ([LEAVE A REPLY](#))

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/VMware-vSphere/5.5/com.vmware.vsphere.troubleshooting.doc/GUID-0C132C85-E7BF-445E-925D-31420A06B01C.html>

NEW QUESTION: 12

What can prevent Storage DRS from functioning on a datastore?

- A. The datastore is configured for Virtual Machine Swapfile location.
- B. The datastore is shared across multiple datacenters.
- C. The datastore is connected to a host that is running Storage I/O Control.
- D. Storage DRS advanced option IgnoreAffinityRulesForMaintenance is set to 1.

Answer: ([SHOW ANSWER](#)**)**

Explanation/Reference:

Reference: https://pubs.vmware.com/vsphere-50/index.jsp?topic=%2Fcom.vmware.vsphere.troubleshooting.doc_50%2FGUID-976F5B21-8C64-4C85-BE75-0D86655E32DD.html

NEW QUESTION: 13

The business managers have asked the IT administrator to ensure configuration compliance in the vSphere infrastructure. The IT administrator wants to use Host Profiles to accomplish this, but is unable to do so.

Why is the administrator unable to use Host Profiles?

- A. The infrastructure uses a vSphere Standard license.
- B. The infrastructure has servers with various CPU families.
- C. The user has only the "Administrator" role.
- D. Host Profiles apply only to storage settings.

Answer: ([SHOW ANSWER](#)**)**

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.hostprofiles.doc/GUID-7500B48E-6353-4FCB-A03E-C0295E5ADD46.html>

NEW QUESTION: 14

Which three source object types are available for subscription when creating a subscribed content library

in vSphere 6.5? (Choose three.)

- A. vSphere 6 library
- B. HTTP server
- C. vCD 5.5 catalog
- D. CIFS repository
- E. 3 -party library

rd

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.vm_admin.doc/GUID-254B2CE8-20A8-43F0-90E8-3F6776C2C896.html

NEW QUESTION: 15

The virtual machine log rotation size can be changed for all VMs by which two interfaces? (Choose two.)

- A. PowerCLI
- B. vSphere Web Client
- C. ESXi host client
- D. esxcli

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

https://kb.vmware.com/selfservice/microsites/search.do?language=en_US&cmd=displayKC&externalId=8182749

NEW QUESTION: 16

What are the three types of nodes in a vCenterServer HA cluster? (Choose three.)

- A. Master
- B. Replica
- C. Witness
- D. Active
- E. Passive

Answer: C,D,E ([LEAVE A REPLY](#))

Explanation/Reference:

Reference:

<https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/techpaper/vcha65-perf.pdf> (5)

Valid 2V0-622 Dumps shared by ExamDiscuss.com for Helping Passing 2V0-622 Exam!

ExamDiscuss.com now offer the **newest 2V0-622 exam dumps**, the ExamDiscuss.com 2V0-622 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 2V0-622 dumps with Test Engine here:

<https://www.examdiscuss.com/VMware/exam/2V0-622/premium/> (290 Q&As Dumps, **35%OFF**

Special Discount Code: **freecram**)

NEW QUESTION: 17

What tool can capture network traffic at the uplinks, or vSwitch, or virtual port levels?

- A. tcpdump-uw
- B. wireshark
- C. pktcap-uw
- D. pcap

Answer: ([**SHOW ANSWER**](#)**)**

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.networking.doc/GUID-5CE50870-81A9-457E-BE56-C3FCEE3D0D5.html>

NEW QUESTION: 18

An administrator must collect diagnostic information following a failed ESXi host upgrade. Which command should the administrator run?

- A. Get-Esxtop
- B. vicfg-syslog
- C. esxtop -R vm-support_dir_path
- D. vm-support

Answer: D ([**LEAVE A REPLY**](#)**)**

Explanation/Reference:

Reference: <https://kb.vmware.com/s/article/1010705>

NEW QUESTION: 19

Which two items are required to enable NPIV in a virtual machine? (Choose two.)

- A. use of physical RDMs
- B. physical HBA support
- C. use of virtual disks
- D. hardware version 11 or higher

Answer: ([**SHOW ANSWER**](#)**)**

Explanation/Reference:

Explanation:

NPIV support is subject to the following limitations:

NPIV must be enabled on the SAN switch. Contact the switch vendor for information about enabling

* NPIV on their devices.

NPIV is supported only for virtual machines with RDM disks. Virtual machines with regular virtual

* disks continue to use the WWNs of the host's physical HBAs.

The physical HBAs on the ESXi host must have access to a LUN using its WWNs in order for any virtual machines on that host to have access to that LUN using their NPIV WWNs. Ensure that access

* is provided to both the host and the virtual machines.

The physical HBAs on the ESXi host must support NPIV. If the physical HBAs do not support NPIV,

the virtual machines running on that host will fall back to using the WWNs of the host's physical HBAs

* for LUN access.

Each virtual machine can have up to 4 virtual ports. NPIV-enabled virtual machines are assigned exactly 4 NPIV-related WWNs, which are used to communicate with physical HBAs through virtual

* ports. Therefore, virtual machines can utilize up to 4 physical HBAs for NPIV purposes

Reference: <https://pubs.vmware.com/vsphere-4-esx-vcenter/index.jsp?topic=/>

[com.vmware.vsphere.vmadmin.doc_41/vsp_vm_guide/configuring_virtual_machines/t_configure_fibre_channel_npiv_settings.html](https://pubs.vmware.com/vsphere-4-esx-vcenter/index.jsp?topic=/com.vmware.vsphere.vmadmin.doc_41/vsp_vm_guide/configuring_virtual_machines/t_configure_fibre_channel_npiv_settings.html)

NEW QUESTION: 20

Which storage feature always requires the use of third-party software on ESXi?

A. Hardware Acceleration for NAS devices

B. VVOL

C. Hardware Acceleration for Block Devices

D. VM Storage Policies

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

With the hardware acceleration, ESXi hosts can integrate with NAS devices and use several hardware

operations that NAS storage provides. The hardware acceleration uses vSphere APIs for Array Integration

(VAAI) to facilitate communications between the hosts and storage devices.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.storage.doc/GUID-F0FA0117->

[D48F-4F6F-BE3F-A06BF26F742C.html](https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.storage.doc/GUID-F0FA0117-D48F-4F6F-BE3F-A06BF26F742C.html)

NEW QUESTION: 21

What two VMware Remote Console Options can be defined in the virtual machine settings?
(Choose two.)

- A. Boot Delay
- B. Maximum number of sessions
- C. Guest OS lock
- D. Total video memory

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

VMware Remote Console Options -

Lock the guest operating system when the last remote user disconnects and limit the number of simultaneous connections to the virtual machine.

Reference: https://pubs.vmware.com/vsphere-51/index.jsp?topic=%2Fcom.vmware.vsphere.vm_admin.doc%2FGUID-389D87EA-A848-4A21-B53E-1C55D28195C2.html

NEW QUESTION: 22

By default, how often is the vCenter vpx user password automatically changed?

- A. 15 days
- B. 60 days
- C. 30 days
- D. 45 days

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

vCenter Server creates the vpxuser account on each ESX/ESXi host that it manages. The password for

each vpxuser account is auto-generated when an ESX/ESXi host is added. The password is updated by

default every 30 days.

Reference:

<https://kb.vmware.com/s/article/1016736>

NEW QUESTION: 23

Which three requirements are true for the vCenter Server HA network? (Choose three.)

- A. Network latency between all nodes must be less than 10 milliseconds.
- B. IP addresses for all nodes must be static.
- C. HA network IP addresses for all nodes can be on different subnets.
- D. IP addresses must be on the same network as the management network.

E. A default gateway must be configured.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.avail.doc/GUID-9B176C8A-4EEE-4A28-A3C1-24656D6402CF.html#GUID-9B176C8A-4EEE-4A28-A3C1-24656D6402CF>

NEW QUESTION: 24

An administrator wants to enable proactive HA by moving virtual machines automatically if a hardware alert is triggered.

What are the three required settings? (Choose three.)

- A. Set vSphere DRS Automation to Partially Automated.
- B. Turn on Proactive HA.
- C. Set the Proactive HA Automation Level to Manual.
- D. Set the Proactive HA Automation Level to Automated.
- E. Turn on vSphere HA and vSphere DRS.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

Select Turn on Proactive HA.

Click Proactive HA Failures and Responses.

Select from the following configuration options.

NEW QUESTION: 25

What new feature was introduced to the Content Library in vSphere 6.5?

- A. Mount an ISO directly from the Content Library.
- B. Deploy a virtual machine from an OVF Package in a Content Library.
- C. Upload a File from a URL to a Library Item.
- D. Upload a File from a Local System to a Library Item.

Answer: A ([LEAVE A REPLY](#))

Explanation/Reference:

Explanation:

VMware vSphere 6.5 enhances the Content Library with three new options: mount an ISO from the content library, update existing templates and apply guest OS customization specifications during a VM deployment. These new features help plug holes in and expand other capabilities introduced in the original version.

The first of these capabilities -- mounting an ISO from the Content Library is useful because it eliminates

the need to store ISO images on a data store but keeps the images readily accessible.

Reference:

<http://searchvmware.techtarget.com/answer/How-does-VMware-vSphere-65-improve-its-Content-Library>

NEW QUESTION: 26

Virtual Volumes supports which three VMware features? (Choose three.)

- A. Instant Clones
- B. Distributed Resource Scheduler
- C. Linked Clones
- D. vMotion
- E. Storage Distributed Resource Scheduler

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: <https://kb.vmware.com/s/article/2112039>

NEW QUESTION: 27

What three options can improve network performance for a virtual machine? (Choose three.)

- A. MLD
- B. TSO
- C. NetFlow
- D. LRO
- E. SR-IOV

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.monitoring.doc/GUID-C4EA86FD-95CB-4DE7-A9E3-63F6BFC1A268.html>

NEW QUESTION: 28

Which three directories are available under the vcsa-cli-installer folder of the vCenter ServerAppliance

installation media? (Choose three.)

- A. \mac
- B. \ovftool
- C. \migration-assistant
- D. \win32
- E. \lin64

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

Reference:

<https://virtualtassie.com/2017/vsphere-6-5-cli-vcsa-embedded-deployment-walkthrough/>

NEW QUESTION: 29

When troubleshooting VMware vCenter Server issues, when logging level provides maximum detail?

- A. Verbose
- B. Trivia
- C. Info
- D. Error

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: <https://kb.vmware.com/s/article/1001584>

NEW QUESTION: 30

What are the minimum hardware requirements for a Windows vCenter Server with embedded PSC that manages a "Small" environment?

- A. 2vCPUs, 16 GB RAM
- B. 4 vCPUs, 16 GB RAM
- C. 2 vCPUs, 10 GB RAM
- D. 4 vCPUs, 10 GB RAM

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.0/com.vmware.vsphere.upgrade.doc/GUID-D2121DC5-1FC8-48DC-A4BA-C3FD72D0BE77.html>

NEW QUESTION: 31

A user is a member of groups A and B.

-VM10 and VM20 are in VM Folder.

-Group A is assigned permission "Read-only" on VM Folder.

What two configurations will allow the user to edit the settings for only VM10? (Choose two.)

- A. Assign group A permission "virtual machine power user" to VM10.
- B. Assign group B permission "virtual machine power user" to VM10.
- C. Assign group A permission "virtual machine console user" to VM10.
- D. Assign group B permission "virtual machine console user" to VM10.

Answer: (SHOW ANSWER)

Valid 2V0-622 Dumps shared by ExamDiscuss.com for Helping Passing 2V0-622 Exam! ExamDiscuss.com now offer the **newest 2V0-622 exam dumps**, the ExamDiscuss.com 2V0-622 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 2V0-622 dumps with Test Engine here:

<https://www.examdiscuss.com/VMware/exam/2V0-622/premium/> (290 Q&As Dumps, **35%OFF**

Special Discount Code: **freecram**)

NEW QUESTION: 32

The storage vendor recommends adjusting the Fibre Channel HBA queue depth to resolve a performance problem.

Which esxcli namespace can a vSphere Administrator use to adjust the queue depth?

- A.** esxcli system module parameters
- B.** esxcli storage core device
- C.** esxcli system module set
- D.** esxcli storage core adapter

Answer: ([**SHOW ANSWER**](#)**)**

Explanation/Reference:

Reference:

<http://www.virtten.net/2016/11/vmware-esxi-6-5-esxcli-command-reference/>

NEW QUESTION: 33

In a vSphere environment, two resource pools are created as shown in the Exhibit.

Each VM is configured with 1 GB of memory. When the administrator tried to power on VM3, the operation failed.

What action in the resource pool settings will allow VM3 to power on successfully?

- A.** Deselect Expandable Memory Reservation
- B.** Increase Memory Reservation
- C.** Deselect Expandable CPU Reservation
- D.** Increase the CPU Reservation

Answer: B ([**LEAVE A REPLY**](#)**)**

Explanation/Reference:

Explanation:

VM3 doesnt have sufficient memory to power on. In the resource pool settings, increase the memory reservation of VM3 and it will power up.

NEW QUESTION: 34

A vSphere Administrator attempts to enable Fault Tolerance for a virtual machine but receives the

following error:

Secondary VM could not be powered on as there are no compatible hosts that can accommodate it.

What two options could cause this error? (Choose two.)

- A. The other ESXi host(s) are in Maintenance Mode.
- B. Hardware virtualization is not enabled on the other ESXi host(s).
- C. The other ESXi host(s) are in Quarantine Mode.
- D. Hardware MMU is enabled on the other ESXi host(s).

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

https://kb.vmware.com/selfservice/microsites/search.do?%20language=en_US&cmd=displayKC&externalId=1008950

NEW QUESTION: 35

Assume that all ESXi hosts need several default settings changed to custom values to comply with internal

practices, and compliance must be routinely audited.

What vSphere technology enables the administrator to ensure consistent configuration at scale?

- A. PowerCLI
- B. Host Profiles
- C. esxcli
- D. vSphere Web Client

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

<https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/techpaper/vmw-host-profiles-tech-overview-white-paper.pdf>

NEW QUESTION: 36

Which guest operating system supports PVRDMA?

- A. Windows (32-Bit)
- B. Linux (32-Bit)
- C. Windows (64-Bit)
- D. Linux (64-Bit)

Answer: D ([LEAVE A REPLY](#))

Explanation/Reference:

Explanation:

The guest operating system that supports PVRDMA is Linux 64 bit.

Explanation:

Guest OS * Linux (64-bit)

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.networking.doc/GUID-4A5EBD44-FB1E-4A83-BB47-BBC65181E1C2.html>

NEW QUESTION: 37

What VM Monitoring setting would ensure that the failure interval for a virtual machine is defined as 120 seconds?

- A. High
- B. Normal
- C. Low
- D. Medium

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

Reference:

<https://blogs.vmware.com/vsphere/2014/03/vsphere-ha-vm-monitoring-back-basics.html>

NEW QUESTION: 38

Which two options allow storage space reclamation? (Choose two.)

- A. Use VMFS6 datastores.
- B. Use esxcli storage vmfs unmap.
- C. Use the SAN console (management tool).
- D. Use the vSphere Web Client.

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.storage.doc/GUID-B40D1420-26FD-4318-8A72-FA29C9A395C2.html>

NEW QUESTION: 39

Which two protocols can be used to back up vCenter Server Appliance Instance? (Choose two.)

- A. iSCSI
- B. HTTPS
- C. FTP
- D. NFS

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: <https://virtualizationreview.com/articles/2017/03/20/how-to-back-up-a-vcenter-server-appliance.aspx>

NEW QUESTION: 40

If vCenter Server 5.5 installation has one or more services deployed remotely, which three services are relocated to vCenter Server 6.5 on upgrade? (Choose three.)

- A. vCenter Inventory Services
- B. vSphere Authentication Proxy
- C. vSphere Web Client
- D. vSphere ESXi Dump Collector
- E. vSphere Syslog Collector

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: <https://pubs.vmware.com/vsphere-65/index.jsp?topic=%2Fcom.vmware.vsphere.upgrade.doc%2FGUID-4BFB12D8-9FCA-4AB1-A44F-2986966F0AD5.html>

NEW QUESTION: 41

When attempting to migrate a virtual machine to another host in the same cluster, the error message,

"Select a valid compute resource" returns.

What could cause this error?

- A. Both hosts run different versions of ESXi.
- B. Virtual machine has an ISO attached.
- C. Both hosts are not sharing the same datastore.
- D. VMware Tools is not installed.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 42

A vSphere Administrator observes that the Primary VM configured with Fault Tolerance is executing

slowly. After further investigation, it is determined that the Secondary VM is on an overcommitted ESXi host.

What two methods will correct the problem? (Choose two.)

- A. Use Storage vMotion to migrate the Secondary VM to another datastore.
- B. Use vMotion to migrate the Secondary VM to a different ESXi host.
- C. Configure a CPU limit on the Primary VM which will also apply to the Secondary VM.
- D. Turn off and turn on FT in order to recreate the Secondary VM on a different datastore.

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference:

https://pubs.vmware.com/vsphere-4-esx-vcenter/index.jsp?topic=/com.vmware.vsphere.availability.doc_40/c_ft_ts_perf.html

NEW QUESTION: 43

A vSphere Administrator must ensure that a user is able to view and manage the system configuration in vSphere Web Client.

In the vCenter Single Sign-On domain, which group should the user be a part of?

- A. SystemConfiguration.BashShellAdministrators
- B. ComponentManager. Administrators
- C. Administrators
- D. SystemConfiguration.Administrators

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

SystemConfiguration.Administrators

Members of the SystemConfiguration.Administrators group can view and manage the system configuration

in the vSphere Web Client. These users can view, start and restart services, troubleshoot services, see the

available nodes and manage those nodes.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.psc.doc/GUID-87DA2F34-DCC9-4DAB-8900-1BA35837D07E.html>

NEW QUESTION: 44

What are two requirements in order to restore a Resource Pool Tree from a snapshot? (Choose two.)

- A. vSphere DRS must be turned on.
- B. A restore can only be performed on a vSphere DRS cluster within the original vCenter Server.
- C. vSphere DRS must be turned off.
- D. A restore can only be performed on the same cluster the snapshot was taken from.

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

You can restore a previously saved resource pool tree snapshot.

Prerequisites

- * vSphere DRS must be turned ON.
- * You can restore a snapshot only on the same cluster that it was taken.
- * No other resource pools are present in the cluster.

Reference: <https://pubs.vmware.com/vsphere-51/index.jsp?topic=%2Fcom.vmware.vsphere.resmgmt.doc>

% 2FGUID-43B3A1EF-B7FF-421C-96FA-33FA230688BB.html

NEW QUESTION: 45

Which port is used for communication between ESXi and vSphere Data protection?

- A. 80
- B. 443
- C. 902
- D. 22

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://kb.vmware.com/s/article/2034929>

NEW QUESTION: 46

What two migration paths are supported for Windows vCenter Servers? (Choose two.)

- A. vCenter Server 5.5 instance on Windows > vCenter Server Appliance 6.5 with an embedded Platform Services Controller appliance
- B. vCenter Server 6.0 instance on Windows > vCenter Server Appliance 6.5 with an embedded Platform Services Controller appliance
- C. vCenter Server 5.5 with an embedded vCenter Single Sign-On instance on Windows > vCenter Server Appliance 6.5 with an embedded Platform Services Controller appliance
- D. vCenter Server 6.0 instance on Windows > vCenter Server Appliance 6.5 with an external Platform Services Controller appliance

Answer: ([SHOW ANSWER](#))

Valid 2V0-622 Dumps shared by ExamDiscuss.com for Helping Passing 2V0-622 Exam!

ExamDiscuss.com now offer the **newest 2V0-622 exam dumps**, the ExamDiscuss.com 2V0-622 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 2V0-622 dumps with Test Engine here:

<https://www.examdisscuss.com/VMware/exam/2V0-622/premium/> (290 Q&As Dumps, **35%OFF**

Special Discount Code: freecram)

NEW QUESTION: 47

What are three parameters for traffic filtering or marking? (Choose three.)

- A. Protocol
- B. Traffic Direction

- C. DSCP value
- D. virtual Port ID

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.networking.doc/GUID-968EBF83-2F96-44B4-868E-099F737306A0.html>

NEW QUESTION: 48

A vSphere administrator observes a CPU spike on one of the web servers (view the Exhibit.)

Which two statements can describe the cause of this activity? (Choose two.)

- A. The network packet size is too small.
- B. The network packet size is too large.
- C. Disk latency is present on the datastore.
- D. VMware Tools is not installed.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

Which feature facilitates the sharing of templates via vCenter Server?

- A. Content Library
- B. OVF
- C. folders
- D. vApp

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

Content libraries are container objects for VM templates, vApp templates, and other types of files. vSphere

administrators can use the templates in the library to deploy virtual machines and vApps in the sphere

inventory. Sharing templates and files across multiple vCenter Server instances in same or different

locations brings out consistency, compliance, efficiency, and automation in deploying workloads at scale.

Reference:

https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.vm_admin.doc/GUID-254B2CE8-20A8-43F0-90E8-3F6776C2C896.html

NEW QUESTION: 50

Which three design requirements must be satisfied to enable RAID-6 objects in a VMware vSAN cluster?

(Choose three.)

- A. vSAN Advanced license or higher
- B. vSAN stretched cluster
- C. at least six hosts contributing storage
- D. deduplication and compression
- E. All Flash configuration

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

[https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.virtualsan.doc/GUID-AD408FA8-](https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.virtualsan.doc/GUID-AD408FA8-5898-4541-9F82-FE72E6CD6227.html)

[5898-4541-9F82-FE72E6CD6227.html](https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.virtualsan.doc/GUID-AD408FA8-5898-4541-9F82-FE72E6CD6227.html)

[https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.virtualsan.doc/GUID-ED76D553-](https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.virtualsan.doc/GUID-ED76D553-0AB5-44EC-BEB7-A054C5BAE7A3.html)

[0AB5-44EC-BEB7-A054C5BAE7A3.html](https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.virtualsan.doc/GUID-ED76D553-0AB5-44EC-BEB7-A054C5BAE7A3.html)

[https://docs.vmware.com/en/VMware-](https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.virtualsan.doc/GUID-6D818555-8DE8-4F06-9498-66903FB9C775.html)

[vSphere/6.5/com.vmware.vsphere.virtualsan.doc/GUID-6D818555-](https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.virtualsan.doc/GUID-6D818555-8DE8-4F06-9498-66903FB9C775.html)

[8DE8-4F06-9498-66903FB9C775.html](https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.virtualsan.doc/GUID-6D818555-8DE8-4F06-9498-66903FB9C775.html)

NEW QUESTION: 51

What three conditions could result in VMware Flash Read Cache being unable to claim a disk?

(Choose

three.)

- A. The disk is not listed in the VMware hardware compatibility guide.
- B. The disk is not detected as an SSD.
- C. The disk is not detected as local.
- D. The disk is in use by VMFs.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

[https://docs.vmware.com/en/VMware-](https://docs.vmware.com/en/VMware-vSphere/6.0/com.vmware.vsphere.troubleshooting.doc/GUID-6E75A727-C2D9-4B20-B47A-A243AEBE1881.html)

[vSphere/6.0/com.vmware.vsphere.troubleshooting.doc/GUID-](https://docs.vmware.com/en/VMware-vSphere/6.0/com.vmware.vsphere.troubleshooting.doc/GUID-6E75A727-C2D9-4B20-B47A-A243AEBE1881.html)

[6E75A727-C2D9-4B20-B47A-A243AEBE1881.html](https://docs.vmware.com/en/VMware-vSphere/6.0/com.vmware.vsphere.troubleshooting.doc/GUID-6E75A727-C2D9-4B20-B47A-A243AEBE1881.html)

NEW QUESTION: 52

Assuming a mirrored (RAID-1) object configuration, how many hosts must contribute storage in a non-

stretched VMware vSAN cluster to satisfy the "Number of failures to tolerate" policy option?

"n" is the desired "Number of failures to tolerate" value for all options.

- A. $2n+2$
- B. $2n$
- C. $2n+1$
- D. $3n$

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

Reference:

<http://pubs.vmware.com/vmware-validated-design-40/index.jsp?topic=%2Fcom.vmware.vvd.sddc-design.doc%2FGUID-6F009138-C06B-4CF0-89A4-9FFECA22F7FE.html>

NEW QUESTION: 53

Which iSCSI initiator type can be used with any network interface card?

- A. Software iSCSI initiator
- B. Software FCoE adapter
- C. Hardware Independent iSCSI initiator
- D. Hardware Dependent iSCSI initiator

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

Software iSCSI Adapter

A software iSCSI adapter is a VMware code built into the VMkernel. It allows your host to connect to the

iSCSI storage device through standard network adapters. The software iSCSI adapter handles iSCSI

processing while communicating with the network adapter. With the software iSCSI adapter, you can use

iSCSI technology without purchasing specialized hardware.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/5.5/com.vmware.vsphere.storage.doc/GUID-7A4E3767-CB54-4E88-9BA8-298876119465.html>

NEW QUESTION: 54

Which command will show the iSCSI sessions on a ESXi 6.5 host?

- A. `esxcli storage iscsi session get`
- B. `esxcli iscsi session get`
- C. `esxcli storage iscsi session list`
- D. `esxcli iscsi session list`

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://pubs.vmware.com/vsphere-6-5/index.jsp?topic=%2Fcom.vmware.vcli.examples.doc%2FGUID-8788CE60-2E57-4545-9CDA-8BCE3A655B15.html>

NEW QUESTION: 55

An administrator is attempting to power on a virtual machine with 32GB of memory. The operation fails with

the following error:

Could not power on VM: No space left on device

Checking the space on the virtual machine's datastore, there is 30GB free.

Which action would allow the VM to power on?

- A. Set a 2GB memory reservation on the VM.
- B. Mount the virtual disk from the affected VM on to another virtual machine and free up space from within the OS.
- C. Enable vSphere HD admission control on the cluster in which the VM resides.
- D. Set a 2GB memory limit on the VM.

Answer: A ([LEAVE A REPLY](#))

Explanation/Reference:

Explanation:

The swap file size can be calculated with the formula (.vswp File = Allocated Memory - Memory Reservation).

As per default, the reservation is set to 0, so the .vswp file size is equal to the amount of virtual memory.

NEW QUESTION: 56

Which two ports are open by default on the ESXi firewall? (Choose two)

- A. 22
- B. 546
- C. 37
- D. 514

Answer: ([SHOW ANSWER](#)**)**

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.security.doc/GUID-171B99EA-15B3-4CC5-8B9A-577D8336FAA0.html>

NEW QUESTION: 57

Which configuration could cause an ESXi installation to fail?

- A. There is only one 1 GbE network controller.
- B. Intel VT-x or AMD RVI is disabled.

C. NX/XD is disabled in BIOS.

D. The host has 4 GB RAM.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.7/vsphere-esxi-67-installation-setup-guide.pdf>

page 10

NEW QUESTION: 58

The networking team has requested to have a dedicated network for iSCSI traffic. This task has been

assigned to the vSphere Administrator.

What is the VMware-recommended way to accomplish this?

A. Configure Static Routes on each ESXi Server.

B. Create a custom IP Stack.

C. Configure the right subnet.

D. Define a dedicated gateway for the iSCSI vmkernel.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 59

What VM Monitoring setting would ensure that the maximum reset window for a virtual machine is 24

hours?

A. Medium

B. Low

C. High

D. Normal

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

There are 3 built in presets (Low, Medium & High) and the option to select custom settings for any of these options.

Reference:

<https://blogs.vmware.com/vsphere/2014/03/vsphere-ha-vm-monitoring-back-basics.html>

NEW QUESTION: 60

Upgrading vCenter Server with Microsoft SQL database fails with the following error message:

The DB User entered does not have the required permissions needed to install and configure vCenter Server with the selected DB. Please correct the following error(s): %s

What could cause this error?

- A. incorrect ports open on SQL Server
- B. incorrect database on the SQL server
- C. incorrect compatibility mode on the SQL server
- D. incorrect permission on SQL Server database

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation/Reference:

Problem

The following error message appears: The DB User entered does not have the required permissions needed to install and configure vCenter Server with the selected DB. Please correct the following error(s): %s

Cause

The database version must be supported for vCenter Server. For SQL, even if the database is a supported

version, if it is set to run in compatibility mode with an unsupported version, this error occurs. For example,

if SQL 2008 is set to run in SQL 2000 compatibility mode this error occurs.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.0/com.vmware.vsphere.upgrade.doc/GUID-5AA32F87-270C-4171-8896-41A607F8F997.html>

NEW QUESTION: 61

A VM folder contains VM1 and VM2.

Group A has permission to power on virtual machines, defined on the VM folder and its children.

Group B has permission to power off virtual machine VM2.

If a user is a member of group A and B, what action can the user perform?

- A. Suspend VM2.
- B. Power off VM1.
- C. Power on and power off VM1.
- D. Power on and power off VM2.

Answer: ([SHOW ANSWER](#))

Valid 2V0-622 Dumps shared by ExamDiscuss.com for Helping Passing 2V0-622 Exam!
ExamDiscuss.com now offer the **newest 2V0-622 exam dumps**, the ExamDiscuss.com 2V0-622 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 2V0-622 dumps with Test Engine here:

Special Discount Code: **freecram**)

NEW QUESTION: 62

In network troubleshooting it is important to know what upstream switch the ESXi host is connected to.

Which two features does ESXi provide to help identify the upstream switch? (Choose two.)

- A. Promiscuous mode
- B. DPM
- C. LLDP
- D. CDP

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/VMware-vSphere/5.5/com.vmware.vsphere.networking.doc/GUID-A1B145E9-6454-45C0-8E7E-71E04A3BC9FF.html>

NEW QUESTION: 63

Which two features require the use of Host Profiles? (Choose two.)

- A. Host Customizations
- B. shared storage
- C. Auto Deploy
- D. vRealize Suite

Answer: A,C ([LEAVE A REPLY](#))

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.hostprofiles.doc/GUID-1B10EC63-AAFB-4FE5-A715-2A7F22EC8622.html>

NEW QUESTION: 64

Which two components are part of storage I/O multipathing on ESXi? (Choose two.)

- A. SATP
- B. VASA
- C. PSP
- D. VAAI

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

Reference:

NEW QUESTION: 65

The administrator wants to power on VM-K2, which has a 2GHz CPU reservation. VM-M1, VM-M2, and

VM-K1 are all powered on. VM-K2 is not powered on.

The exhibit shows the parent and child resource reservations.

If Resource Pool RP-KID is configured with an expandable reservation, which statement is true?

- A. VM-K2 will be unable to power on because there are insufficient resources.
- B. VM-K2 will be able to power on since resource pool RP-KID has 2GHz available.
- C. VM-K2 will be unable to power on because only 2GHz are reserved for RP-KID.
- D. VM-K2 will receive resource priority and will be able to power on this scenario.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.resmgmt.doc/GUID-8D813BB8-CE07-40F2-B2CA-269C1FB39475.html>

NEW QUESTION: 66

Which two Network I/O Control bandwidth allocation parameters are applicable? (Choose two.)

- A. Quota
- B. Level
- C. Reservation
- D. Share

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 67

Which is the correct sequence to upgrade a vSphere infrastructure?

- A. vCenter Server>ESXi host> VMware Tools>VM compatibility
- B. ESXi host>vCenter Server> VMware Tools>VM compatibility
- C. vCenter Server> ESXi host> VM compatibility> VMware Tools
- D. ESXi host>vCenter Server> VM compatibility>VMware Tools

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

<https://kb.vmware.com/s/article/1010675>

NEW QUESTION: 68

ESXi 6.5 introduces VMFS6, which supports both 512e and 512n devices.

What three configurations are supported when using these devices? (Choose three.)

- A. Hosts with both 512e and 512n devices.
- B. Storage vMotion between both 512e and 512n devices.
- C. Datastore Extents spanned between both 512e and 512n devices.
- D. Storage DRS clusters containing only both 512e and 512n devices.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.storage.doc/GUID-7552DAD4-1809-4687-B46E-ED9BB42CE277.html>

NEW QUESTION: 69

In which scenario will vSphere DRS balance resources when set to Fully Automated?

- A. Hosts with only shared storage
- B. Hosts are part of a vSphere HA cluster
- C. Power Management is set to Balanced on hosts
- D. Hosts with shared or non-shared storage

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

<http://searchvmware.techtarget.com/tip/VMware-DRS-and-VMotion-Improve-workload-balance-prevent-problems>

NEW QUESTION: 70

Which three are supported upgrade processes for ESXi host? (Choose three.)

- A. using vSphere Auto Deploy
- B. using a TFTP server
- C. using Update Manager
- D. using an ESXCLI command
- E. installing from CIFS share

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/vsphere-esxi-vcenter-server-65-upgrade-guide.pdf>

NEW QUESTION: 71

When will vSphere Data Protection delete the expired backup image of a Platform Service Controller?

- A. After the expired backup image is restored.
- B. During the next maintenance window following expiry.
- C. During the next backup window following expiry.
- D. Immediately after the retention period has expired.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 72

What counter should an administrator check to determine if a virtual machine is ballooning?

- A. swapinRate
- B. vmmemctltarget
- C. swapped
- D. vmmemctl

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

Memory Ballooning is the memory reclamation technique used by hypervisor to reclaim the memory back from the virtual machine.

When ESXi host running low on physical memory, It uses ballooning driver (vmmemctl.sys) to determine

the how much memory from virtual machines can be get back to prevent the hypervisor swapping.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.monitoring.doc/GUID-88CA95AD-A583-4EF6-838E-D92C87B0BB00.html>

NEW QUESTION: 73

A scripted upgrade of ESXi fails due to an incorrect parameter in the upgrade script.

What file must the administrator modify to correct the problem?

- A. vmreconfig.pl
- B. hostinfo.pl
- C. ks.cfg
- D. boot.cfg

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://kb.vmware.com/s/article/2004729>

NEW QUESTION: 74

Which command can be used to backup the ESXi host configuration?

- A. esxcli system module get
- B. esxcli software profile get
- C. vihostupdate
- D. vicfg-cfgbackup

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://kb.vmware.com/s/article/2042141>

NEW QUESTION: 75

What advanced option for vSphere HA defines a maximum number of reset attempts by VMCP for a virtual machine?

- A. das.maxterminates
- B. das.isolationshutdowntimeout
- C. das.maxresets
- D. fdm.isolationpolicydelaysec

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

das.maxresets

The maximum number of reset attempts made by VMCP. If a reset operation on a virtual machine affected

by an APD situation fails, VMCP retries the reset this many times before giving up.

Reference: <https://kb.vmware.com/s/article/2033250>

NEW QUESTION: 76

Which two statements correctly describe Normal Lockdown Mode? (Choose two.)

- A. ESXi Shell and SSH services are independent of lockdown mode.
- B. In normal lockdown mode the DCUI service is stopped.
- C. ESXi Shell and SSH services are dependent of lockdown mode and cannot be configured.
- D. In normal lockdown mode the DCUI service is running.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://blogs.vmware.com/vsphere/2015/03/vsphere-6-0-lockdown-modes.html>

Valid 2V0-622 Dumps shared by ExamDiscuss.com for Helping Passing 2V0-622 Exam!

ExamDiscuss.com now offer the **newest 2V0-622 exam dumps**, the ExamDiscuss.com

2V0-622 exam **questions have been updated** and **answers have been corrected** get the

newest ExamDiscuss.com 2V0-622 dumps with Test Engine here:

<https://www.examdisscuss.com/VMware/exam/2V0-622/premium/> (290 Q&As Dumps, **35%OFF**

Special Discount Code: freecram)

NEW QUESTION: 77

A vSphere Administrator would like to identify which physical NUMA node their virtual machine is currently residing on.

What esxtop metric would provide this information?

- A. GST_ND[x]
- B. OVD_ND[x]
- C. NRMEM
- D. NHN

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: <http://www.yellow-bricks.com/esxtop/>

NEW QUESTION: 78

When vSphere Flash Read Cache is assigned to a virtual machine, which statement is true?

- A. vSphere Fault Tolerance can be used with this virtual machine
- B. A virtual RDM can be used with this virtual machine.
- C. Physical RDM can be used with this virtual machine.
- D. This virtual machine must use virtual hardware version 9 or above.

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: <https://www.vmware.com/files/pdf/techpaper/vmware-vsphere-flash-read-cache-faq.pdf>

NEW QUESTION: 79

Which three types of Content Libraries exist within vSphere 6.5? (Choose three.)

- A. Remote Content Library
- B. Published Content Library
- C. Local Content Library
- D. Shared Content Library
- E. Subscribed Content Library

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference:

<https://esxsi.com/2016/12/30/content-libraries/>

NEW QUESTION: 80

To prevent possible failures or issues during a vSphere upgrade, which component should be upgraded first?

- A. ESXi Hosts
- B. virtual machines
- C. datastores
- D. vCenter Server

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/vsphere-esxi-vcenter-server-65-upgrade-guide.pdf> (12)

NEW QUESTION: 81

A vSphere administrator manages a cluster which includes critical and non-critical virtual machines. The

cluster requires different permissions for contractors and non-contractors.

How can the administrator exclude the contractor group from some of the critical VMs?

- A. Apply permission for both contractors and non-contractors on the cluster level.
- B. Apply permission for both contractors and non-contractors on the cluster level. Remove permission on the critical VMs for contractors.
- C. Remove permission for contractors on the cluster level. Apply permission on the critical VMs for non-contractors.
- D. Apply permission for both contractors and non-contractors on the VMs. Remove permission on the critical VMs for contractors.

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

To exclude the contractor group simple apply permission for both contractors and non-contractors on the cluster level. After that, remove permission on the critical VMs for contractors.

NEW QUESTION: 82

Which is required for configuring iSCSI Software Adapter network port binding?

- A. VMkernel of the iSCSI traffic must be load balanced using Route based on IP Hash algorithm.
- B. VMkernel of the iSCSI traffic must be load balanced using Route based on Source Virtual Port ID algorithm.
- C. VMkernel of the iSCSI traffic must be load balanced using Route based on Source MAC Hash

algorithm.

D. VMkernel of the iSCSI traffic must be bound to only one active network adapter.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

(...) ensure each vmkernel port has a unique active adapter.

Reference:

[https://kb.vmware.com/selfservice/microsites/search.do?](https://kb.vmware.com/selfservice/microsites/search.do?language=en_US&cmd=displayKC&externalId=2045040)

[language=en_US&cmd=displayKC&externalId=2045040](https://kb.vmware.com/selfservice/microsites/search.do?language=en_US&cmd=displayKC&externalId=2045040)

NEW QUESTION: 83

The vSphere Data Protection performance analysis results in the "Conditionally Passed" status.

What can cause this condition?

A. The results did not meet the minimum performance expectations.

B. The read, write, and seek tests were successful.

C. The read and write tests were successful but the seek test failed.

D. The read and write tests were successful but the seek test skipped.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

Possible results are Passed, Failed, and Conditionally Passes if the seek test is selected

(Excluded by

Default). If all tests succeed, the result is Passed. If the write or read tests are unsuccessful, the result is

Failed. If the seek test is selected and if the write and read tests are successful but the seek test fails, the

result is Conditionally Passed.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.0/vmware-data-protection-administration-guide-60.pdf>

page 75

NEW QUESTION: 84

Which method is supported for backing up the virtual machine that contains vCenter Server?

A. differential

B. incremental

C. full image

D. individual disks

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.0/com.vmware.vsphere.install.doc/GUID-539B47B4-114B-49BC-9736-F14058127ECA.html>

NEW QUESTION: 85

An administrator is creating VMkernel adapters on an ESXi 6.5 host and wants to create separate VMkernel adapters for every type of traffic in the default TCP/IP stack.

Which three types of traffic can be explicitly enabled on a separate VMkernel adapter? (Choose three.)

- A. Virtual SAN traffic
- B. NFS traffic
- C. vMotion traffic
- D. vSphere HA traffic
- E. Fault Tolerance logging traffic

Answer: A,C,E ([LEAVE A REPLY](#))

Explanation/Reference:

Explanation:

NEW QUESTION: 86

What is the command for updating an ESXi host?

- A. esxcli software vib update -d "/vmfs/volumes/Datastore/DirectoryName/PatchName.zip"
- B. esxupdate software update -d "/vmfs/volumes/Datastore/DirectoryName/PatchName.zip"
- C. esxcli software update -d "/vmfs/volumes/Datastore/DirectoryName/PatchName.zip"
- D. esxupdate software vib update -d "/vmfs/volumes/Datastore/DirectoryName/PatchName.zip"

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: <https://www.ivobeerens.nl/2017/02/15/patch-vmware-esxi-6-5-hosts-command-line/>

NEW QUESTION: 87

If there are eight paths per LUN in a vSphere6.5 environment, what is the maximum number of LUNs

usable by an ESXi host?

- A. 128
- B. 512
- C. 64
- D. 256

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: <https://www.vladan.fr/vmware-vsphere-6-5-configuration-maximums/>

NEW QUESTION: 88

How can a vSphere administrator ensure that a set of virtual machines run on different hosts in a DRS cluster?

- A. Use a VM-Host affinity rule.
- B. Add the VMs to a vApp.
- C. Use a VM-VM affinity rule.
- D. Place the VMs in different folders.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

<https://pubs.vmware.com/vsphere-51/index.jsp?topic=%2Fcom.vmware.vsphere.resmgmt.doc%2FGUID-94FCC204-115A-4918-9533-BFC588338ECB.html>

NEW QUESTION: 89

Bidirectional CHAP is support by which storage initiator?

- A. software FCoE HBA
- B. Fibre Channel HBA
- C. independent hardware iSCSI HBA
- D. dependent hardware iSCSI HBA

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

The bidirectional CHAP authentication adds an extra level of security. With this method, the initiator can also authenticate the target. VMware supports this method for software and dependent hardware iSCSI adapters only.

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.storage.doc/GUID-3F97FB05-3C92-4040-84E7-D928555B3808.html>

NEW QUESTION: 90

Which three statements are correct regarding booting an ESXi Host from Fibre Channel SAN? (Choose three.)

- A. Direct connect topology is supported.
- B. Each host must have its own boot LUN.
- C. ESXi hosts do not require local storage.
- D. Multipathing to a boot LUN on an active-passive array is supported.
- E. Hosts can share one common boot LUN.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.storage.doc/GUID-8FAD881D-7A00-43C9-AB69-66DC7816968C.html>

NEW QUESTION: 91

An administrator is trying to set up Host Partial Failure Response, but the Automated option is grayed out.

What can the administrator change to enable the Automated option?

- A. Change the vSphere DRS Automation level to Partially Automated.
- B. Change the vSphere DRS Automation level to Fully Automated.
- C. Enable vSphere HA Host Monitoring.
- D. Change the vSphere DPM Automation level to Automatic.

Answer: (SHOW ANSWER)

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.avail.doc/GUID-3E3B18CC-8574-46FA-9170-CF549B8E55B8.html>

Valid 2V0-622 Dumps shared by ExamDiscuss.com for Helping Passing 2V0-622 Exam!

ExamDiscuss.com now offer the **newest 2V0-622 exam dumps**, the ExamDiscuss.com 2V0-622 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 2V0-622 dumps with Test Engine here:

<https://www.examdumps.com/VMware/exam/2V0-622/premium/> (290 Q&As Dumps, **35%OFF**

Special Discount Code: freeexam)

NEW QUESTION: 92

When migrating a Windows vCenter Server 6.0 to the vCenter Server Appliance 6.5, which two will be

migrated by default? (Choose two.)

- A. Local Windows OS users and groups
- B. Configuration
- C. Custom ports
- D. FQDN
- E. Historical and Performance data

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.upgrade.doc/GUID-5E19B79A-AE4F-497A-9047-3E9AAC1D7767.html>

NEW QUESTION: 93

An administrator is attempting to access an ESXi host via the DCUI but is unable to do so. Which could be two possible causes? (Choose two.)

- A. The host in question has no out-of-band management capability (i.e. iLO/iDRAC).
- B. The SSH service is disabled on the host.
- C. Strict lockdown mode is enabled on the host.
- D. Normal lockdown mode is enabled and the administrator is a member of the Exception User list.
- E. The DCUI service is disabled on the host.

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference:

<https://blogs.vmware.com/vsphere/2015/03/vsphere-6-0-lockdown-modes.html>

NEW QUESTION: 94

Which vCenter Single Sign-On policy would force an SSO user's password to change every 90 days?

- A. Maximum Length
- B. Unlock time
- C. Maximum token renewal count
- D. Maximum Lifetime

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.0/com.vmware.vsphere.security.doc/GUID-B9C4409A-B053-40C3-96DE-232BB99AAA35.html>

NEW QUESTION: 95

An administrator wishes to enable network port mirroring based on source port. Which feature should be enabled?

- A. vSphere standard switch port
- B. ERSPAN
- C. NSX Virtual Wire
- D. VLAN

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

Support for ERSPAN

ERSPAN mirrors traffic on one or more -source- ports and delivers the mirrored traffic to one or more -

destination- ports on another switch. vSphere 6.5 includes support for the ERSPAN protocol.

Reference:

<https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/whitepaper/vsphere/vmw-white-paper-vspher-whats-new-6-5.pdf>

NEW QUESTION: 96

An administrator is trying to vMotion a VM from his datacenter to a recovery site. Which is the maximum

allowed RTT (Round-Trip Time) latency between source and destination host?

- A. 100 milliseconds
- B. 150 milliseconds
- C. 15 milliseconds
- D. 10 milliseconds

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

Round-Trip Time for Long-Distance vMotion Migration

If you have the proper license applied to your environment, you can perform reliable migrations between

hosts that are separated by high network round-trip latency times. The maximum supported network

round-trip time for vMotion migrations is 150 milliseconds. This round-trip time lets you migrate virtual

machines to another geographical location at a longer distance.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.0/com.vmware.vsphere.vcenterhost.doc/GUID-3B41119A-1276-404B-8BFB-A32409052449.html>

NEW QUESTION: 97

Which three operations can cause VMFS metadata updates? (Choose three.)

- A. Restarting a VM using the guest OS.
- B. Launching a VM console.
- C. Migrating a VM with vMotion.
- D. Powering a VM on or off.
- E. Expanding a VMFS datastore.

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

Metadata is updated each time you perform datastore or virtual machine management operations.

Examples of operations requiring metadata updates include the following:

Creating, growing, or locking a virtual machine file

Changing a file's attributes

Powering a virtual machine on or off

Creating or deleting a VMFS datastore

Expanding a VMFS datastore

Creating a template

Deploying a virtual machine from a template

Migrating a virtual machine with vMotion

Reference:

https://pubs.vmware.com/vsphere-50/index.jsp?topic=%2Fcom.vmware.vsphere.storage.doc_50%2FGUID-7A385576-9434-432E-92C4-51E26A4761AA.html

NEW QUESTION: 98

A vSphere Administrator must ensure that when vSphere HA is triggered, the virtual machines are

restarted by priority.

What four VM restart priorities are available? (Choose four.)

- A. Disabled
- B. Aggressive
- C. High
- D. Low
- E. Conservative
- F. Medium

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: https://pubs.vmware.com/vsphere-50/index.jsp?topic=%2Fcom.vmware.vsphere.avail.doc_50%2FGUID-FA8B166D-A5F5-47D3-840E-68996507A95B.html

NEW QUESTION: 99

After upgrading the vSphere infrastructure and VMware Tools to version 6.5, the "Upgrade VM Compatibility" option is grayed out in the vSphere Web Client. (See Exhibit.)

What must the administrator do to enable the VM compatibility upgrade?

- A. VMware Tools should be upgraded last.
- B. Restart the ESXi server.
- C. Uninstall VMware Tools.

D. Power off the virtual machine.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

Reference:

https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.vm_admin.doc/GUID-60768C2F-72E1-42E0-8A17-CA76849F2950.html

NEW QUESTION: 100

When enabling Storage DRS on a datastore cluster, which three components are enabled as a result? (Choose three.)

- A.** Space load balancing among datastores within the datastore cluster.
- B.** Initial placement for virtual disks based on space and I/O workload.
- C.** I/O load balancing among datastores within the datastore cluster.
- D.** Queue Depth alerting on disks within the datastore cluster.
- E.** Data de-duplication within the datastore cluster.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

When you enable Storage DRS, you enable these functions:

Space load balancing among datastores within a datastore cluster

I/O load balancing among datastores within a datastore cluster

Initial placement for virtual disks based on space and I/O workload

Reference:

https://kb.vmware.com/selfservice/microsites/search.do?language=en_US&cmd=displayKC&externalId=2032910

NEW QUESTION: 101

Restoration of the vCenter Server Appliance is accomplished using which interface?

- A.** vSphere Web Client
- B.** vSphere Client
- C.** vCenter Server Appliance Management Interface
- D.** vCenter Server Appliance GUI Installer

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

In vSphere 6.5, you can use the vCenter Server Appliance Management Interface to create a file-based

backup of the vCenter Server Appliance and Platform Services Controller appliance. After you create the

backup, you can restore it by using the GUI installer of the appliance.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.install.doc/GUID-3EAED005-B0A3-40CF-B40D-85AD247D7EA4.html>

NEW QUESTION: 102

Which two tasks should a vSphere administrator perform if the vmkernel log reports VMFS metadata

errors? (Choose two.)

- A. contact VMware technical support
- B. reformat the datastore
- C. check the device with VOMA
- D. ignore the messages

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

To check metadata consistency, run VOMA from the CLI of an ESXi host. VOMA can be used to check

and fix metadata inconsistency issues for a VMFS datastore or a virtual flash resource. To resolve errors

reported by VOMA, consult VMware Support.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.0/com.vmware.vsphere.troubleshooting.doc/GUID-6F991DB5-9AF0-4F9F-809C-B82D3EED7DAF.html>

NEW QUESTION: 103

A Telco customer is implementing NFV using vSphere as the virtualization platform.

Which feature can help achieve a high packet rate with lower CPU consumption?

- A. Network I/O Control
- B. SplitRX
- C. ERSPAN
- D. LACP

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

SplitRx Mode

SplitRx mode uses multiple physical CPUs to process network packets received in a single network queue.

This feature can significantly improve network performance for certain workloads. These workloads

include:

Multiple virtual machines on one ESXi host all receiving multicast traffic from the same source.

(SplitRx

mode will typically improve throughput and CPU efficiency for these workloads.)

Traffic via the vNetwork Appliance (DVFilter) API between two virtual machines on the same ESXi host.

(SplitRx mode will typically improve throughput and maximum packet rates for these workloads.)

In vSphere 5.1 and later this feature is automatically enabled for a VMXNET3 virtual network

adapter (The

only adapter type on which it is supported) when ESXi detects that a single network queue on a physical

NIC is both (a) heavily utilized and (b) getting more than 10,000 broadcast/multicast packets per second.

Reference:

https://www.vmware.com/techpapers/2017/Perf_Best_Practices_vSphere65.html

NEW QUESTION: 104

An administrator has upgraded to vSphere 6.5 and also wants to use Kerberos authentication for NFS.

Which can be done to the existing NFSv3 volumes to enable this feature?

- A. Perform a storage rescan on VMFS volumes.
- B. Unmount the NFSv3 datastore, and then mount as NFSv4.1 datastore.
- C. Nothing. All NFSv3 mounted datastores are upgraded automatically during vSphere upgrades.
- D. Perform a scan of new storage devices.

Answer: B ([LEAVE A REPLY](#))

Explanation/Reference:

Explanation:

NFS 4.1 supports the Kerberos authentication protocol to secure communication with the NFS server

NEW QUESTION: 105

A vSphere Administrator must ensure that vCenter Server service is running in a domain user account

rather than Local System Account.

To accomplish this, the user account should have which two permissions? (Choose two.)

- A. Log on as a service.
- B. Act as part of the operating system.
- C. Log on as a batch job.
- D. Log on locally.

Answer: A,B (LEAVE A REPLY)

Explanation/Reference:

Explanation:

On each system that is running vCenter Server, verify that the domain user account has these permissions:

Member of the Administrators group

Act as part of the operating system

Log on as a service

Reference:

<https://kb.vmware.com/s/article/2052334>

NEW QUESTION: 106

What configuration option would ensure that a virtual NUMA topology is defined on VMs having more than

eight virtual CPUs?

A. cupid.coresPerSocket

B. numa.vcpu.followcorespersocket

C. numa.vcpu.maxPerVirtualNode

D. numa.vcpu.min

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: [https://pubs.vmware.com/vsphere-51/index.jsp?topic=](https://pubs.vmware.com/vsphere-51/index.jsp?topic=%2Fcom.vmware.vsphere.resmgmt.doc%2FGUID-3E956FB5-8ACB-42C3-B068-664989C3FF44.html)

[%2Fcom.vmware.vsphere.resmgmt.doc](https://pubs.vmware.com/vsphere-51/index.jsp?topic=%2Fcom.vmware.vsphere.resmgmt.doc%2FGUID-3E956FB5-8ACB-42C3-B068-664989C3FF44.html)

[%2FGUID-3E956FB5-8ACB-42C3-B068-664989C3FF44.html](https://pubs.vmware.com/vsphere-51/index.jsp?topic=%2Fcom.vmware.vsphere.resmgmt.doc%2FGUID-3E956FB5-8ACB-42C3-B068-664989C3FF44.html)

Valid 2V0-622 Dumps shared by ExamDiscuss.com for Helping Passing 2V0-622 Exam!

ExamDiscuss.com now offer the **newest 2V0-622 exam dumps**, the ExamDiscuss.com

2V0-622 exam **questions have been updated** and **answers have been corrected** get the

newest ExamDiscuss.com 2V0-622 dumps with Test Engine here:

<https://www.examdiscuss.com/VMware/exam/2V0-622/premium/> (290 Q&As Dumps, **35%OFF**

Special Discount Code: freecram)

NEW QUESTION: 107

Which network is used by vSphere HA when VMware vSAN is enabled?

A. Management network

B. vSphere Replication network

C. vMotion network

D. VSAN network

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.0/com.vmware.vsphere.virtualsan.doc/GUID-D68890D8-841A-4BD1-ACA1-DA3D25B6A37A.html>

NEW QUESTION: 108

Which statement is true regarding the use of VMFS3 datastores with vSphere 6.5?

- A. VMFS3 datastores can be used but not created.
- B. VMFS3 datastores can be neither used nor created.
- C. VMFS3 datastores will be present but unmounted.
- D. VMFS3 datastores can be created and used.

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: <https://communities.vmware.com/thread/589132>

NEW QUESTION: 109

In Advanced settings on a vSphere host, Security.Password Quality Control set as retry=3 min=disabled, disabled, disabled, 7, 7

Which two passwords are valid? (Choose two.)

- A. xQaT3#A
- B. P@ssw0rd
- C. xQaTEh2
- D. Xqat3h!
- E. xQaTEhb!

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: <http://www.vstellar.com/2017/11/07/password-policy-for-vsphere-6-0-hosts/>

NEW QUESTION: 110

When performing a vCenter Server 5.5 for Windows with Microsoft SQL Server Express database migration to vCenter Server Appliance 6.5, which will be the target database?

- A. Microsoft SQL Server Express 2012R2
- B. Microsoft SQL Server Standard 2012R2
- C. PostgreSQL
- D. Oracle DB 11g

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

The vCenter Server 6.0 embedded Microsoft SQL Server Express database is replaced with an embedded

PostgreSQL database during the upgrade to vCenter Server 6.5. The maximum inventory size that applied

for Microsoft SQL Server Express still applies for PostgreSQL.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/vsphere-esxi-vcenter-server-65-upgrade-guide.pdf>

NEW QUESTION: 111

Which are the two network requirements for a VMware vSAN 6.5 cluster? (Choose two.)

- A. Multicast must be enabled on the physical switches and routers that handle vSAN traffic.
- B. vSAN requires IPv6 only.
- C. All hosts must have a dedicated 40GbE NIC.
- D. The vSAN network supported IPv4 or IPv6.
- E. vSAN requires IPv4 only.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

The vSAN network supports both IPv4 and IPv6.

Reference:

[https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.virtualsan.doc/GUID-](https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.virtualsan.doc/GUID-AFF133BC-)

[F4B6-4753-815F-20D3D752D898.html](https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.virtualsan.doc/GUID-AFF133BC-F4B6-4753-815F-20D3D752D898.html)

<http://cormachogan.com/2014/01/21/vsan-part-15-multicast-requirement-for-networking-misconfiguration-detected/>

NEW QUESTION: 112

What is the VMware recommendation for the minimum number of network adapters for beacon probing?

- A. 1
- B. 3
- C. 2
- D. 4

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://kb.vmware.com/s/article/1005577>

NEW QUESTION: 113

"OneAppServer" is a VM template stored in a content library named "LibraryOne", but the vSphere

administrator is not able to use this template for deployment.

Why is the administrator unable to deploy OneAppServer?

- A. OneAppServer must be updated before it can be deployed.
- B. LibraryOne is a subscribed library and OneAppServer is not downloaded yet.
- C. LibraryOne is published and optimized for syncing over HTTP.
- D. OneAppServer was imported from a local file on the system.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

The administrator is unable to deploy OneAppServer because LibraryOne is published and optimized for syncing over HTTP. If the syncing is enabled, you cannot use this template for deployment.

NEW QUESTION: 114

Which three storage protocols are supported by Virtual Volumes? (Choose three.)

- A. FCIP
- B. FCoE
- C. iSCSI
- D. NFS v3
- E. NFS v4

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

Virtual Volumes supports NFS version 3 and 4.1, iSCSI, Fibre Channel, and FCoE.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.storage.doc/GUID-AAA99054-4D81-49F8-9927-65E9B08577AD.html>

NEW QUESTION: 115

Which statement is correct when migrating from a Windows vCenter Server to the vCenter Server Appliance 6.5?

- A. Migration deployments do not migrate local OS users from the source vCenter Server.
- B. Migration deployments support DHCP on the source vCenter Server.
- C. Migration deployments allow the source vCenter Server to remain powered on afterwards.
- D. Migration deployments support custom ports for all services on the source vCenter Server.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.upgrade.doc/GUID-5E19B79A-AE4F-497A-9047-3E9AAC1D7767.html>

NEW QUESTION: 116

Which are two supported storage primitives for VAAI NAS? (Choose two.)

- A. Full File Clone
- B. Reserve Space
- C. hardware assisted locking
- D. block zeroing

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

In ESXi 5.x, support for NAS Hardware Acceleration is included with support for these primitives:

Full File Clone - Like the Full Copy VAAI primitive provided for block arrays, this Full File Clone primitive enables virtual disks to be cloned by the NAS device.

Native Snapshot Support - Allows creation of virtual machine snapshots to be offloaded to the array.

Extended Statistics - Enables visibility to space usage on NAS datastores and is useful for Thin Provisioning.

Reserve Space - Enables creation of thick virtual disk files on NAS.

Note: Previously, the only supported VMDK type that could be created on NAS was thin.

Reference: <https://kb.vmware.com/s/article/1021976>

NEW QUESTION: 117

In what two ways can Storage DRS load balance virtual machines? (Choose two.)

- A. anti-affinity rules
- B. virtual storage controller
- C. guest OS family
- D. I/O latency

Answer: A,D (LEAVE A REPLY)

Explanation/Reference:

Reference: <https://www.itprotoday.com/virtualization/q-what-kinds-load-balancing-does-vmware-storage-drs-support>

NEW QUESTION: 118

An administrator has multiple vCenter Server 6.5 systems but cannot enable Storage I/O Control (SIOC)

on a datastore shared by ESXi hosts managed by the vCenter Server systems.

Which action should the administrator take to resolve the issue?

- A. Unmount the datastore and then enable SIOC on the vCenter Server system.
- B. Configure the datastore to be managed by a single vCenter Server system.
- C. Configure Storage DRS and then enable SIOC on the vCenter Server system.
- D. Enable Raw Device Mapping (RDM) on the ESXi hosts.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

Datastores that are Storage I/O Control-enabled must be managed by a single vCenter Server system

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.resmgmt.doc/GUID-37CC0E44-7BC7-479C-81DC-FFFC21C1C4E3.html>

NEW QUESTION: 119

An administrator must reprovision 25 hosts with a new image profile that he has created. Which two

methods can the administrator use to change the image profile? (Choose two.)

- A. From the vSphere Web client home page, select the Deploy Rules tab in the Auto Deploy section.
- B. Run the Copy-Deploy Rule and specify the Replace Item parameter with Power CLI.
- C. From the vSphere Web client home page, select the Assign Rules tab in the Auto Deploy section.
- D. Run the Set-Deploy Rule and specify the Replace Item parameter with Power CLI.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://pubs.vmware.com/vsphere-51/index.jsp?topic=%2Fcom.vmware.vsphere.upgrade.doc%2FGUID-8B9AAAA7-914B-4643-8C2A-FEA5F171BDC8.html>

NEW QUESTION: 120

An administrator finds that the Microsoft Exchange virtual machines are exhibiting network latency. What two in-guest changes can help decrease latency? (Choose two.)

- A. LRO
- B. TSO
- C. SR-IOV
- D. PVRDMA

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

Using TSO and LRO on physical and virtual machine NICs improves the performance of ESX/ESXi hosts

by reducing the CPU overhead for TCP/IP network operations. The host uses more CPU cycles to run

applications.

If TSO is enabled on the transmission path, the NIC divides larger data chunks into TCP segments. If TSO

is disabled, the CPU performs segmentation for TCP/IP.

TSO is referred to as LSO (Large Segment Offload or Large Send Offload) in the latest VMXNET3 driver

attributes.

LRO reassembles incoming network packets into larger buffers and transfers the resulting larger but fewer

packets to the network stack of the host or virtual machine. The CPU has to process fewer packets than

when LRO is disabled, which reduces its utilization for networking.

Reference:

<https://kb.vmware.com/s/article/2055140>

NEW QUESTION: 121

Which is the maximum number of block devices (LUNs) that are supported by ESXi hosts that are running

version 6.5?

A. 1024

B. 512

C. 2048

D. 256

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

LUNs per server 512

Reference:

<https://www.vmware.com/pdf/vsphere6/r65/vsphere-65-configuration-maximums.pdf>

Valid 2V0-622 Dumps shared by ExamDiscuss.com for Helping Passing 2V0-622 Exam!

ExamDiscuss.com now offer the **newest 2V0-622 exam dumps**, the ExamDiscuss.com

2V0-622 exam **questions have been updated** and **answers have been corrected** get the

newest ExamDiscuss.com 2V0-622 dumps with Test Engine here:

Special Discount Code: **freecram**)

NEW QUESTION: 122

Which are two vCenter Server two-factor authentication methods? (Choose two.)

- A. RSA SecurID
- B. Smart Card
- C. SAML
- D. Symantec VIP

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.psc.doc/GUID-ACFFCBEC-6C1C-4BF9-9971-04AEE9362AFE.html>

NEW QUESTION: 123

What two debugging levels can a virtual machine be configured to? (Choose two.)

- A. Verbose
- B. Debugging
- C. Statistics
- D. Trivia

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.vm_admin.doc/GUID-942AD723-2989-4753-A478-C67FC73CD653.html

NEW QUESTION: 124

Which three prerequisites must be in place prior to enabling secure boot for a virtual machine? (Choose three.)

- A. VirtualMachine.Config.Settings privileges
- B. an encrypted USB drive
- C. Virtual Hardware version 13 or later
- D. Virtual Hardware version 12 or later
- E. EFI firmware

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

Verify that the virtual machine operating system and firmware support UEFI boot.

EFI firmware

Virtual hardware version 13 or later.

Operating system that supports UEFI secure boot.

You need VirtualMachine.Config.Settings privileges to enable or disable UEFI secure boot for the virtual machine.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.security.doc/GUID-898217D4-689D-4EB5-866C-888353FE241C.html>

NEW QUESTION: 125

Which statement applies to the vSphere Replication appliance?

- A. Only one vSphere Replication appliance can be deployed per vCenter Server instance.
- B. VMware Tools in the vSphere Replication appliance can be upgraded.
- C. A single vSphere Replication appliance can manage a maximum of 4000 replications.
- D. vSphere Replication is available only with the vSphere Essentials Plus license.

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/vSphere-Replication/6.5/vsphere-replication-65-install.pdf>

NEW QUESTION: 126

Which two new vSphere 6.5 features enable an Administrator to locate configuration options when creating or editing host profiles more easily than in previous versions? (Choose two.)

- A. Add the configuration option to favorites.
- B. Navigate the option tree.
- C. Search for the configuration option.
- D. Copy the configuration option from a different profile.

Answer: (SHOW ANSWER)

Explanation/Reference:

Reference: <http://searchvmware.techtarget.com/tip/Use-VMware-Host-Profiles-to-create-consistent-configuration-settings>

NEW QUESTION: 127

Which command can be used to configure a default gateway for a specific vmkernel adapter?

- A. `esxcfg-vmknics -a -i <vmknics> -l <IP address> -N <mask> -g <gateway>`
- B. `esxcli network ip interface set -i <vmknics> -t static -g <gateway> -l <IP address> -N <mask>`

- C. esxcli network ip interface ipv4 set - I <vmknics> -t static - g <gateway> - I <IP address> - N <mask>
- D. esxcfg-route -a default <gateway>

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.7/com.vmware.vsphere.networking.doc/GUID-8BCBB25E-9A84-4322-94BC-C556DE9C2956.html>

NEW QUESTION: 128

A virtual machine fails to power on after being deployed from a template. What two remediation steps could correct this issue? (Choose two.)

- A. Increase CPU reservation
- B. Decrease memory reservation
- C. Increase memory reservation
- D. Increase datastore capacity
- E. Decrease CPU reservation

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:
<https://pubs.vmware.com/vsphere-51/index.jsp?topic=%2Fcom.vmware.vsphere.troubleshooting.doc%2FGUID-FFE2CB60-A35D-4FCD-8D13-DF538F183692.html>

NEW QUESTION: 129

When installing vCenter Converter Standalone, why must an administrator perform a client-server installation instead of a local installation?

- A. to manage conversion tasks remotely
- B. to convert virtual machines as well as physical machines
- C. to allow installation of the Converter agent on remote source machines
- D. to hot clone physical or virtual machines

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

Perform a Client-Server Installation in Windows

Perform a client-server installation so that you can create and manage conversion tasks remotely

Reference:

https://www.vmware.com/pdf/convsa_61_guide.pdf page 11

NEW QUESTION: 130

What is the default space threshold for vSphere Storage DRS?

- A. 80%
- B. 70%
- C. 90%
- D. 95%

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

Storage DRS dynamically balance the Storage DRS cluster imbalance based on Space and IO threshold

set. Default space threshold per datastore is 80% and default IO latency threshold is 15ms.

Reference:

<https://kb.vmware.com/s/article/2149938>

NEW QUESTION: 131

What are two remediation options for vCenter Proactive HA? (Choose two.)

- A. Quarantine mode for all failures
- B. Maintenance mode for all failures
- C. Quarantine mode for moderate failures
- D. Quarantine mode for important failures

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.7/com.vmware.vsphere.avail.doc/GUID-3E3B18CC-8574-46FA-9170-CF549B8E55B8.html>

NEW QUESTION: 132

Which two statements are true about Highly Available vSphere Auto Deploy infrastructure? (Choose two.)

- A. It helps prevent data loss.
- B. It is a prerequisite for using vSphere Auto Deploy with stateful install.
- C. It requires two or more Auto Deploy servers.
- D. It is a prerequisite for using vSphere Auto Deploy with stateless caching.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

In many production situations, a highly available Auto Deploy infrastructure is required to prevent data loss.

Such an infrastructure is also a prerequisite for using Auto Deploy with stateless caching.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/5.5/com.vmware.vsphere.install.doc/GUID-5E99987C->

NEW QUESTION: 133

Which two statements are true for NFS v4.1 firewall behavior? (Choose two.)

- A. It closes port 2049.
- B. It sets allowed. All flag to TRUE.
- C. It sets allowed. All flag to FALSE.
- D. It opens port 2049.

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

NFS v4.1 Firewall Behavior

When you mount the first NFS v4.1 datastore, ESXi enables the nfs41client rule set and sets its allowedAll flag to TRUE. This action opens port 2049 for all IP address. Unmounting an NFS v4.1 datastore does not affect the firewall state. That is, the first NFS v4.1 mount opens port 2049 and that port remains enabled unless you close it explicitly.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.storage.doc/GUID-70686ADB-961A-46BD-B814-48DCF6C5E34B.html>

NEW QUESTION: 134

A vSphere Administrator wants to reserve 0.5 Gbps for virtual machines on each uplink on a distributed switch that has 10 uplinks.

What is the quota that should be reserved for the network resource pool?

- A. 10 Gbps
- B. 5 Gbps
- C. 100 Gbps
- D. 0.5 Gbps

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

For example, if the virtual machine system traffic has 0.5 Gbps reserved on each 10 GbE uplink on a distributed switch that has 10 uplinks, then the total aggregated bandwidth available for VM reservation on this switch is 5 Gbps. Each network resource pool can reserve a quota of this 5 Gbps capacity.

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.networking.doc/GUID-8E957535-7969-4E12-BD11-DF746D6D5379.html>

NEW QUESTION: 135

The administrator must back up a vCenter HA deployment.

Which component must be backed up?

- A. Passive node
- B. Witness node
- C. External database
- D. Active node

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

When taking backups, avoid backing up the Passive and Witness nodes. Just take a backup of the Active

node. When restoring an Active node, you must remove all the cluster configuration, restore and re-create

the HA cluster.

Reference:

<https://www.altaro.com/vmware/how-to-deploy-a-vcenter-ha-cluster-part-1/>

NEW QUESTION: 136

An administrator has a large boot from SAN cluster and wants to ensure consistent configuration by using

host profiles.

What special considerations are required for boot from SAN hosts?

- A. Verify that the boot LUN is correctly identified as the boot device in the host profile.
- B. Change the "Device is shared clusterwide" setting to "false" in the host profile.
- C. The boot from SAN device must report as a local device.
- D. Host profiles are incompatible with boot from SAN hosts.

Answer: A ([LEAVE A REPLY](#))

Valid 2V0-622 Dumps shared by ExamDiscuss.com for Helping Passing 2V0-622 Exam!

ExamDiscuss.com now offer the **newest 2V0-622 exam dumps**, the ExamDiscuss.com 2V0-622 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 2V0-622 dumps with Test Engine here:

Special Discount Code: **freecram**)

NEW QUESTION: 137

Which two configurable options are available in Boot Options for a virtual machine? (Choose two.)

- A. Tools Upgrades
- B. Encryption
- C. Firmware
- D. Force BIOS setup

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Explanation:

NEW QUESTION: 138

When using "Cluster resource percentage" for host failover capacity in vSphere HA Admission Control, the

total resource requirements are calculated from which two values? (Choose two.)

- A. Total vCPUs assigned to each VM.
- B. Average CPU usage on each VM over time.
- C. Memory reservations on each VM.
- D. Total memory assigned to each VM.
- E. Average active memory on each VM over time.
- F. CPU reservations on each VM.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.avail.doc/GUID-FAFEFEFF-56F7-4CDF-A682-FC3C62A29A95.html>

NEW QUESTION: 139

How can an administrator exclude Encryption rights from a support engineer?

- A. Clone the role Virtual machine power user, remove Cryptographic operations privileges.
- B. Clone the role Administrator and assign to the support engineer.
- C. Clone the role Virtual machine power user and assign to the support engineer.
- D. Clone the role No cryptography administrator and select privileges only for the support engineer.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.security.doc/GUID->

NEW QUESTION: 140

In vSphere Data Protection 6.1, which is the function of a Backup Verification job?

A. None. Backup Verification job is not a feature of vSphere Data Protection

B. It is a manual task

- Power it on

- Verify the guest OS

- Check started applications

C. It is an automatic process

- Restore a virtual machine

- Power it on

- Verify that the guest OS is booted by communicating with the Backup Verification agent

D. It is an automatic process

- Restore a virtual machine

- Power it on

- Verify that the guest OC is booted by detecting the VMware Tools™ "heartbeats"

Answer: (SHOW ANSWER)

Explanation/Reference:

Explanation:

Automatic Backup Verification (ABV) is a scheduled or on-demand mechanism for verification of backups

that ensures the integrity of restore points.

Heartbeat Verification:

The heartbeat verification checks whether the VMware Tools heartbeat has been received within a specific

timeframe after the VM has powered on. If the VMware Tools heartbeat is received, the guest OS has

booted successfully and is in a healthy state.

Reference:

https://blogs.vmware.com/vsphere/files/2013/12/ABV_technical_white_paper.pdf page 8

Valid 2V0-622 Dumps shared by ExamDiscuss.com for Helping Passing 2V0-622 Exam!

ExamDiscuss.com now offer the **newest 2V0-622 exam dumps**, the ExamDiscuss.com 2V0-622 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 2V0-622 dumps with Test Engine here:

<https://www.examdumps.com/VMware/exam/2V0-622/premium/> (290 Q&As Dumps, **35%OFF**

Special Discount Code: freeexam)