

VMware.3V0-32.21.v2022-03-03.q21

Exam Code:	3V0-32.21
Exam Name:	Advanced Design VMware Cloud Management and Automation
Certification Provider:	VMware
Free Question Number:	21
Version:	v2022-03-03
# of views:	576
# of Questions views:	2315
https://www.freecram.net/torrent/VMware.3V0-32.21.v2022-03-03.q21.html	

NEW QUESTION: 1

An architect is designing a new VMware vRealize Cloud Management solution. During the requirements gathering workshop, the customer made the following comments:

The monthly uptime target of the cloud management solution must be 99.9%.

All components of the cloud management solution must be deployed with a N + 1 redundancy.

When creating the design documentation, how should these requirements be classified?

- A. Manageability
- B. Performance
- C. Recoverability
- D. Availability

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 2

An architect is designing a vRealize Log Insight cluster for an organization. The organization has the following requirements:

No requirement for archival data

Support a log data retention period of 14 days

How will the log data be handled in this vRealize Log Insight cluster after the 14-day retention period?

- A. The user needs to manually select and delete specific old log messages to free up space.
- B. Old log messages are automatically and periodically retired on least accessed basis.
- C. Old log messages are automatically and periodically retired on a first-come-first-retired basis.
- D. A variable sized chunk of old log messages is deleted to free up space based on the data age basis.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

An architect is responsible for designing a new multi-cloud management solution for a customer. The customer has a cloud first strategy and has provided the following high-level information about their current usage of the cloud:

The customer has public cloud presence in AWS, Azure and GCP and uses a number of native cloud services.

The customer runs all vSphere-based workloads within VMware Cloud on AWS.

The customer would like to ensure they have the ability to deploy and monitor supported workloads and native services in any of their clouds.

In addition to the deployment of vRealize Automate Cloud, which two recommendations should the architect make to meet the requirement? (Choose two.)

- A.** vRealize Operations Cloud and vRealize Log Insight Cloud must be deployed into the same organization as vRealize Automation Cloud.
- B.** Create Cloud accounts in vRealize Operations Cloud with each of the cloud services to enable monitoring.
- C.** Create Cloud accounts in vRealize Operations Cloud for AWS, Azure and VMware Cloud on AWS. GCP must be configured through the management pack.
- D.** vRealize Operations Cloud and vRealize Log Insight Cloud must be deployed into the same organizations as VMware Cloud on AWS.
- E.** Deploy a vRealize Operations Cluster in VMware Cloud on AWS and configure integration to vRealize Automation Cloud.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

An architect has been asked about migrating a client's vRealize Automation solution from version 7.x to version 8.x. One of the requirements is to continue to support custom XaaS (Anything as a Service) blueprints that the client has developed.

Which component of a vRealize Automation logical design will fulfill this requirement?

- A.** Cloud Assembly
- B.** Cloud Zones
- C.** Service Broker
- D.** Cloud-Init

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

The Service Owner of a vRealize Automation solution has requested that public cloud use is restricted to hosting workloads only. The configured cloud zones for all projects will be stated as follows:

vSphere

AWS

Azure

Which FaaS provider should the architect recommend for generic extensibility actions to meet the Service Owner's requirement?

- A. Microsoft Azure
- B. On-Prem
- C. Amazon Web Services
- D. Auto Select

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

An architect is designing a certificate strategy for vRealize Operations (vROps) to satisfy the following requirements:

Enhance security

Avoid browser warnings

The certificate must be applicable for all vROps servers

Which three design decisions would fulfill the requirements? (Choose three.)

- A. Certificates will use the PEM format.
- B. The solution will use CA-signed certificates.
- C. Certificates will use multiple Subject Alternative Name (SAN) entries.
- D. The solution will use self-signed certificates.
- E. Certificates will be created using the Diffie-Hellman security-key algorithm.
- F. Certificates will use the PFX and/or PKCS12 format.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

A customer has a requirement that an external auditing system must be updated when specific Cloud Templates are released.

Which combination of event topic and subscription filter would meet the customer's requirement? (Choose two.)

- A. No filter
- B. "Cloud template version configuration" event topic
- C. "Cloud template configuration" event topic
- D. Filter on "eventTopicId"
- E. Filter on "blueprintId"

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

A customer is deploying vRealize Log Insight (vRLI) in their data centers. The customer has the following:

Three data centers in three geographical locations.

Each site has 1000 logging sources that send events to vRLI.

The customer has the following requirements:

Minimize the resources footprint in the management cluster where vRLI will be deployed.

vRLI must be highly available with no single points of failure.

Logs collected from any data center must be protected against site failure.

Which three design decisions would the architect choose to achieve the requirements? (Choose three.)

- A. Configure filters to eliminate forwarding loops between vRLI clusters.
- B. Configure logs forwarding from all data centers to a specific data center.
- C. Configure logs forwarding from each data center to another one.
- D. Deploy nine vRLI "Medium" nodes in a single cluster in each data center.
- E. Configure filters to forward critical logs to central vRLI cluster.
- F. Deploy four vRLI "Large" nodes in a single cluster in each data center.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

As a Service Broker administrator, you have been asked to meet these requirements:

All released cloud templates must be imported to Service Broker.

Newly released cloud templates must be automatically synchronized with Service Broker.

All cloud templates must be automatically published to the service catalog.

Which two options must be configured to meet the requirements? (Choose two.)

- A. Create content source using VMware Cloud Templates option but do not configure content sharing
- B. Create content source using CloudFormation Template option
- C. Create content source using VMware Cloud Templates option
- D. Configure content sharing using Content Sources option
- E. Configure content sharing using All Content option

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

Which two statements are correct for VMware Cloud Services cloud proxy? (Choose two.)

- A. It connects cloud services to on-premises networks.
- B. It helps connect to public cloud entities.
- C. It requires a load balancer.
- D. An OVA deployment to an ESXi server is supported.
- E. An OVA must be deployed on a vCenter Server.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

A customer will use their vRealize Automation solution to provision and manage both production and development workloads.

During workshops, the customer has communicated the following information about the environment:

The production and development workloads are deployed to separate vCenter Servers. Three different user groups have been identified for access to the solution: Application Developers, Application Owners, and Infrastructure Operators. The customer has communicated the following requirements:

Only Application Owners and Infrastructure Operators may be permitted to deploy production workloads.

A limit should be applied to the number of development workloads concurrently deployed by each user type.

Application Owners must not be able to view or modify another user's deployment(s).

In addition to the creation of separate Production and Development Cloud Zones, which three design decisions meet the requirements? (Choose three.)

- A. Define a priority of 0 for the production Cloud Zone in the project used by Application Developers.
- B. Define a Cloud Assembly project for production and another for development.
- C. The deployment sharing option should be turned off for the Application Owners project.
- D. Define an instance limit for projects using the development Cloud Zone.
- E. Add the Application Owners and Infrastructure Operators groups to the production project.
- F. Define a Cloud Assembly project for each user group.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

An organization has onboarded a new business unit whose role is to test the applications 5 days prior to the release date. The Service Broker administrator should allow a 2-day extension for these deployments before they are deleted permanently.

Which two options must be configured in the lease policy to meet the requirements? (Choose two.)

- A. A total maximum lease of 5 days
- B. A maximum lease of 7 days
- C. A total maximum lease of 7 days
- D. A grace period of 5 days
- E. A maximum lease of 5 days

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

An architect is responsible for reviewing the requirements for an existing Cloud Management solution design.

Which requirement would be considered as a functional requirement?

- A. The solution must meet a monthly uptime SLA of 99.5%.
- B. The solution must meet a Recovery Point Objective (RPO) of 1 day.
- C. The solution must support the management of workloads within a public cloud.
- D. The solution must meet a Recovery Time Objective (RTO) of 4 hours.

Answer: ([SHOW ANSWER](#))

Functional requirements describe what a system or solution must do. The requirements include the following categories:

Business rules: For example, the architecture must support both the primary and secondary data centers.

Administrative functions: For example, network and security administrators must monitor the network traffic of the desired systems.

NEW QUESTION: 14

An architect is completing the physical design for a vRealize Operation (vROps) solution for a customer. The customer has only provided the following information for their existing environment:

500 Virtual Machines

2 VMware vCenter Servers

10 VMware vSphere Hosts

20 Datastores

Live data should be stored within the vROps solution for 6 months

The RTO for all existing management components is 4 hours

The RPO for all existing management components is 1 hour

Which two assumptions could the architect make when sizing the vROps cluster? (Choose two.)

- A. The vROps cluster will be configured as High Availability.
- B. The RPO of the vROps solution will be 1 hour.
- C. The RTO of the vROps solution will be 4 hours.
- D. The resource profile of a virtual machine will be, on average, 1 vCPU and 2 GB RAM.
- E. The minimum data retention within vRealize Operations Cluster will be 12 months.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

A company is planning to deploy a new cloud management solution that will allow business users to deploy servers via a self-service portal. After the initial discovery workshop with the new service owner, the architect has gained the following key information about the project:

In an effort to increase user experience, the IT Manager has requested that all deployments do not rely on manual approvals.

The current IT team is made up of five engineers but only one engineer has any experience writing scripts or automating server deployments.

The current version of the CMDB solution has no API available to create or destroy configuration items (CI) and there is no budget for upgrades.

Currently all CMDB activities are completed manually via service request with an SLA of 4 hours.

The customer has one data center with a requirement of protection against data center failure.

The expected availability SLA (measured monthly) will be 99.5%.

The deployment of a server is expected to take no longer than 2 hours.

Given the information provided, which two risks should the architect document within the design?
(Choose two.)

- A. The end to end server deployment cannot be achieved in the time window.
- B. There is insufficient resources available to complete the project.
- C. The customer only has a single data center location.
- D. Allowing self-service deployments of servers by business users.
- E. The lack of REST-API for IP address management solution.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

What level of design will contain an automation platform, an operational monitoring platform, and a desktop platform?

- A. Conceptual Design
- B. Physical Design
- C. Logical Design
- D. Detailed Design

Answer: ([SHOW ANSWER](#))

Valid 3V0-32.21 Dumps shared by ExamDiscuss.com for Helping Passing 3V0-32.21 Exam! ExamDiscuss.com now offer the **newest 3V0-32.21 exam dumps**, the ExamDiscuss.com 3V0-32.21 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 3V0-32.21 dumps with Test Engine here:

<https://www.examdumps.com/VMware/exam/3V0-32.21/premium/> (62 Q&As Dumps,

35%OFF Special Discount Code: freecram)

NEW QUESTION: 17

The operations team is onboarding new interns in Active Directory. The interns need to work in the company's vRealize Operations environment while maintaining corporate security compliance. The intern Active Directory group should only have PowerUser role to a specific vCenter cluster and ReadOnly for all other objects.

Which option would meet the requirements?

- A. Create a new Active Directory group for interns. Synchronize intern Group, create a new role for the interns and assign appropriate permissions on objects.
- B. Create new Active Directory accounts and import the intern user accounts. Create a new role for the interns and assign appropriate permissions on objects.
- C. Add the interns to the existing vRealize Operations administrators Active Directory group and grant access to relevant objects and all actions for the specific vCenter cluster.

D. Add the interns to a new vRealize Operations Active Directory Group. Import the Active Directory group and grant access to relevant objects and all actions for the specific vCenter cluster.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

A customer wants to deploy Workspace ONE Access for vRealize Suite users.

The customer wants to achieve the following requirements:

Availability SLA 95% uptime per month, calculated Monday-Friday, 24 hours per day.

The deployment footprint must be minimal.

Which design decision should the architect choose?

- A.** Deploy a Workspace ONE Access cluster and protect it with vSphere HA.
- B.** Deploy a Workspace ONE Access cluster and protect it with Fault Tolerance.
- C.** Deploy a Workspace ONE Access node and protect it with vSphere HA.
- D.** Deploy a Workspace ONE Access node and protect it with Fault Tolerance.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

An architect is responsible for designing a new Operations Management solution for a customer.

The customer has provided the following information about their existing VMware Software Defined Data Center (SDDC) environment:

The customer uses a SaaS-Based Service Desk solution.

The existing environment is located across two geographical regions.

In each region, the customer already has deployed a vSphere-based virtual environment that spans two well connected physical locations.

The customer has recently upgraded all of their licenses to VMware vCloud Suite Advanced subscription.

The customer has already successfully deployed and configured a vRealize Operations 8 solution in each region.

The customer would like to ensure that:

All vSphere log events must be captured, stored locally and forwarded to a third-party log management solution to ensure regulatory compliance.

Specific vSphere log event's can be captured within a region, monitored and then trigger alerts direct to the Service Desk which can then be assigned to regional support teams.

Operations monitoring for all of the VMware SDDC solution can be consolidated into a single user interface.

Which three recommendations should the architect make to meet the requirements? (Choose three.)

- A.** Deploy vRealize Operations Cloud and vRealize Log Insight 8.x integration.
- B.** Configure vRealize Operations 8.x and vRealize Log Insight 8.x integration.
- C.** Deploy vRealize Operations Cloud and configure Federated Analytics.

- D. Deploy vRealize Log Insight Cloud and configure the vSphere integration.
- E. Deploy vRealize Log Insight 8.x and configure the vSphere integration.
- F. Configure vRealize Operations 8.x and vRealize Log Insight Cloud integration.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

What two statements are true about vRealize Operations Manager high availability (HA)? (Choose two.)

- A. If the primary node fails, the replica node can take over all functions of the primary node.
- B. To enable HA, you must deploy at least 3 data nodes, plus the primary node.
- C. Upon failure of the primary node, failover to the replica is automatic.
- D. With HA, data stored in the primary node is partially backed up on the replica node.
- E. Data collection must be restarted from the administrative interface when the primary node fails.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

An online retail company needs its shopping cart application to be highly available.

What three cloud management design decisions would give an optimal shopping experience? (Choose three.)

- A. Configure the vRealize Operations alert to run a vRealize Orchestrator workflow when triggered
- B. Create a vRealize Orchestrator workflow that remediates the issue by updating the CPU
- C. Configure the vRealize Operations alert to email an administrator to remediate the issue
- D. Create a vRealize Orchestrator workflow that emails an administrator to remediate the issue
- E. Create a vRealize Operations alert that is triggered when the application's CPU usage exceeds a threshold
- F. Create a vRealize Operations metric chart for the application's CPU usage

Answer: ([SHOW ANSWER](#))

Valid 3V0-32.21 Dumps shared by ExamDiscuss.com for Helping Passing 3V0-32.21 Exam! ExamDiscuss.com now offer the **newest 3V0-32.21 exam dumps**, the ExamDiscuss.com 3V0-32.21 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 3V0-32.21 dumps with Test Engine here:

<https://www.examdumps.com/VMware/exam/3V0-32.21/premium/> (62 Q&As Dumps,

35%OFF Special Discount Code: **freecram**)