

VMware.5V0-31.20.v2022-07-18.q26

Exam Code:	5V0-31.20
Exam Name:	VMware Cloud Foundation Specialist
Certification Provider:	VMware
Free Question Number:	26
Version:	v2022-07-18
# of views:	774
# of Questions views:	4211
https://www.freecram.net/torrent/VMware.5V0-31.20.v2022-07-18.q26.html	

NEW QUESTION: 1

An administrator is tasked with preparing the hosts for a new VMware Cloud Foundation environment. The new environment will be installed in a facility far away from the administrator, and the hosts must be reachable remotely as soon as they are cable and powered-on in the rack. To reduce cost the new hosts do not have out of band management.

Which two steps should the administrator take to prepare for this deployment? (Choose two.)

- A. Configure the VMware Imaging Appliance service.
- B. Configure UEFI support in the host BIOS-
- C. Validate MTU of 1600 is set on Management VLAN.
- D. Download the ESXi ISO and VIBs
- E. Create a Cluster Image profile

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 2

Which two Password Management options are available for passwords that are locally managed within VMware SDDC Manager? (Choose two.)

- A. Replace
- B. Reset
- C. Change
- D. Update
- E. Rotate

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

What is required when creating storage policies for vSphere with Tanzu?

- A. Ensure that appropriate tags and attributes are added to the datastore
- B. Verify that the storage policies are set and will be assigned to the Supervisor Cluster.

C. Ensure that the reference datastore in the storage policy is shared between all ESXi hosts in the cluster

D. Verify that the storage policies are set and will be assigned to the Supervisor Namespace.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

Which network type within SDDC Manager must be added to the Network Pool to support the deployment of a Workload Domain that will only use vSAN storage?

A. vMotion, vSAN, and Management

B. vMotion and NFS

C. vMotion and vSAN

D. vMotion only

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

What is a valid use case for using multiple clusters in a workload domain?

A. vSAN is required as a principal storage option.

B. NFS is required as a principal storage option.

C. Sixty-six hosts are required in the workload domain

D. Thirty-three hosts are required in the workload domain.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

An administrator is tasked with creating a federation between five VMware Cloud Foundation instances. What is the number of SDDC Manager instances that must be assigned the controller role to enable HA?

A. 2

B. 1

C. 3

D. 5

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

Which two actions are prerequisites for upgrading VMware Cloud Foundation 4 x? (Choose two.)

A. Validate that all required bundles for the upgrade are downloaded successfully.

B. Validate that all required license keys are available for the newer products versions

C. Take a snapshot of all workloads running on VMware Cloud foundation

D. Acquire a temp IP range for the new products components deployed during the upgrade

E. Take a backup of SDDC Manager

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

Which two statements regarding MTU size should be considered prior to executing a deployment of VMware Cloud Foundation? (Choose two.)

- A. MTU of 9000 is a minimum for all non-management VLANs
- B. MTU of 1600 is a minimum for TFP VLANs
- C. MTU of 9000 is recommended for all non-management VLANs
- D. MTU of 1500 is a minimum for TEP VLANs
- E. MTU of 1500 is recommended for all non-management VLANs

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

SDDC Manager has been configured to use a Microsoft Certificate Authority. The administrator must replace certificates for the VI workload domain. What is the first step that must be taken to complete this task?

- A. Generate a Certificate Signing Request (CSR) for the VI workload domain in SDDC Manager.
- B. Export the default Certificate Signing Request (CSR) from the Microsoft Certificate Authority
- C. Delete the existing certificates.
- D. Generate a Certificate Signing Request (CSR) from the Microsoft Certificate Authority.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

Which architectural deployment type/model is supported?

- A. In a standard VMware Cloud Foundation 4 x architecture, each Workload Domain hosts its own vCenter server.
- B. In a consolidated VMware Cloud foundation 4 x architecture, workload VMs and Management VMs must share the same resource pool.
- C. In a standard VMware Cloud Foundation 4.x architecture, a VMware Lifecycle Manager appliance is deployed in each Workload Domain
- D. In a consolidated VMware Cloud Foundation 4.x architecture, VMware vRealize Automation is deployed in the Management Workload Domain.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 11

Which two components are included in the NSX-T upgrade process within VMware Cloud Foundation? (Choose two.)

- A. NSX-T VIBs installed on ESXi hosts
- B. NSX-T Upgrade Coordinator service
- C. Virtual Distributed Switch (vDS)
- D. NSX-T Controllers
- E. VMware vCenter Server

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

An Architect is commission hosts with a Multi-NIC configuration where Management and vMotion traffic are assign to a vSphere Distributed Switch with 2 uplinks.

What is one advantage to using VLAN-banked traffic to the physical switches from the vSphere Distributed Switch?

- A. More complex to implement
- B. Bandwidth in the rack is optimized (no inter-switch-link)
- C. Layer 2 hashed-based Equal Cost Muto-Pathing (ECMP) out of hypervisor
- D. Two physical NICs of the hypervisor are actively used

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

While assessing an environment for VMware Cloud Foundation, it was relayed that the enterprise is expanding their global presence with multiple data centers in order to simplify their IT operations without increasing their IT staff How can this goal be achieved?

- A. Leverage L2 VPN
- B. Multi-Instance Federation
- C. Centrally via 1 LCM Deployment
- D. SDDC Manager Cluster

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

An administrator has been tasked with adding capacity to an existing workload domain. The new hosts have hosts arrived but will need to be prepared before they can be added to VMware Which two steps must be performed to facilitate imaging with the VMware Imaging Appliance? (Choose two)

- A. Configure the hosts to PXE boot
- B. Configure the hosts to boot from SAN.
- C. Ensure that UEFI is enabled in BIOS.
- D. Configure option 43 on DHCP servers
- E. Configure Legacy boot mode in BIOS.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

Which role is required to edit backup configuration in SDDC Manager?

- A. ADMIN
- B. SUPER ADMIN
- C. POWER USER
- D. OPERATOR

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

An administrator has deleted an NSX manager application from the management domain by accident and now needs to restore the NSX Manager application as soon as possible.

Which three steps are necessary to accomplish this goal? (Choose three)

- A. Download and decrypt the encrypted backup file from the SF IP server
- B. Deploy a new NSX Manager appliance.
- C. Create a JSON file containing the NSX Manager configuration, and insert an API access token
- D. Refresh the SSH Keys that are stored in the SDDC Manager inventory
- E. Restore a known good configuration.
- F. Configure the new NSX Manager appliance with SFTP server settings.

Answer: ([SHOW ANSWER](#))

Valid 5V0-31.20 Dumps shared by ExamDiscuss.com for Helping Passing 5V0-31.20 Exam! ExamDiscuss.com now offer the **newest 5V0-31.20 exam dumps**, the ExamDiscuss.com 5V0-31.20 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 5V0-31.20 dumps with Test Engine here:

<https://www.examdiscuss.com/VMware/exam/5V0-31.20/premium/> (74 Q&As Dumps,

35%OFF Special Discount Code: [freecram](#))

NEW QUESTION: 17

An administrator creates a management domain using the VMware Cloud Bulkier appliance

Which type of storage must be used as principal storage for the management domain?

- A. vSAN
- B. VMFS on FC
- C. VMFS on FCoE
- D. NFS

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 18

Which sizing tool is available for calculating management domain storage requirements?

- A. Virtualization Assessment Package
- B. VMware Compatibility Guide
- C. vSAN ReadyNode Sizer
- D. VMware Configuration Maximums

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

An administrator is creating network pools.

What must be considered for sizing the network pools?

- A. Number of pods
- B. Number of virtual machines
- C. Number of workload domains
- D. Number of users

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

A system administrator wants to configure 4 NICs and 2 vDS, where primary vDS is used for Management Traffic, vMotion, Host Overlay, Edge Overlay, and Uplink networks. Which vDS profile does the administrator need to set?

- A. Profile 4
- B. Profile 1
- C. Profile 2
- D. Profile 3

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 21

An administrator is tasked with configuring VMware Cloud Foundation NSX-T environment for dynamic routing. Which routing protocol must be used?

- A. RIP
- B. BGP
- C. OSPF
- D. EIGRP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

An administrator is tasked with deploying a new workload domain into an existing VMware Cloud Foundation environment. Which two storage types are supported? (Choose two.)

- A. NFS v2
- B. VMFS on iSCSI
- C. vSAN
- D. SMB3.0
- E. VMFS on FC

Answer: ([SHOW ANSWER](#))

<https://docs.vmware.com/en/VMware-Cloud-Foundation/4.3/vcf-admin/GUID-2C4653EB-5654-45CB-B072-2C2E29CB6C89.html>

NEW QUESTION: 23

An administrator creates a vSphere with Tanzu namespace. Which two limits can be defined in namespace? (Choose two)

- A. Limits on storage IOPS
- B. Limits on memory
- C. Limits on CPU
- D. Limits on load balancer
- E. Limits on NIOC

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

Which prerequisite is correct for vRealize Automation when deploying vRealize Suite components using vRealize Suite Lifecycle Manager?

- A. Deploy vRealize Operations Manager before vRealize Automation.
- B. Configure the vRealize Suite Lifecycle Manager appliance to use the ESXi host as a NTP source.
- C. Run an external vRealize Orchestrator workflow.
- D. Deploy Workspace ONE Access before vRealize Automation

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

Which two statements accurately characterize vSphere Pods? (Choose two)

- A. A vSphere Pod can use normal vSphere Standard Switch and vSphere Distributed Switch
- B. A vSphere Pod is just a VM that runs a minimal version of Photon OS and container runtime on top of it.
- C. A vSphere Pod is a Kubemetes pod that runs on Tanzu Kubemetes Cluster
- D. A vSphere Pod can run only one container, and the minimum number of vSphere Pods in a cluster is three pods.
- E. A vSphere Pod is the smallest building block of vSphere with Tanzu that can run containerized applications.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

An administrator is preparing to enable the vSphere with Tanzu for workload management. Which selection must be made when automating the deployment of the NSX-T Edge Cluster using the SDDC Manager UI (user interface)?

- A. Select the Workload Management use case
- B. Select the Custom use case, and then select the small Edge Form Factor.
- C. Select the Custom use case, and then select the large Edge Form Factor
- D. Select the Workload Management use case, and the select the large Edge Form Factor

Answer: ([SHOW ANSWER](#))

Valid 5V0-31.20 Dumps shared by ExamDiscuss.com for Helping Passing 5V0-31.20 Exam! ExamDiscuss.com now offer the **newest 5V0-31.20 exam dumps**, the ExamDiscuss.com 5V0-31.20 exam **questions have been updated** and **answers have been corrected** get the **newest** ExamDiscuss.com 5V0-31.20 dumps with Test Engine here:

<https://www.examdiscuss.com/VMware/exam/5V0-31.20/premium/> (74 Q&As Dumps,

35%OFF Special Discount Code: **freecram**)